

कार्यालय मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी
जिला- मुंगेली (छ.ग.)

निविदा क्र./एन.एच.एम./फिजियोथेरेपी/2019-20 /197 मुंगेली दिनांक 10-10/2019

जिला चिकित्सालय, मुंगेली हेतु फिजियोथेरेपी सामग्री/फर्नीचर/उपकरण

निविदा के शर्तें एवं नियम

1. कार्यालय मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, मुंगेली के अधिनस्थ जिला चिकित्सालय, मुंगेली, रामगढ़, जिला मुंगेली (छ.ग.) हेतु उपलब्ध कराई जाने वाली सामग्री/फर्नीचर/उपकरण की खरीदी हेतु निर्माता/अधिकृत विक्रेताओं/पंजीकृत फर्म से मुहरबंद निविदा आमंत्रित की जाती है।
2. सामग्री/फर्नीचर/उपकरण के लिए अधिकृत विक्रेताओं को निर्माता कंपनी का अथॉरिटी लेटर मूल रूप से मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, मुंगेली के नाम से निविदा के साथ संलग्न करना अनिवार्य है।
3. निविदा कार्यालय में दिनांक 05.11.2019 को दोपहर 03:00 बजे तक पंजीकृत डाक अथवा स्पीड पोस्ट से पहुंच जानी चाहिए। प्राप्त निविदा दिनांक 05.11.2019 को सायं 04:00 बजे अधोहस्ताक्षरकर्ता के कार्यालय में खोली जाएगी। निविदादाता के प्रतिनिधि उपस्थित रह सकते हैं। निर्धारित तिथी एवं समय के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा। विलंब के लिए यह कार्यालय जवाबदार नहीं रहेगा। निविदा को अलग-अलग सील बंद लिफाफे में प्रस्तुत किया जावे। प्रथम लिफाफा समस्त निविदा सहपत्रों एवं द्वितीय लिफाफा प्राइज बिड का होना चाहिए। एक ही लिफाफे में प्रस्तुत निविदा निरस्त कर दी जाएगी। सहपत्रों का चेक लिस्ट भी प्रस्तुत करें। प्रथम लिफाफा क्रय समिति द्वारा पारित किये जाने के उपरान्त ही द्वितीय लिफाफा प्राइज बीड खोला जावेगा।
4. निविदा प्रारूप एवं निविदा की शर्तें तथा सामग्री/फर्नीचर/उपकरण की सूची निविदा प्रारूप के साथ निविदा फर्म कार्यालय मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, जिला चिकित्सालय के पास, रामगढ़, जिला मुंगेली (छ.ग.) से दिनांक 14.10.2019 से 04.11.2019 तक सायं 05:00 बजे तक शासकीय कार्य दिवस में निविदा फार्म रु. 1,000/- (रु. एक हजार मात्र) के डिमांड ड्राफ्ट, राष्ट्रीयकृत बैंक का District Health Society - Non NRHM - Other Fund a/c 32266834946 के नाम से बना हों एवं Drawee बैंक मुंगेली शाखा होना अनिवार्य हैं, देने पर प्राप्त किया जा सकता है। उक्त राशि किसी भी दशा में वापसी योग्य नहीं है।
5. निविदा के साथ सामग्री/फर्नीचर/उपकरण के लिए धरोहर राशि रु. 20,000/- (रु. बीस हजार मात्र) का बैंक ड्राफ्ट, राष्ट्रीयकृत बैंक का District Health Society - Non NRHM - Other Fund a/c 32266834946 के नाम से बना हों एवं Drawee बैंक मुंगेली शाखा का हों। सुरक्षा निधि सफल निविदाकार की रोककर शेष को राशि वापस लौटा दी जावेगी। सफल निविदादाता की अमानत राशि निविदा अवधि 01 वर्ष तक जमा रखा जावेगा जिस पर किसी भी प्रकार का ब्याज देय नहीं होगा।
6. निविदा खुलने के समय निविदा फर्मों के प्रतिनिधि उपस्थित रहते हैं तो इसके लिए निविदाकर्ता फर्म का अथॉरिटी लेटर होना आवश्यक है।

Supy [Signature] [Signature] [Signature] [Signature] [Signature] [Signature] [Signature]

7. सामग्री/फर्नीचर/उपकरण के लिए निर्माता कंपनी का WHOGMP/आई.एस.ओ/आई.एस.आई. एवं अन्य गुणवत्ता धारक प्रमाण पत्र संलग्न किया जाना आवश्यक है।
8. पिछले वित्तीय वर्षों 2016-17, 2017-18 तथा 2018-19 का वाणिज्यिक कर अदा किया है एवं उस पर कोई कर बकाया नहीं है इस आशय का वाणिज्यिक कर समाशोधन प्रमाण-पत्र निर्धारित प्रारूप में प्रस्तुत करना होगा। आयकर रिटर्न वर्ष 2016-17, 2017-18 तथा 2018-19 की छाया प्रति संलग्न करना अनिवार्य है।
9. सामग्री/फर्नीचर/उपकरण इत्यादि की दर जिला चिकित्सालय, मुंगेली, रामगढ़, जिला मुंगेली (छ.ग.) में प्रदाय करने की होगी। ट्रांसपोर्ट व्यय (फ्रेड पेड) निविदाकर्ता द्वारा भुगतान किया जाएगा। इन्सटालेशन, ट्रांसपोर्ट व्यय, लोडिंग-अनलोडिंग, एफ.ओ.आर. डेस्टीनेशन के लिए शामिल होगा।
10. सामग्री/फर्नीचर/उपकरण का दर कैटलॉग के साथ दिया जाना होगा। न्यूनतम दर पाये जाने के उपरांत नमूना कय समिति के अवलोकन हेतु मंगाया जा सकता है।
11. क्रयकर्ता अधिकारी द्वारा सभी वस्तुएं निरीक्षण की शर्तों पर स्वीकार की जावेंगी। सामग्री/फर्नीचर/उपकरण का चयन क्रय समिति के तकनिकी विशेषज्ञों द्वारा गुणवत्ता का परीक्षण कर किया जावेगा। तकनिकी विशेषज्ञों के परिक्षण में गुणवत्ता युक्त सामग्री/फर्नीचर/उपकरण न होने की स्थिति में क्रय शून्य किया जा सकेगा।
12. निविदादाता को अपने फर्म का पेन, टीन नम्बर/जी.एस.टी. की छायाप्रति संलग्न करना अनिवार्य है।
13. निविदा में मंगाई गई सामग्री/फर्नीचर/उपकरण में पोस्ट डिलिवरी इन्सपेक्शन रिपोर्ट अनिवार्य है। सामग्री/फर्नीचर/उपकरण की गारंटी/वारंटी अवधि का स्पष्ट उल्लेख किया जावे। इस हेतु गारंटी/वारंटी सर्टिफिकेट भी प्रदाय किया जाना आवश्यक है। सामग्री/फर्नीचर/उपकरण का इन्सटालेशन कंपनी/डीलर के ऑथराइज इंजीनियर द्वारा किया जावेगा। इन्सटालेशन उपरांत रिपोर्ट प्रदाय किया जाना अनिवार्य होगा।
14. निविदा दर में सभी प्रकार के कर जैसे- (वैट टैक्स/केन्द्रीय कर/जी.एस.टी.) इत्यादि का उल्लेख पृथक से किया जाना अनिवार्य है। न्यूनतम दर का चयन सामग्री के कुल राशि (मूल्य+व्यय+कर) पर किया जावेगा। सफल निविदाकर्ता को सामग्री आपूर्ति के पश्चात् बिल में सामग्री राशि अलग से तथा देय कर की राशि अलग-अलग स्पष्ट रूप से उल्लेख करते हुए प्रस्तुत करना होगा जिससे की देय कर की राशि वाणिज्य कर विभाग के लेखा शीर्ष में जमा किया जावेगा तथा संबंधित फर्म द्वारा चालान मांग किए जाने पर चालान की प्रति उपलब्ध कराई जावेगी। भुगतान हेतु निविदा कर्ता फर्म का ही देयक मान्य किया जावेगा।
15. न्यूनतम दर संलग्न सूची अनुक्रम मे ही पूर्तिकर एवं हस्ताक्षरकर लेटर पेड मे देना होगा। इस कार्यालय द्वारा प्रदाय किये गये सूची के क्रम अनुसार ही दर अंकित किया जावे अन्यथा निविदा अमान्य कर दी जावेगी।
16. निविदा दर कम्प्युटर द्वारा मुद्रित होना चाहिए।
17. निविदादाता द्वारा नियम व शर्तों का उल्लंघन करने पर संबंधित फर्म का निविदा निरस्त कर दिया जावेगा।

18. निविदा में सामग्री/उपकरण की दर राज्य या केन्द्र शासन के द्वारा निर्धारित दर एवं अधिकतम खुदरा मूल्यों से अधिक नहीं होना चाहिए।
19. निविदा दर में सामग्री/फर्नीचर/उपकरण के मेक, माडल, कंपनी का उल्लेख किया जाना अनिवार्य होगा।
20. निविदा दाता द्वारा फर्म/कंपनी का विगत 03 वित्तीय वर्ष का टर्नओवर प्रमाण पत्र चार्टर्ड अकाउंटेंट द्वारा सर्टिफाइड कर प्रदाय करना होगा। फर्म/कंपनी का वित्तीय वर्ष 2016-17, 2017-18 तथा 2018-19 में प्रति वर्ष न्यूनतम टर्नओवर रु. 50 लाख (रु. पचास लाख मात्र) होना अनिवार्य हैं।
21. सामग्री/फर्नीचर/उपकरण की प्रदायगी आदेश प्राप्त होने के 30 दिन के अंदर प्रदाय करना होगा। विशेष कठिनाईयों में संबंधित अधिकारी को सूचना देने पर अवधि बढ़ाई जा सकती हैं परंतु किसी भी परिस्थिति में यह अवधि पांच सप्ताह से अधिक की नहीं होगी।
22. आदेशित सामग्री/फर्नीचर/उपकरण निर्धारित अवधि के अंदर आपूर्ति नहीं की जाती हैं तो 2 प्रतिशत पेनाल्टी चार्ज की जावेगी।
23. व्यवस्थित पैकिंग तथा पहुँच तक की संपूर्ण जवाबदारी प्रदायकर्ता की होगी। टूट-फूट तथा ट्रांसपोर्ट के दौरान कमी आने की संपूर्ण जवाबदारी प्रदायकर्ता की होगी। विलंब से रसीद प्राप्त होने पर लगने वाले डेमरेज चार्ज/विलंब शुल्क प्रदायकर्ता के बिल से वसूल की जावेगी।
24. दर भारतीय मुद्रा में ही स्वीकार की जावेगी। विदेशी मुद्रा की दर निरस्त कर दी जावेगी।
25. किसी भी निविदा को स्वीकार करना अथवा बिना किसी कारण सूचना के निरस्त करने का संपूर्ण अधिकार गठित क्रय/चयन समिति के पास सुरक्षित रहेगा।
26. सामग्री/फर्नीचर/उपकरण का एक ही दर अंकित किया जावे। प्रदाय टेडर फार्म से अलग सामग्री/फर्नीचर/उपकरण का नाम जोड़ने पर निविदा दर स्वीकार नहीं किया जावेगा।
27. खुली निविदा में प्राप्त सामग्री/फर्नीचर/उपकरण के एकल दर को भी जिला क्रय समिति द्वारा मान्य किया जा सकता है।
28. निविदा की अवधि 31 मार्च 2020 अथवा वित्तीय वर्ष 2020-21 की आर.ओ.पी. की स्वीकृति तक के लिये मान्य होगी, जिसे आगामी अवधि हेतु भी बढ़ाया जा सकेगा, अवधि बढ़ाये जाने पर दरों में केवल कर में होने वाले बदलाव को ही मान्य किया जावेगा।
29. निविदा से संबंधित किसी भी प्रकार की विवाद की स्थिति में न्यायालयीन क्षेत्र जिला मुंगेली होगा।

संलग्न : सामग्री/फर्नीचर/उपकरण की सूची।

Singh

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी
जिला-मुंगेली छ.ग.)


जिला चिकित्सालय, मुंगेली हेतु फिजियोथेरपी सामग्री / फर्नीचर / उपकरण

Table 1 : Infrastructure

SN	Name	Specification
1	Waiting chairs IEC materials	-
2	Tables	-
3	Consultant chairs	-
4	Visitors chairs	-
5	Stools	-
6	Examination Tables (2*6')	-
7	Cupboards	-
8	Examination and treatment tables	-
9	Trolley for modalities	-
10	Power sockets	-
11	Dust bins	-
12	Door mats	-
13	Gait Training apparatus with postural mirror	-


Table 2 : Basic and Advance Measurement equipment

SN.	Name	Specification
1	Goniometers	-
2	Tape measures	-
3	Reflex hammer	-
4	Thermometer	-
5	Grip dynamometer	-
6	Neurological testing instruments (monofilament)	-
7	Sphygmomanometer	-
8	Stethoscope	-



 The image shows several handwritten signatures and initials in black ink. On the left, there is a signature that appears to be 'S. S. S.' with a large flourish. To its right, there are several other signatures, including one that looks like 'D. S. S.' and another that is more stylized. There are also some initials and marks scattered around the text.

5	Paraffin wax bath	<p>Force 05-80 kg minimum Operation for hold time and rest time Digital/LCD Display 10 kg capacity max Stainless steel internal tank Electricity-220 V Doubles wall Insulator Special wax heater Heat control-3-to 110 c Thermostat Control Auto clean facility Temp & supply indicator With Thermostat Brushes and wax knife</p>
6	TENS (Transcutaneous Electrical Nerve stimulator) with Iontophoresis unit	<p>INPUT DATA Mains Supply : +12 V, 500 mA Power Consumption : 5 Watts FUNCTIONAL DATA Output Current : 0 to 60 MA Output Voltage : 0 to 100 v (peak to peak) Frequency : 1 to 200 HZ Pulse Width:75 to 36 MICROSEC. Output Waveform : Symmetric Treatment time : 5-20 Minutes Alarm: the Buzzer alarms when the INTENSITY CONTROL is not at zero</p>
7	Ultra Sound therapy unit	<p>Mode of operation-continuous and pulsed modes (1 :1, 1:4, 1:7, 1:10) 1 mHz frequency Output-12 acoustic watts max.</p>
8	SHORT WAVE DIATHERMY	<p>Input Operating Voltage : 180 -240 V~ / 50 Hz Output : 27.12 MHz Frequency Modes : Pulsed or Continuous Output power : 200 W in Continuous</p>




 [Signature] [Signature] [Signature] [Signature] [Signature] [Signature]

<p>Pulse Frequency : 800 Hz 600Hz, 400Hz, Duty cycle : 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100% Power Consumption : 400 VA Treatment Duration : 1-30 minutes in 1 minute increments (End of treatment time automatically cut off) Electrical Class : CLASS I Electrical Type : TYPE BF Dimensions (L x B x H) : 45 x 30 x 70cm. (Appros) Weight : Approx 15 Kgs (light Weight) Accessories : Flexible rubber electrode, intermediate felt layer Capacitive Disc electrodes 1200 mm diameter, Pad Cables, Disc cables, Indicator Discharge tube, SWD User manual</p>	<p>IFT Number of Channels : 2 Channels Maximum Output Current : 0-75 mA Operating Frequency : 2000 Hz & 4000 Hz Base : 0-12 Hz Spectrum : 0-150 Hz Modes : 2EL/4EL/4EL45 VECTOR/4EL9 VECTOR Sweep Patterns : Triangle/Square/Trapezodial MST & TENS Number of Channels : 2 Channels Maximum Output Current : 0-60 mA Modes : Plain Galvanic, Pulsed Galvanic, Plain Faradic, Surged Faradic programs, s-d curve programs, Ionto, Plain TENS, Surged TENS Additional currents : Dia Dynamic Current & Russian Current Operating Voltage: 220 V AC, 50 HZ. Weight : 3.5 Kgs Max power Consumption : 50 Watts. LASER OUTPUT : Red 655 nm 40 mW + IR 808 nm 200 mW TOTAL OUTPUT : 240 m W</p>
<p>9</p>	<p>Interferencial therapy (IFT) UNIT with Russian And Diadynamic Current</p>
<p>10</p>	<p>Low Level LASER Therapy Unit</p>

[Handwritten signatures and initials]

		<p>Infrared Probe: 808 nm 200 mW Modes of Operation : Continuous and Pulsed Pulse Frequency : 0 - 5000 Treatment time : 0 - 99 Mins</p>
11	EMG biofeedback or Diagnostic equipment	<p>Unit should have 4 Independent stimulation channels Current per channel : 1-100 mA Frequency : 1 to 1000 HZ (4000 Hz in IFT) Pulse width : 100 us to see micro. Unit should have constant current and constant voltage mode. Should have 2 bio-feed back channels EMG channels sensitivity 1 micro V EMG rang from 1-2000 Micro V Should have more than 100 modifiable program and facility for creating new programmes. Should display stimulation and Bio-feed back on the screen. Should provide function of progressive sound in bio- feed back (with multi media PC) Should provide facility to create patient's file Should provide display of the Bio-feed back in curve surface or EMG graph.</p>
12	Gait Traning apparatus with Un-Weighing Technology and Treadmill	<p>Consists of AC motor treadmill Un-weighing hydraulic lift and suspension harness (adult and paediatric size)</p>
13	Shockwave diathermy	<p>SW: Compressor free Ballistic radial ; shockwave generator as projectile accelerator Channel : Single (comes with 1 Pc headpiece)</p>



Sudhakar V. K.

Ravi

Ravi

Ravi

Ravi

Ravi

Ravi

Ravi

Ravi

Ravi

		<p>Frequency : 1-22 Hz (adjustable by 1 Hz) Power level/Energy : 60 to 15 mj (equivalent to 1-5 bar)</p> <p>Display Operation : & 7 " LCD touch Screen Models : 4 Burst models (Continuous/4/8/12 pulses) Software : Preset & User-defined protocols Standard applications : 1 pc 6mm, 1 pc 15mm, and 1pc 25 mm Weight : Approx, 4.5 kg (headpiece excluded) Power Supply : AC 100-240V, 50/60 Hz</p>
14	Vaso pneumatic compression device	<p>Adjustable Pressuree 50-300 mm Hg Adjustable therapy time 0-30 mins Power consumption 25 W Power supply 220-240VAC,50-6 Hz Current 0.2 A</p>
15	Continuous Passive Movement For Knee (CPM)	<p>Angle 0-130 degree adjustable Electronic control systemes Safety Switch Remote Control Smooth movement</p>
16	Hydrotherapy tank with Whirpool	<p>Full body "T" shape hydrotherapy tank for hydro-massage.</p> <p>The heavy gauge stainless steel tank, rests on 40 cm (16") high tubular stand re-inforced with cross bars. Overall size of the tank is 190 cm (75")x 185cm (73")x93cm(37")</p>
17	IRR lamp	<p>Standing unit Floor model. Stable stand on casters for safe mobility Protective metal casing Timer Adjustable arms IRR lamp 150 w</p>

















Table 5 : Basic Physiotherapy articles of establishment

SN	Name	Specification
1	Treatment tables: wooden plinths (2'x6')	One wooden plinth for diathermy room 2-3 metal/wooden plinth for other rooms
2	Low Height geriatric plinth	20" height 6 feet long, 2.5 feet width Covered with foam cushion
3	Motorized manual therapy treatment table	Good quality regzin high-low adjustable manual therapy table motorized elevation control foam cushioned
4	Mattress	Size 3'x6' with leather cover
5	Treatment room cabinets	-
6	Step stool	8 to 10 inches height
7	Therapist stool on wheels	Height adjustable
8	Staircase with hand rails	Two section to allow fitting in corner space wooden stair case Various height of steps for stair training Had rails Antiskid floor







Table 6 : Basic and Advance Fitness/ Exercise Therapy Equipment

SN	Name	Specification
1	Reciprocal overhead shoulder pulley system	Wall mounted
2	Dumbbells complete set of paired weight increments	1kg, 2kg, 3kg, 4kg, 5kg, 10kg, 15 kg, 20kg, (8 pairs) with stand
3	Should wheel (Upper Body Egrometer)	Wall mounted with height adjustment
4	Cuff weights	set of paired weights in 1 Kg increments, 1-5 Kgs
5	Resistive tubing/ Bands (set)	All colours with different resistance
6	Weight and pulley system	-
7	Balance board	-
8	Gym Ball	Made up of



 Multiple handwritten signatures and initials are present on the right side of the page, including names like 'Ks', 'RBS', 'Ami', 'N. S.', and 'G.M.'

9	Therapeutic Putty	Anti burst 100kg+capacity Anti -burst Air pump must be included Size 85/55/45 Cm Variety of different resistance for progressive grip strengthening should be ideal for hand function training for knee extension and knee flexion Standand multigym
10	Supine shuttle-style leg press machine	Stable Base
11	Multi-purpose, multi-joint adjustable resistive machine (Multigym)	Sturdy design
12	Semi-Recumbent static cycle for easy geriatric use	Magnetic resistance (Non friction) Provision for resistance friction Low height for easy approach Back rest and hand rest Adjustable length Digital Display of speed, resistance distance and time Magnetic or air system, with band support SS or chromium polished MS bars All sizes
13	Parallel bars or well bars	1 Small 1 Big
14	Balance board-assorted types	All weight till 5 kgs
15	Foam rolls	High quality mirror atleast size 3'x7'
16	Medicine ball (1set)	One set of atleast three steps
17	Large mirror for visual feedback	All sizes of bolster, wedges and supports standard size
18	Adjustable height exercise steps	Suspension frame
19	Variety of bolsters, wedges, support	Suspension bed
20	Mobilization belts and devices	Slandered accessories
21	Suspension frame wwith accessories	Ropes, hooks, slings pulley
22	ADL training Equipments	Wooden Material

		Variety of function such as dressing Enting, lock, Buttons, Drawer, Peg board, Prehension Precision Function for ADL training
23	Stability Training Foam	Hand held unit
24	Walker	Grip strenght measurement in Kgs Metal unit
25	Rollator	height adjustable
26	Stick	height adjustable
27	Elbow Crutches	height adjustable
28	Axillary Crutches	height adjustable
29	Tripod Stick	height adjustable
30	Quadripod Stick	height adjustable
31	Wheelchair	height adjustable

Handwritten notes:
 23 *Handwritten initials*
 24 *Handwritten initials*
 25 *Handwritten initials*
 26 *Handwritten initials*
 27 *Handwritten initials*
 28 *Handwritten initials*
 29 *Handwritten initials*
 30 *Handwritten initials*
 31 *Handwritten initials*

Handwritten mark