

அருள்மிகு வியாச சாந்தாலீசுவரர் திருக்கோயில், சின்ன காஞ்சிபுரம்.

ஒப்பந்தப்புள்ளி அறிவிப்பு

சின்ன காஞ்சிபுரம், அருள்மிகு வியாச சாந்தாலீசுவரர் திருக்கோயில் பரம்பரை தர்மகர்த்தா அவர்களால் 30.6.2020 அன்று பிற்பகல் 3.30 மணி வரை கீழ்க்கண்ட பணிக்கான மூடி முத்திரையிடப்பட்ட ஒப்பந்தப்புள்ளிகள் அரசு நிறுனங்களில் தகுதியின் அடிப்படையில் பதிவு பெற்று அனுபவம் வாய்ந்த பதிவு நடப்பிலுள்ள ஒப்பந்ததாரர்களிடமிருந்து வரவேற்கப்படுகின்றன. பெறப்பட்ட ஒப்பந்தப்புள்ளிகளை அன்றே பிற்பகல் 4.00 மணிக்கு வருகை தந்த ஒப்பந்ததாரர்கள் மற்றும் துறை அலுவலர்கள் முன்னிலையில் திறக்கப்படும்.

வ.எண்.	பணியின் பெயர்	பணியின் தோராய மதிப்பு ரூ.	ஒப்பந்த காலம்	முன்வைப்புத் தொகை ரூ.	ஒப்பந்த படிவத்தின் விலை ரூ.
1.	திருக்குளம் சீரமைத்து புதுப்பித்தல்	11,30,000/-	6 மாதம்	9,590/-	ரூ.6000 + GST

ஒப்பந்தப்புள்ளிகள் 15.06.2020 முதல் 29.06.2020 வரை சான்றிதழ்களை அளித்து ஒப்பந்தப் படிவ விலையினை திருக்கோயில் அலுவலகத்தில், அலுவலக நாட்களில் அலுவலக நேரங்களில் பெற்றுக்கொள்ளவும். விலை விகித மாறுதல் (Price Adjustment) இந்த ஒப்பந்தத்திற்கு பொருந்தாது. உடன்படிக்கையில் உள்ள விலை விகிதங்கள் ஒப்பந்த காலம் முழுமைக்கும் மாறுதலுக்கு உட்படாமல் இருக்கும், பணியினை முடிக்கும் காலம் வரை விலை விகிதங்கள் மாற்றம் செய்ய இயலாது. காரணம் ஏதும் தெரிவிக்காமல் ஒரு குறிப்பிட்ட ஒப்பந்தப்புள்ளியை அல்லது அனைத்து ஒப்பந்த புள்ளிகளையும் நிராகரிக்கும் அதிகாரம் இத்திருக்கோயில் பரம்பரை அறங்காவலருக்கு உண்டு. ஒப்பந்தப்புள்ளிகள் www.tenders.tn.gov.in என்ற இணையதள முகவரியிலும் பதிவிறக்கம் செய்து கொள்ளலாம். ஒப்பந்தப்புள்ளி திறப்பு தேதி மாற்றுதலுக்குட்பட்டது. இதர விவரங்கள் திருக்கோயில் அலுவலக நேரங்களில் தெரிந்துகொள்ளலாம்.

பரம்பரை அறங்காவலர்

GOVERNMENT OF TAMIL NADU

HINDU RELIGION CHARTABLE ENDOWMENT DEPARTMENT

**ARULMIGU VIYASA SANTHALEESWARAR THIRUKKOIL,
LITTLE KANCHEEPURAM, KANCHEEPURAM TALUK AND DISTRICT.**

Tender documents

Name of work : **A/M Viyasa Santhaleeswarar thirukkoil,
Little Kancheepuram, Kancheepuram taluk and district.**

Year : 2019-2020

Cost of tender document : Rs. 6000/-

GST 18% : Rs. 1080/-

Total : Rs. 7080/-

Tender shall be submitted on or before 3.30pm on 30.06.2020

Tender document sold to

**Hereditary Trustee
A/M Viyasa Santhaleeswarar thirukkoil,
Little Kancheepuram,
Kancheepuram taluk and district.**

TENDER NOTICE

Name of Work :-

Dated.....

To

**Hereditary Trustee
A/M Viyasa Santhaleeswarar thirukkoil,
Little Kancheepuram, Kancheepuram taluk and district.**

Sir,

I. I/We do hereby tender and, if this tender be accepted, undertake to execute the institution, without variations by way of alterations or additions to, and omissions from the said works and method of payment as are provided for in the conditions of contract for the sum of Rupees (to be entered in words and figures) or such other sum as may be arrived at under the clause of the standard Preliminary Specifications relating to "Payment by final measurement at unit prices".

II. I/We have also completed the priced list of items in Schedule 'A' annexed (in words and figures) for which I/We agree to execute the work when the lump sum payment under the terms of the agreement is varied by payment on measured quantities.

III. I/We hereby distinctly and expressly declare and acknowledge that, before the submission of my/our tenders, we have carefully followed the instructions in the tender notice and have read the Tamil Nadu Building Practice Specifications and the Preliminary Specifications therein; and that I/We have such examination of the contract documents, specification and quantities and of the location where the said work is to be done and such investigation of the work required to be done and in regard to the materials required to be furnished so as to enable me/us to thoroughly understand the intentions of the same and the requirements, contents, agreements, stipulations and restrictions contained in the contract and the said plans. I/We enclose herewith a Chelan for payment of the sum of Rs.15560/- (Rupees fifteen thousand five hundred and sixty only.) (to be entered in words and figures) as earnest money, not to bear interest. If, my/our tender is not accepted, the sum shall be returned to me/us on my/our application when intimation is sent to me/us of rejection or at the expiration of four months from the date of this tender, whichever is earlier. If my / our tender is accepted, the earnest money shall be retained by the institution as security for the due fulfillment of the contract. Upon written intimation to me/us by the office of the Trustee/Board of Trustees of the institution or competent authorities etc, if I/We fail to attend the said office before the end of the period specified in such intimation, then the tender will not be considered by the Trustee/Board of Trustees. Upon intimation being given to me/us by the Trustee/Board of Trustees of the institution of acceptance of my/our tender, if I/We fail to make an additional security deposit or to enter into the required agreement as defined in the paragraphs of the tender notice, then I/We agree to the forfeiture of the earnest money. Any notice required to be served on me/us hereunder shall be sufficiently served on me/us if delivered to me/us personally or forwarded to me/us by post (registered or ordinary) or left at my/our address given herein, then such notice shall deemed to have been served on me/us at the address to which it is sent.

... 2 ..

IV. I/We fully understand that the written agreement to be entered into between me/us and the institution shall be the foundation of the rights of both the parties and the contract shall not be deemed to be complete until the agreement is first signed by me/us and then by the Executive Officer of the Temple.

I am/We are Professionally qualified and my/our qualifications are given below.

Name	Qualification
------	---------------

V. I/We will employ the following technical staff for supervision of the work and will see that one of them is always present at site during working hours, personally checking all items of work and paying extra attention to such works which are require special attention (e.g.) reinforced concrete works.

Name of the members of technical Staff proposed to be employed.	Qualifications.
---	-----------------

Note :- (a) The last two clauses should be scored out if the cost of the work involved is less than Rs.10,000.

(b) The Tenderer should score out the last clause or the penultimate clause accordingly, as they are themselves professionally qualified or undertake to employ technical staff under them.

Hereditary Trustee

Signature of the Contractor.

Sealed schedule tenders will be received by the Hereditary Trustee A/M Viyasa Santhaleeswarar thirukkoil, Little Kancheepuram, Kancheepuram taluk and district. . up **4.00 PM**. on 30.06.2020 for the work of renovation of temple thirukulam.

Tender should be in the prescribed form, obtainable from the Office of the Hereditary Trustee, from 15.06.2020 to 29.06.2020 on all working days, during the office hours. This tender will be opened on 30.6.2020 at the temple office at 04.00 pm. as per the office clock.

1. The Tenderer or their authorized agent is expected to be present at the time of opening tenders. The tender receiving officer will, on opening each tender prepare a statement of attested and unattested correction there in and hand it over to the tender's concerned and initial all such corrections in the presence of the tenderer. If any of the tenderer or their agents finds it inconvenient to be present at the time, then in such a case, the tender receiving officer will, on opening the tender of the absentee tender, make out a statement of the unattested corrections and communicate to him. The absentee tenderer shall then accept the statement of the corrections without any question, whatsoever.
2. Tender must be submitted in sealed covers and should be addressed to the A/M Viyasa Santhaleeswarar thirukkoil, Little Kancheepuram, Kancheepuram taluk and district. ; the name of the tenderer and the name of the work being noted on the cover.
3. If an individual makes the tender, it shall be signed with his full name and his address shall be given. If a firm makes it, it shall be signed with the Co-Partnership name by a member of the firm who shall also sign has own name, and the name and the address of each member of the firm shall be given. If a Corporation makes the tender, a duly authorized officer who shall produce with his tender, satisfactory evidence of the authorization shall sign it. Such tendering corporation may be required before the contract is executed, to furnish evidence of its corporate existence.
4. The tenderer who has not already registered himself as a contractor in Highways Department or P.W.D. or any other Government department, the tenderer should furnish the Hereditary Trustee with satisfactory evidence of their good record and capacity to do the work.
5. (i) Each tenderer must also send a certificate of Income Tax verification from the income tax authority in the form prescribed there for to the tender. This certificate will be valid for one year from the date of issue for all the tenders submitted during the period.
 - (i) In the case of proprietary or partnership firm, it will be necessary to produce the certificate for the proprietorship and for each of the partners, as the case may be.
 - (ii) If the tenderer is a registered contractor and if a certificate for the current year had already been produced during the calendar year in which the tender is made it will be sufficient if particulars regarding the previous occasion on which the said certificate was produced are given.
6. (i) Each tenderer must pay as earnest money a sum prescribed, in cash, in the above said office and attach the receipt with the tender. Tenders received without earnest money deposit will be summarily rejected. The earnest money deposit will be refunded to the unsuccessful tenderer on application after intimation is sent or rejection of the tender or at the expiration of 90 days from the date of tender, whichever is earlier.
 - (ii) The earnest money will be retained in the case of successful tenderer and will not carry any interest. It will be dealt with as provided for in the conditions attached to the tender.
 - (iii) All earnest money and retention money, specifically retained on behalf of the temple with this contract or so much of it shall not have become forfeiture to the temple shall be returned to the contractor at the expiry of 6 months after the completion of work.

7. When the tender is accepted, the tenderer whose tender is under consideration shall attend the Hereditary Trustee Office on the date fixed in the written intimation sent to him. If, upon written intimation to the successful tenderer by the Executive officer, the tenderer fails to attend the said office before specified date on such intimation to the tenderer, the tender will not be considered. The written agreement to be entered into between the contractor and Hereditary Trustee of temple shall be the foundation of the rights of both the parties and the contract shall not be deemed to be complete until the agreement has first been signed by the Contractor and then by the proper officer authorized to enter into contracts on behalf of the Department.

8. For items of works in buildings and structures not covered by these specifications, relevant items for...Tamil Nadu Building Practice specifications as amended from time to time shall apply.

9. A copy of these contract documents can also be had on payment of Rs.6000 + GST -per set (including sales tax and surcharge) on the dates specified in the tender notice.

10. The tenderer shall examine closely the T.N.B.P. and also the standard preliminary specification contained therein before submitting his tender for Unit rate, which shall be for finished work at site. He shall also carefully study the drawings and descriptive specifications supplementing Schedule, 'A' and all documents which form part of the agreement to be entered into by the accepted tenderer. The T.N.B.P. and other documents connected with the contract such as specifications, plans, descriptive specification sheets regarding materials, etc. can be seen during office hours, on working days, at the office of the Hereditary Trustee A/M Viyasa Santhaleeswarar thirukkoil, Little Kancheepuram, Kancheepuram taluk and district. .

11. The tenderer attention is directed to the requirements for materials under the clause "Materials and Workmanship" in the preliminary specification. For materials conforming to the TNBP, the specification of the Indian Standards Institution and Indian Roads Congress shall be used on the work and tenderer shall quote his rate accordingly.

12. Every tenderer is expected before quoting his rate to inspect the site of the proposed work. He should also inspect the quarries and other sources of materials and satisfy himself about the quantity, the quality and availability of materials. The names of quarries, kilns, etc., where from certain materials are to be obtained are given in the "Lead for Materials." The materials supplied should conform to the specifications of T.N.B.P.

13. The best class of materials to be obtained from the quarries or other source defined shall be used on the work. In every case, the materials must comply with the relevant standard specification. Samples of materials as called for in the standard specifications or in the tender notice require the executive officer's approval before the supply to the site of work is begun.

14. (i) If the contractor after examination of the source of materials defined in the "Lead For Materials" is of opinion that the materials complying with the standard or other specification of the contract cannot be obtained in quality or sufficient quantity from the source defined in the descriptive specification sheet, he shall so state clearly in his tender and state where from he intends to obtain materials subject to the approval of the Hereditary Trustee A/M Viyasa Santhaleeswarar thirukkoil, Little Kancheepuram, Kancheepuram taluk and district.

15. The Temple Hereditary Trustee will not however, after acceptance of contract rates, pay any extra charges for lead or for any other reasons in case the contractor is found later on to have misjudged the quality or quantity of materials available. Attention of the contractor is directed to the standard preliminary specifications regarding payment of signora, tools etc.

16. The tenderer particular attention is drawn to the section and clauses in the Standard Preliminary Specifications dealing with:

...5...

1. Test Inspection and rejection of defective materials of work.
2. Delays
3. Particulars of payments

The tenderer should closely pursue all the specification clauses which govern the rate for which he is tendering

17. A schedule of quantities accompanies this tender notice. It shall definitely be understood that the Department does not accept any responsibility for the correctness or completeness of the schedule and that this schedule is liable to alterations or omission, deductions or additions at the discretion of the Executive Officer or as set forth in the conditions, of contract. The tenderer will however base his lump sum tender on this schedule of quantities. He should quote specific rate for each item in the schedule and the rate should be in rupees and paise and should be written both in words and in figures, and the units in words. The tenderer should also show the total of each item and the grand total of the whole contract and quote in the tender a lump sum for which he will undertake to do the whole work subject to the condition of contract, such lump sum agreement agreeing' with the total amount of the schedule. This tender schedule accompanying the lump sum tender shall be written legibly and free from erasure, or over writings or conversions of figures, corrections, where unavoidable should be made by crossing out, initialing, dating and re-writing Tenders not submitted in proper form or in due time will be rejected.

18. Tenders, offering a percentage deduction from or increase on the estimate amount and those not submitted in proper form or in due time will be rejected. Rates or lump sum amounts for items, not called for, shall not be included in the tender. No alteration which is made by the tenderer in the contract form, the conditions of contract, the drawings, specifications, or quantities accompanying the same will be recognized and if any such alteration are made, the tender will be void.

19. The leads at which and the source from which certain particular material shall be obtained by the contractor are given in the schedule accompanying the tender forms. Tenderer must accept the materials at these leads and shall quote their price for finished work accordingly. Notwithstanding any subsequent change in the market value for these materials, the rate quoted by the contractor will remain as originally entered in the written contract. No cartage or incidental charges will be borne by Department in connection with this supply.

20. The attention of the tenderer is directed to the contract requirements as to the time of beginning of the work, the rate of progress and the date for the completion of the whole work and its several parts. Date of commencement of this programme will be the date on which the site or premises is handed over to the contractor.

The following rate of progress and proportionate value of work had done from time to time will be indicated by the Executive Officer and certificate as to the value of work done, will be required.

RATE OF PROGRESS

Period after the date of commencement	Percentage of contract value	Physical Percentage

...6...

21. No part of the contract shall be sublet without written permission of the Executive Officer; nor shall transfer be made by power of attorney authorizing others to receive payments on Contractor's behalf.

22. If, further necessary information is required, the Hereditary Trustee will furnish such information; but it must be clearly understood that the tender must be received in order and according to instructions.

23. The Hereditary Trustee of the temple or other sanctioning authority reserves the right to reject any tender or all the tenders without assigning any reasons therefore as set forth in rule 23rd of the Hereditary Trustee rules under section 116(2) (XVII) (XVIII) (XIX) and (XXII) of the Madras H.R. & C.E. Act 1959.

24 (a) It is to be expressly understood that the measured work is to be taken net (notwithstanding any practice or custom to the contrary) according to the actual quantities in work place and finished according to drawings or as may be ordered from time to time by the Hereditary Trustee and the cost calculated by measurement or. Weight at the respective unit prices, without any additional charges for any necessary contingent works connected therewith. .

(b) Tenders who have not already registered themselves as a contractor should furnish evidence of their capacity to do the work.

25. The tenders submitting a quotation which the tender accepting authority considers excessive and of indicative of insufficient knowledge of current prices or definite attempt at profiteering will render himself liable to be debarred permanently from tendering or for such period as the tender accepting authority may decide. The tender rates should be based on the controlled prices under the provision of clause 6 of the Hoardings and Profiteering Preventive Ordinance 1943 as amended from time to time and similar principles in regard to labour and supervision in the constructions.

26. The contractors shall make their own arrangement for all the tools and plant required for the execution of work.

27. Tenders when submitting the tenders should certify in the tender that they have actually inspected the site before tendering for the works and have examined before tendering, the nature and extent of various kinds of soils at various depths and have based their tender on such examination by them.

28. The tenderer must submit a detailed specification of materials to the tests to be conducted to ensure the quality of materials proposed to be used in the construction. The tenderer must submit his quotation for each finished item of work inclusive of cost and conveyance of all materials, labour etc., complete. He must also submit a list of articles to be imported from other countries and exact time required to get the same.

29. The contractor should make his own arrangements to form and maintain the diversion or approach road for the conveyance of materials to the work site at his cost and the Department will not make any payment for this item. This should be the responsibility of the contractor.

36. The contractors should take risk insurance at their cost against losses due to unprecedented floods and other acts of God. (G.O.Ms. No. 620/Transport Department, Dated 22-7-1978).

SCHEDULE 'A'

Schedule of rates and approximate quantities.

(a) The quantities given here are those upon which the lump sum tender cost of work is based. They are subject to alteration, omission, deduction, additions as provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done.

(b) It is to be expressly understood that the measured work is to be taken net (not withstanding any custom or practice to the contrary) according to the actual quantities in plans and finished according to the drawings or as may be ordered from time to time, by the Executive Officer and the cost calculated by measurement or weight at the respective prices without any additional charges for any necessary or contingent works concerned therewith. The rates quoted are for works in site and complete in every respect.

Hereditary Trustee

Signature of the Contractor.

SPECIAL CONDITION.

1. The contractor's rate should be inclusive of all sales tax, if any which he has to pay to the Government.
2. No extra lead for water will be paid for any of the items and the rates should be inclusive of all such water and the contractor should make his own arrangement for soft water and power.
3. The contractor has to make his own arrangements for all tools and plants such as concrete mixer etc., required for the works and for the purchase of plant and machinery for the work shall release no foreign exchange.
4. The contractor has to make his own arrangements to procure all materials required, in sufficient quantities to conform to standard specifications, so as to keep the progress of work continuous.
5. As soon as the contract is accepted, the contractor should give a programme of work, which he proposed to adopt for execution. The progress of work should be in conformity with the rate of progress specified under condition 22nd of the Tender Notice.
6. Contractor who has undertaken to employ technical staff should see that the technical staff is always present at site of work during the working hours, personally checking all items of works and paying extra attentions to such of those items of work which requires special attention (Viz) concrete work and RCC. The contractor shall be liable to pay a penalty not exceeding 5% of the estimate value of work for non-employment of technical staff. The technical staff employed by the contractor for this work should have the minimum qualification as per rules of P.W.D. & H.R. & C.E. in force. The decision of the Superintending Engineer in fixing the quantum of penalty leviable under this clause is final.
7. The Temple will not undertake supply of water fit for plain & RCC works. It is the responsibility of the contractor to get water conforming to specifications in the T.N.B.P. The rates quoted shall be inclusive of charges for procuring and transport of water to site whatever be the distance.
8. No extra rate for fixing furniture will be paid since the items of supply of doors and windows are inclusive of labour charges for fixing furniture in position.

9. The tender schedule will be issued to those contractors who have registered in the appropriate class (i.e. class 5 and above who have registered up to 5.00 Lacs) in Government Departments like P.W.D., Highways etc.

10. Any tender premium which is less than 5% to 15% of the estimate value will be considered, only if the tenderer pays an additional security of 2% of the estimate value as additional security deposit and if the tender Premium, which is less than 15% to 20% of the estimated value, will be considered only if the tenderer pays an additional security deposit of 50% value of the difference between the estimated value and the tender values as additional Security Deposit. The earnest money and the additional security deposit money will be retained in the case of successful tenderer and will not carry any interest.

LEAD FOR MATERIALS

Sl.No.	Details of materials	Lead
1)	Sand for Mortar	90
2)	Sand for filling	90
3)	40mm ISS metal	18
4)	20mm and 25mm ISS metal	18
5)	10 to 12mm Metal and 6-10mm metal	18
6)	RR Stones	24
7)	Bond Stones	18
8)	Cut stones fully dressed on all faces	-
9)	Gravel	18
10)	Stock bricks	12

Hereditary Trustee

Contractor

TENDER SHEDULE

**Name of the work : Renovation of temple thirukkulam belongs to A/M Viyasa Santhaleeswarar
thirukkoil @ Little Kancheepuram, Kancheepuram taluk and district.**

Value of Contract: Rs.8,56,137/-

Period of Completion : 6 months

Contractor Name :

E.M.D : Rs.9,590/-

Cost of Schedule : Rs. 6000 + GST

M.R.No.

Schedule A

Sl. no	Qty	Description of work	Unit	Amount in Figurs Rs.	Amount in word Rs.
1	192 m ²	Removal of scrub jungle etc complete complying with stsndard specification	m ²		
2	85 m ³	Earth work excavation for foundation in all soils and sub soils and to full depth as may be directed except in rock requiring blasting inclusive of	m ³		

No of Corrections in Figurs in words:

Contractor

Trustee

		shoring shuttering, bailing out water wherever necessary and depositing the surplus earth within the compound in place shown by the departmental officers with an initial lead of 10mts and initial life of 2mts. and clearing and leveling the site, etc., complete complying with standard specification.			
3	10 m ³	Supplying and filling the foundation and basement, etc, filling sand in layer of not more than 15 cm thick well watered , rammed and consolidated etc. complete complying with standard specification and as directed by the departmental officers.	m ³		
4	10 m ³	cement concrete 1:5:10 (one cement, five sand and ten hard broken stone jrly) using 40 mm gauge hard broken granite stone jelly for foundation including dewatering wherever necessary and laid in layers of not more than 15 cm think well rammed, consolidated and curing etc. complete complying with standard specification	m ³		

No of Corrections in Figures in words:

Contractor

Trustee

5	78 m2 80 m2	<p>Supplying erecting and centering for sides and soffits including necessary support and strutting upto 3.29 m height for plane surfaces as detailed below in all floors with all. cross bracings using mild steel sheet of size 90 x 60 cm and 10 BG stiffened with welded mild steel angle of size 25mm x 25mm x3 mm for boarding laid over silver oak joists of size 10cm x6.50 cm spaced at about 90 cm centre to centre and supported by casurina props of 10cm to 13cm dia spaced at not more than 75 cm centre to centre etc. complete complying with the standard specification.</p> <p>a.For plinth beam and footing</p> <p>b.For vertical columns</p>	m2 m2		
6		<p>providing and laying in position, standardised concrete mix M20 Grade in accordance with IS: 456-2000, Using 20mm and downgraded hard broken granite stone jelly for all RCC items works with minimum cement content of 325kg/m3 maximum water cement ratio of 0.55, including admixture(plasticizer/ super plasticizer) in recommended proportion as per IS:9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability with about (5Cum)7730kg of 20mm machine crushed stone jelly and with about (4.79cum)7670kg of sand but excluding cost of</p>			

No of Corrections in Figures in words:

Contractor

Trustee

	20 m3 5 m3	reinforcement grill and fabrication charges, centering and shuttering and also including laying, vibrating withy mechanical vibrators,finishing, curing etc and providing fixtures like fan clamps in RCC floors/roof slab wherever necessary without claming etc. complying with standard specifications and as directed by the departmental officer. The course and fine aggregates to be used should comply with requirements of IS standards a.For Foundation and basement b.For Super structure in GF	m3 m3		
7	2250 Kg	Supplying, fabricating and placing in position Mild Steel / Ribbed Tor Steel grills for all RCC works as per design given including cost of strrl and G.I binding wire in all floors etc. complete complying with standard specifications.	Qtl		
8	31 m3	Brick work in cement mortar 1:5 using best quality of Country bricks of size 83/4"x41/4"x23/4" for foundation and basement including cyring,etc., complete complying with standard specifications	m3		
9	270 m2	Plastering with cement mortar 1:5,12mm thick in all floors including curing etc. complete complying with standard specifications and as directed by the departmental officers.	m2		

No of Corrections in Figures in words:

Contractor

Trustee

10	2090 kg	Supplying, fabricating and placing in position of M.S.grill for gate including cost of materials with onr priming cost and labour for fixing etc. complete complying with standard specifications .	1kg		
11	84 m2	Painting two coats to new iron work using best quality and brand of synthetic ensmal paint including cost of all charges etc. complete as per standard specification.	m2		
12	270 m2	painting two coast of newly plastered wall surface with ready mixed plastic emulsion paint of first class quality and of approved colour over a priming coat including thorough scrapping. clean removal of dirt, and including necessary plaster of paris putty, wherever required etc., complete complying with standard specifications .	m2		

No of Corrections in Figns in words:

Contractor

Trustee