

कार्यालय

जिलाधिकारी

ऊधम सिंह नगर।

पत्र संख्या- 4445/आ0प्र0प्रा0 (02/07)/2018

दिनांक 09 नवम्बर, 2018


सेवा में,

जिला सूचना विज्ञान अधिकारी,
ऊधमसिंह नगर।

महोदय,

"आपदा प्रबन्धन सम्बन्धी उपकरण" क्रय किये जाने के संबंध में टेंडर आपको इस आशय से प्रेषित किया जा रहा है कि कृपया इसे जनपद की वेबसाईट <http://usnagar.nic.in> पर अपलोड करने का कष्ट करें।

संलग्नक:-उपरोक्तानुसार।


(डॉ० अनिल शमी)
जिला आपदा प्रबन्धन अधिकारी,
ऊधमसिंह नगर।

कार्यालय जिलाधिकारी/जनपद आपदा प्रबन्धन प्राधिकरण, ऊधमसिंह नगर।

पत्र संख्या-4436/उकरण क्रय/2018-19

दिनांक 03 नवम्बर, 2018

अल्पकालिक निविदा सूचना

सर्वसाधारण को सूचित किया जाता है कि जनपद में आपदा प्रबन्धन के उपयोगार्थ राहत एवं बचाव उपकरणों/सामग्री क्रय की जानी है, जिस हेतु मुहरबन्द निविदाये आमंत्रित की जाती है। सील बन्द निविदा दिनांक 24.11.2018 को प्रातः 11:00 बजे तक पंजीकृत इच्छुक फर्मों से आमंत्रित की जाती है, जो उसी दिन उपहान्ह 03:00 बजे उपस्थित निविदादाताओं अथवा प्रतिनिधि के समक्ष अधोहस्ताक्षरी द्वारा गठित समिति द्वारा खोली जायेंगी। किसी भी निविदा अथवा समस्त निविदाओं को निरस्त करने का अधिकार जिलाधिकारी/जनपद आपदा प्रबन्धन प्राधिकरण का होगा।

| क्र०सं० | सामग्री का नाम | धरोहर राशि ₹ में (EMD) | निविदा प्रपत्र का मूल्य ₹ |
|---------|------------------------------|------------------------|---------------------------|
| 1 | आपदा प्रबन्धन सम्बन्धी उपकरण | 50,000.00 | 500.00+18%GST |

निविदा फार्म की निर्धारित धनराशि ₹ 590.00 नकद जमा कर किसी भी कार्य दिवस को जिला आपदा प्रबन्धन कार्यालय, कलवट्टेट परिसर, रूद्रपुर, ऊधमसिंह नगर से प्राप्त किया जा सकता है अथवा जनपद की वेबसाइट <http://usnagar.nic.in> से निविदा फार्म, शर्तें एवं सामग्री की सूची डाउनलोड की जा सकती है। निविदा फार्म के शुल्क की धनराशि का बैंक ड्राफ्ट अध्यक्ष, जिला आपदा प्रबन्धन प्राधिकरण/जिलाधिकारी, ऊधमसिंह नगर के नाम से किसी राष्ट्रीयकृत बैंक से निविदा के साथ संलग्न करना अनिवार्य होगा।

अध्यक्ष, जनपद आपदा प्रबन्धन प्राधिकरण/
जिलाधिकारी, ऊधमसिंह नगर।



ड्राफ्ट संख्या.....
दिनांक.....

टेण्डर फार्म

सेवा में,

जिलाधिकारी,
ऊधमसिंह नगर।

विषय:- "आपदा प्रबन्धन सम्बन्धी उपकरण" क्रय किये जाने के सम्बन्ध में।

महोदय,

मैंने/हमने टेण्डर नोटिस, फार्म के संलग्न नियम एवं शर्तों में दी गयी सारी सूचना तथा शर्तों को पढ़ लिया है तथा भली-भांति समझ लिया है, मुझे/हमें सभी शर्तें स्वीकार हैं। रेट कोन्ट्रेक्ट निर्गत होने के बाद मिलने वाले क्रयादेशों के समक्ष तीन दिन के अन्दर मैं/हम अपने ओर से क्रय किये हुए ₹ 100.00 रुपये के नॉन ज्यूडीशियल स्टाम्प पेपर पर निर्धारित अनुबन्ध पत्र भरने को तैयार हूँ/हैं तथा इस टेण्डर के पश्चात् निर्गत रेट कान्ट्रेक्ट में अंकित दर पर अपने द्वारा कोट किये गये सामग्री की मांग की जाने वाली मात्रा के 05 प्रतिशत धनराशि को जमानत के रूप में जमा करने को तैयार हूँ/हैं। शर्तें पूर्ण न करने पर जमानत राशि जवाब करने का आपको पूर्ण अधिकार होगा। टेण्डर स्वीकृत होने पर निर्गत रेट कान्ट्रेक्ट पर मैं/हम स्वीकृत सामग्री को निविदा की शर्तों के अनुसार तथा अनुबन्ध पत्र में उल्लिखित शर्तों के अनुरूप आपदा प्रबन्धन विभाग, ऊधमसिंह नगर द्वारा निर्धारित स्थान पर सूचित दिनांक तक आपूर्ति करने को तैयार हूँ/हैं।

हमने आपदा प्रबन्धन विभाग, ऊधमसिंह नगर हेतु क्रय की जाने वाली "आपदा प्रबन्धन सम्बन्धी उपकरण" के लिए टेण्डर दिया है उसके धरोहर राशि (EMD) ₹
(रुपये..... मात्र)
एफ0डी0आर0/बैंक ड्राफ्ट/एन0ओ0सी0 आदि के रूप में नत्थी कर रहा हूँ/है।

दिनांक :

निविदादाता के हस्ताक्षर

पूर नाम

पता



निविदा की शर्तें एवं प्रतिबन्ध निम्न प्रकार हैं:-

1. सामग्री उच्च गुणवत्ता की होनी आवश्यक है। सामग्री के नमूने एवं गुणवत्ता आदि विशिष्टियों के आधार पर ही निविदा स्वीकार्य होगी।
2. सभी उत्पाद/उपकरण की कम से कम एक वर्ष की वारन्टी होना अनिवार्य है।
3. क्रय किये जाने वाली किट की वास्तवित संख्या समिति द्वारा उपलब्ध बजट के अनुसार निविदा आमंत्रित करने के पश्चात् निर्धारित की जायेगी।
4. क्रय की जाने वाली सामग्री की गुणवत्ता की जाँच समिति द्वारा की जायेगी तथा इस सम्बन्ध में समिति का निर्णय अन्तिम होगा।
5. विवाद की स्थिति में किसी एक अथवा समस्त प्राप्त निविदाओं को बिना कारण बताये अस्वीकृत करने का अधिकार समिति का होगा।
6. निविदा प्रपत्र जमा करते समय निविदा प्रपत्र मूल्य के रूप में ₹ 500.00+18% अर्थात् ₹ 590.00 का डिमाण्ड ड्राफ्ट अध्यक्ष, जनपद आपदा प्रबन्धन प्राधिकरण/जिलाधिकारी, ऊधमसिंह नगर के पक्ष में बनाकर निविदा प्रपत्र के साथ संलग्न करना अनिवार्य होगा, जिसके बिना निविदा स्वीकार नहीं की जाएगी।
7. निविदा के साथ धरोहर राशि के रूप में धनराशि ₹ 50,000.00 (₹ पचास हजार) का एफडीआर/बैंक ड्राफ्ट/एनएससी अध्यक्ष, जनपद आपदा प्रबन्धन प्राधिकरण/जिलाधिकारी, ऊधमसिंह नगर के नाम बचनबद्ध हो, प्रस्तुत करनी अनिवार्य होगी, जो निविदा की शर्तों के अनुसार निविदा सम्पादित होने पर वापस लौटायी जायेगी। टेण्डर की दरें स्वीकृत होने पर यदि आपूर्ति नहीं की जाती है तो ऐसी स्थिति में सम्बन्धित फर्म की धरोहर राशि (EMD) जब्त कर ली जायेगी।
8. निविदा के साथ ₹ 100.00 (एक सौ रुपये) का नॉन ज्यूडिशियल स्टाम्प पेपर जिसमें ₹ 1.00 (रुपये एक) का रसीदी टिकट हस्ताक्षर सहित होना चाहिए।
9. फर्म/अधिकृत विक्रेता को निविदा के साथ आयकर पंजीकरण संख्या एवं राज्य व्यापार पंजीकरण संख्या (TIN) अथवा जीएसटी पंजीकरण का विवरण अनिवार्य रूप से देना होगा। (आयकर फाइल करने की प्रपत्र की प्रमाणित छायाप्रति तथा व्यापार कर जमा करने की रसीद की प्रमाणित छायाप्रति)
10. निविदादाता की फर्म/कम्पनी का वार्षिक टर्नओवर ₹ 15.00 लाख या उससे अधिक होना चाहिए। इस हेतु प्रमाण के रूप में विगत 03 वर्षों (2014-15, 2015-16, 2016-17) की सीएओ द्वारा प्रमाणित बैलेंस शीट एवं लाभ व हानि खाता (Profit & Loss Account) की प्रमाणित प्रतिलिपियां संलग्न करना आवश्यक है।
11. निविदादाता के केन्द्रीय व राज्य सरकार संस्था द्वारा काली सूची में न होने के आशय का शपथ-पत्र प्रस्तुत करना आवश्यक है।
12. निविदा की तिथि को "आपदा प्रबन्धन सम्बन्धी उपकरण" के साथ उपलब्ध करायी जा रही सामग्री/उपकरण का प्रदर्शन (Demonstration) समिति के सम्मुख करना अनिवार्य होगा।
13. किट की आपूर्ति क्रय आदेश निर्गत होने के 10 दिन के भीतर करना अनिवार्य होगा।
14. आपूर्तिकर्ता फर्म/अधिकृत विक्रेता को उक्त सामग्री आपदा प्रबन्धन प्राधिकरण कार्यालय, कलक्ट्रेट परिसर, रुद्रपुर, ऊधमसिंह नगर में स्वयं के व्यय पर आपूर्ति (FOR) करना होगा। आपूर्ति नियत विशिष्टियों व गुणवत्ता के अनुसार न पाये जाने पर आपूर्तिकर्ता को स्वयं के व्यय पर अपना सामान वापस ले जाना होगा।

D:\1 kundani\equipment purchase\Tender Form



15. निविदा केवल रजिस्टर्ड डाक/स्पीड पोस्ट अथवा स्वयं उपस्थित होकर दिनांक 24.11.2018 को दोपहर 11:00 बजे तक प्राप्त होना चाहिए। नियत तिथि/समय के बाद प्राप्त निविदाये स्वीकार्य नहीं की जायेगी और नही निविदा समिति द्वारा विलम्ब से प्राप्त निविदाओं पर विचार किया जायेगा। डाक प्रेषण में विलम्ब के लिए विभाग उत्तरदायी नहीं होगा।
16. सशर्त अथवा संदिग्ध निविदा किसी भी दशा में मान्य नहीं होगी।
17. उक्त क्रय की जानी वाली सामग्री की मात्रा में कमी एवं वृद्धि की जा सकती है। निविदा (तकनीकी एवं वित्तीय) द्विनिविदा प्रणाली के अधीन होगी।
- (a) तकनीकी निविदाये जिसमें व्यापारिक शर्तें और निबन्धनों के साथ समस्त तकनीकी विवरण हों।
- (b) वित्तीय निविदा में एक सामग्री हेतु एक ही दर अंकित किया जाय। एक ही सामग्री हेतु एक से अधिक दरें अंकित किये जाने पर उक्त सामग्री हेतु फर्म द्वारा दिये गये दरों पर कोई विचार नहीं किया जायेगा। वित्तीय निविदा में सामग्री की दरें अंकों एवं शब्दों में दी जाये।
- (C) तकनीकी एवं वित्तीय निविदाये अलग-अलग लिफाफों में सीलकर (लिफाफे पर अंकित हो कि लिफाफा तकनीकी है अथवा वित्तीय) दोनों लिफाफों को एक बड़े लिफाफे में सीलकर प्रस्तुत करनी होगी। सीलबन्द लिफाफे के बाहर "आपदा प्रबन्धन सम्बन्धी उपकरण हेतु निविदा" अंकित करना अनिवार्य होगा।
- (d) सर्वप्रथम तकनीकी निविदा का लिफाफा खोला जायेगा तथा तकनीकी निविदा सही पाये जाने तथा नमूने उपलब्ध कराये जाने पर ही वित्तीय निविदा का लिफाफा खोला जायेगा। निविदादाता का तकनीकी निविदा तथा नमूना सही नहीं पाया जायेगा उसकी निविदा निरस्त कर दी जायेगी।
18. निविदा प्रपत्रों पर निविदादाता के हस्ताक्षर होना अनिवार्य है।
19. उत्तराखण्ड अधिप्राप्ति नियमावली के अनुसार निविदा स्वीकृत होने पर आपूर्तिकर्ता को क्रय आदेश प्राप्त होने पर कार्यपूर्ति प्रतिभूति के रूप में 05 प्रतिशत धनराशि किसी वाणिज्य बैंक से निर्गत अदादाता के नाम (अध्यक्ष, जनपद आपदा प्रबन्धन प्राधिकरण/जिलाधिकारी, ऊधमसिंह नगर के नाम के नाम प्लेज) एकाउण्ट पेई एफ0डी0आर0/बैंक ड्राफ्ट/एन0ओ0सी0 के रूप में बन्धक रखनी होगी, जो किट की संतोषजनक आपूर्ति एवं वारन्टी अवधि के पश्चात् अवमुक्त/वापस की जायेगी। आपूर्ति समय से उपलब्ध/संतोषजनक न होने पर यह धनराशि राज्य सरकार के पक्ष में जब्त कर ली जायेगी।
20. निविदा फार्म विक्रय दिनांक 09.11.2018 को प्रातः 11:00 बजे से दिनांक 23.11.2018 तक 03:00 बजे है।
21. निविदा फार्म जमा करने का समय व दिनांक 24.11.2018 को प्रातः 11:00 बजे तक है, जो उसी दिन यानी दिनांक 24.11.2018 03:00 बजे आपदा प्रबन्धन प्राधिकरण कार्यालय में निविदा हेतु समिति सदस्यों द्वारा निविदादाताओं अथवा उनके अधिकृत प्रतिनिधियों के समक्ष खोले जायेंगे।
22. निविदा प्रपत्र में मांगे गये सभी साक्ष्यों की प्रमाणित प्रतिलिपि निविदा के साथ संलग्न करना अनिवार्य है, प्रमाणित साक्ष्यों के अभाव में निविदा निरस्त मानी जायेगी।
23. सरकारी एवं गैर-सरकारी क्षेत्र में सामग्री आपूर्ति के अनुभव का प्रमाण पत्र (कार्यालय पत्रांक सहित) होना वांछनीय है (प्रमाण पत्र की प्रमाणित प्रति संलग्न करें)।
24. किसी भी विवाद की स्थिति में न्यायालय क्षेत्र जनपद ऊधमसिंह नगर होगा।



वित्तीय निविदा प्रपत्र
Financial Bid

| S.No | Name of Equipment | Specification | Cost of Equipments | GST % | Amount (in Figure) |
|------|--|--|--------------------|-------|--------------------|
| 1 | Raft (Rescue) | International Standard, 20" tubes and 7' width provide the stability, 80" maximum frame length. Cooler and rowing seat 8-9 paddlers with optional third thwart, with maximum warranty along with a pump. 01 guide life jacket, 08 Normal life jacket with 01 guide paddle, 08 Normal paddle and 09 Helmat. | | | |
| 2 | Rope Launcher | ISO certified, registered service centre in India (document to be furnished for Service Centre proof). | | | |
| 3 | Demolishing Hammer | ISO certified, Blows Per Minute (BPM) 950 - 1,900 /Continuous rating Input 1,510W, low vibration, Vibration absorbing handle, Sound power level 95 dB(A), min Weight 10.8 kg (23.6 lbs) | | | |
| 4 | Hydraulic Spreader | ISO certified Weight (lbs.): < 50, Spreading Distance (in.): 21~30, Spreading Force (lbs.): 16,000~19,000 | | | |
| 5 | Hydraulic Cutter | Cutting Capacity Bar Dia.: 3 - 20 mm (1/8" - 3/4"), Cutting Speed (sec) 6.5, Vibration level Cutting Rebar: 2.5 m/s ² or less, weight 10.5 kg, Pneumatic | | | |
| 6 | Search Light/Remote Light (5000 Lumen) | High Lumens minimum 5000, Dimension : 21 x 14.6 x 5.7cm(50.8x16.5x28.6cm), weight max 15kg, Light head height minimum 70.00", mast shall be 340 degree rotatable, Maximum runtime minimum 20 hours, brightness high to low, should have loops to carry as search light on shoulder. Battery shall be easy swapable. | | | |
| 7 | Life Bouy | ISO certified, Orange colour ring with reflective tape & rope all around. | | | |
| 8 | Life Jacket | High Quality Orange colour jacket with Reflective tapes, cord with whistle, zipper & Buckles for closure | | | |
| 9 | Fawda (Spade) | ISO certified | | | |
| 10 | Gaithi (Pick Axe) | ISO certified | | | |
| 11 | Belacha (Shovel) | ISO certified | | | |
| 12 | Tasla (Shallow Pan) | ISO certified | | | |
| 13 | Stretcher | Aluminium Stretcher Finest Quality, lightest weight & Easy Portable | | | |
| 14 | Multi Purpose Rope 100 Mtr | 12mm as per international standards. | | | |
| 15 | Multi Purpose Rope 50 Mtr | 12mm as per international standards. | | | |
| 16 | Descender | Should be fabricated from an alloy used for manufacturing aircrafts wings. Should be suitable for both single and double rope function Weight-100 grams Strength rating: 25kN EN15151-2, UIAA 129, CE Certified. | | | |
| 17 | Jumer/Ascender | Weight max.165 gm. Rope size 8-13mm CE EN 567 UIAAStandards | | | |
| 18 | Tendem Pulley | Weight max. 195 gm. Strength 24kn CE EN 12278 UIAA Standards | | | |
| 19 | Single Pulley | Weight max. 90 gm. Strength 23kn CE EN 17278 UIAA Standards | | | |
| 20 | Carabiners Screw | Weight max. 75 gm. Strength 27kn EN-362, UIAA | | | |
| 21 | Carabiners Plain | Weight max. 75 gm. Strength 27kn EN-362, UIAA | | | |
| 22 | Tape Sling | UIAA Standards, EN 566:2006, CE 1019, 104 Tubular Nylon tape sling with breaking strength : 22kN 180x1.9cm | | | |
| 23 | Short Sling | Weight max 60 gm.CE EN 566,UIAA Standards | | | |
| 24 | Long Sling | Weight max 60 gm.CE EN 566,UIAA Standards | | | |

D:\1 kundun\equipment purchase\Tender Form



| | | | | |
|----|---|--|--|--|
| 25 | Full Body Harness | EN, CE, UIAA Certified with Minimum Breaking strength of buckles: 7kN, Minimum Breaking strength of Webbing: 25kN, Made from high tensile Polyamide webbings and Aircraft grade Aluminium alloy buckles, Size: Universal. | | |
| 26 | Seat Harness | Weight max 500 gm. Paddad EN 12277, UIAA Made from very high specification straps with breaking strength more than 25 kN | | |
| 27 | Foolding Stretcher | 3 Fold Aluminium Stretcher Finest Quality, lightest weight & Easy Portable | | |
| 28 | Hard Board | HMDPE Plastic Moulded. CE Certified. Orange colour | | |
| 29 | Duffle Bag | Maximum 60ltr with detachable bag. Made of fabric minimum 300gsm with double PU coating for better waterproofing Aluminium Sticks for heavy load compatibility. Attached Rain cover. | | |
| 30 | Pole Light | Light Head Double with minimum 6 feet from ground level, Output 7000-8000 Lumens. Light output 12 hours minimum. Radiation in 120degrees. minimum 2 inbuilt mobile charging port, Inbuilt Megaphone with 3 modes of Siren facility having magnetic base for mounting. AC/DC rechargeable. Government Lab Test report to be submitted for specs confirmation at the time of supply | | |
| 31 | Dragon Light | 5 modes light with Single button operation for High, Medium, Low, SOS & Flash) . Equipped with lithium ION battery with minimum 5800 mAh pack, Dual recharge, AC charger & 12V DC car adaptor shall be provided, should have built in 3 LED Functions Indicator signal Blinker: min 8 hours, Strobe / flash blinker: min 5 hours, Beam Distance: High Power : min 400 meter, Middle Power t: around 300 meters. Low Power Spotlight: around 55 meters. Total Weight less than 1.5 Kg including batteries. compact and water resistance | | |
| 32 | Plier & Inches | ISI Product, Drop Forged from Carbon Steel, Duly Hardened, Polished head | | |
| 33 | Vise Grip 10 Inches | Straight jaws allow for maximum contact on flat, square, or hex work , Adjusting screw gives exacting pressure, Guarded release helps keep work safe and fast, Hardened tooth design | | |
| 34 | Bolt Cutter 14 Inches | ISO certified Free from defects, Robust construction, Low maintenance high strength, optimum performance, perfect finish and capacity to bear heavy loads | | |
| 35 | Bolt Cutter 30 Inches | ISO certified Free from defects, Robust construction, Low maintenance high strength, optimum performance, perfect finish and capacity to bear heavy loads | | |
| 36 | Bolt Cutter 36 Inches | ISO certified Free from defects, Robust construction, Low maintenance high strength, optimum performance, perfect finish and capacity to bear heavy loads | | |
| 37 | Chisel for Concrete (Width ½) | ISO certified Free from defects, Robust construction, Low maintenance | | |
| 38 | Chisel for Concrete from 1.5 to (Width 1) | ISO certified Free from defects, Robust construction, Low maintenance | | |
| 39 | Framming Sqoare 22 Inches | standard L-shaped square with a solid one-piece | | |
| 40 | Screw Driver Set | ISO certified Free from defects, Robust construction, Low maintenance | | |
| 41 | Hacksaw 12 Inches Tubular | Tubular Hacksaw Frame With Blade | | |
| 42 | Hacksaw Replacement Blade 12" Long | carbon steel hack saw blade | | |
| 43 | Tin Snip 12 Inches | Type of cut: Flat blades, straight and wide curves, Max cutting capacity cold roll steel: 20 gauge/.91 mm, Max cutting capacity stainless steel: 22 gauge / .84 mm. | | |

D:\1 kundan\equipment purchase\Tender Form



| | | | | |
|----|--|---|----------------------------------|--|
| 44 | Claw Hammer | ISO certified | | |
| 45 | Sledge Hammer 4 KGS | ISO certified | Sledge Hammer With Wooden Handle | |
| 46 | Sledge Hammer 7 KGS | ISO certified | Sledge Hammer With Wooden Handle | |
| 47 | Sledge Hammer 10 KG | ISO certified | Sledge Hammer With Wooden Handle | |
| 48 | Carpenter Hammer 3 Inches | ISO certified | With Wooden Handle. | |
| 49 | Level 12 Inches | ISO certified | | |
| 50 | File Flat 12 Inches | ISO certified | | |
| 51 | Carpenter Pencil | - | | |
| 52 | Shovels Round 8 Inches | ISO certified | | |
| 53 | Spade Shovel 12x10 | ISO certified | | |
| 54 | Spades | ISO certified | | |
| 55 | Fire Axe 2½ Feet | ISO certified | | |
| 56 | Crow Bar 2 Feet | ISO certified | | |
| 57 | Crow Bar 3 Feet | ISO certified | | |
| 58 | Pick Mattock 3KG | ISO certified | | |
| 59 | Pry Bar 6 Feet | ISO certified | | |
| 60 | Axe Mat Kit | ISO certified | | |
| 61 | Hand Saw 600mm | ISO certified | | |
| 62 | Brick Hammer | ISO certified | | |
| 63 | Folding Shovel | Finest Quality, lightest weight & Easy Portable. | | |
| 64 | Axe | ISO certified | | |
| 65 | P.A. System | Dry Cell & 12V Car Battery operation. All ABS body, sturdy yet lightweight. Built-in Siren & Microphone. Clear sound, long range & efficient design. Conveniently located Volume Control & Switch. | | |
| 66 | Megaphone/Loudhailer | Dry Cell & 12V Car Battery operation. Output 16W Rated/20W Max. Voice Range 0.4km (1km in Quiet Area) Power Source 12V DC, 8A—UM-2 Cells/Car Battery Microphone Unidirectional Dimension Horn Dia 220mm, Length 370mm Weight not more than 2.20kg | | |
| 67 | Victim Location Equipment with Breaching System | As per international standards | | |
| 68 | Thermal Imaging Camera | Weight max 900 gm. Display min 3.5" warranty min 5 years One-hand operation, easy carrying, Cost effective, Electronic zoom 2X-4X, Tc range -40 to +1150, IP 67 grade, focus 35cm to infinity, rechargeable, Battery operating time More than 3 hours continuous operation, Anti-shock, Vibration resistance, Human Detection 600 mL, Vehicle Detection 800mt | | |
| 69 | Rotary (Circular) Rescue Saw 14" with Diamond Tipped Blade | Wheel diameter 355 mm (14"), Engine power 3.0 kW / 4.1 PS / Fuel tank 1 L / Circumferential / speed 80 m/s / Sound power level 104.6 dB(A) / Sound pressure level / 92.7 dB(A) / Net Weight 13kg / 4 Stroke engine. | | |
| 70 | Angle Cutter 14" DIA | Minimum 2400W, RPM min 6500, Weight maximum 6kg, Disc Diameter min 180mm | | |
| 71 | Bullet Chain Saw 16" (Carbide Tip Chain Saw) | Saw chain /Pitch :1.5mm (.058") Gauge :.73.0mL /Displacement 79 mL / Engine power 4.3kW / 5.8PS / Guide bar length 450mm / Sound pressure level 105.1dB(A) Vibration level Front handle 6.6m/s² / Multipurpose use . | | |
| 72 | Diamond Chain Saw | Min 5.0 hp, Bar 16 inches, Max. Weight up to 8.0 Kg | | |
| 73 | Circular Saw Electric 16" DIA with Carbide Tipped Blade | Min 2,200 RPM & min 15.0 AMP, Electric brake for maximum productivity, Low noise level, Blade stabilizer for stable blade rotation and superior cutting performance, Large depth control lever for convenience and secure adjustments, Weighs max 35.1 lbs. | | |
| 74 | Hammer Drill Concrete | Blows Per Minute (BPM) 0 - 4,500, Continuous rating Input 800W. Capacity Concrete (with T.C.T. bit) : 28mm (1-1/8") Steel : 13mm (1/2") Wood : 32mm (1-1/4"), Impacts per minute (ipm) 0 - 4,500, No load | | |

D:\1 kundan\equipment purchase\Tender Form



| | | | | | |
|----|---|--|--|--|--|
| | | speed (rpm) 0 - 1,100 | | | |
| 75 | AIR Lifting Bag Set with AIR Cylinder | Bags made of multiple layers with aramid construction re-enforcement. square shape. Thickness not exceed 26 mm anti-slip dimpled surface. Operating pressure atleast 10.0 bars. Bursting pressure > 40 bars. Certificates of conformance to international (EN) standards | | | |
| 76 | Multi Cable Winch | Capacity - 0.1 Ton to 2 Ton, Drum capacity 200+ meters, Wire rope dia 19 mm, Die formed base, Emergency crank handle, Superior stainless steel front plate providing rust resistance, High impact case, Durable hook safety snap. AC and DC models. | | | |
| 77 | Reciprocating saw | Voltage 120V min, max weight 8.5lb, width 4.75" Including Jobsite Bag & Allen Wrench for Footplate. | | | |
| 78 | Keyhole saws with set of four saws | ISO certified BIM HOLE SAW 21MM / BIM HOLE SAW 27MM / BIM HOLE SAW 51MM / BIM HOLE SAW 32MM | | | |
| 79 | Chipping Hammer | ISO certified Continuous rating Input 900W, Impact energy 7.2J, Impacts per minute (ipm) 2,900. Dimensions (L x W x H) 406x99x232 mm (16"x3-7/8"x9-1/8"), Net Weight max 5.4kg (12.0lbs) | | | |
| 80 | Electric Drill with protective carry bag | ISO certified compact cordless min 18-Volt power, min 3 lbs of lightweight design, 350 lbs. of optimized torque 1300 RPM, LED light illuminating to work in dark places | | | |
| 81 | Hydraulic Combination Cutter Cum Spreader | Working Pressure: Not less than 630 bars, Opening (spreading) width : More than 320 mm, Operating Temperature: -20 to +55 degrees Celsius, battery one extra, Spreading force Min 700 KN, Pulling force: Min 34 KN, Weight: Not more than 16 Kg with battery. | | | |
| 82 | Extension Board (50 Mtr) | Continuous rating Input 500W / Capacity Concrete : 16mm (5/8") Steel : 13mm (1/2") Wood : 20mm (13/16") / Impacts per minute (ipm) / 0 - 43,500 / No load speed (rpm) 0 - 2,900 / Net Weight 1.7kg | | | |
| 83 | Wood Cutter | Max dry weight 10kg Engine displacement min 80 (cm3) Output min 7 hp, Bar Size 25 inch (min) | | | |
| 84 | Iron Cutter | Displacement min cc 98.5, Power output min kW/bhp 5.0/6.8, Weight kg max 15.0, Cut-Off Wheel min 400 mm | | | |

दिनांक

हस्ताक्षर निविदादाता

पता तथा मुहर

मो०न० :

D:\1 kundan\equipment purchase\Tender Form



॥ कार्यालय जनपद आपदा प्रबन्धन प्राधिकरण, ऊधमसिंह नगर ॥

निविदा प्रपत्र का मूल्य

₹ 500.00+18%GST

कार्य का नाम : "आपदा प्रबन्धन सम्बन्धी उपकरण" क्रय किये जाने विषयक।

विवरण : संलग्न सूची।

सामग्री अच्छी गुणवत्ता के Super Quality विशिष्टियों के आधार पर ही निविदा स्वीकार्य होगी।

तकनीकी निविदा प्रपत्र

| | | |
|----|--|---|
| 1 | फर्म का नाम व पूरा पता | |
| 2 | फर्म के अध्यक्ष/मालिक का नाम | |
| 3 | अध्यक्ष/मालिक के पिता का नाम | |
| 4 | दूरभाष व फ़ैक्स नम्बर | |
| 5 | व्यापार कर विभाग के पंजीकरण संख्या (TIN)/GST No. (पंजीकरण प्रमाण पत्र की प्रमाणित छायाप्रति संलग्न करें) | |
| 6 | फर्म का आयकर पैन (PAN) (विगत वर्ष के आयकर भरने पर विभाग द्वारा जारी रसीद तथा पैन कार्ड की प्रमाणित छायाप्रति) | |
| 7 | सरकारी एवं गैर-सरकारी क्षेत्र में सामग्री आपूर्ति का अनुभव है या नहीं ? (यदि हाँ तो आपूर्ति प्रमाण पत्र की प्रमाणित प्रति) | |
| 8 | विगत वर्ष में फर्म द्वारा जमा किये गये विक्रीकर/व्यापार कर का विवरण (रसीद की प्रमाणित छायाप्रति अनिवार्य) तथा चार्टर्ड एकाउन्टेन्ट द्वारा ऑडिट की गयी विगत 03 वर्षों की बैलेस सीट (सही प्रारूप पर) की प्रमाणित छायाप्रति | |
| 9 | ₹ 15.00 लाख या अधिक का टर्नओवर का प्रमाण पत्र (विगत वर्ष का Profit & Loss Account) | |
| 10 | केन्द्र व राज्य में काली सूची में न होने का प्रमाण पत्र (शपथ पत्र) संलग्न है या नहीं ? | |
| 11 | धरोहर राशि (EMD) ₹ 50,000.00 का विवरण | धनराशि ₹ का बैंक ड्राफ्ट/एफ0डी0आर0/एन0ओ0सी0 पत्र संख्या..... दिनांक |
| 12 | उत्पाद/यंत्रों के मैनुअल/कैटलॉग की प्रतियां | |

दिनांक

हस्ताक्षर निविदादाता

पता तथा मुहर

मो0नं0 :

