

Furniture & Hospital Accssories for for 100 Bed MCH Wings

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
1	Doctor's chair for OP Ward, Lab etc	Chair Ambulatory is made of Aluminium Round Tube The seat and back are foam paddedIt comes with padded arm restsAluminum frame structure, white painted frame chairThese Chairs are Stackable. The Load Capacity is 120 kg This chair is Pre Treated Epoxy Powder Coated in white colour	60			
2	Doctor's Table	The size of the doctors table should be 1370mmWidthX 680mm Depth X 750mm Height with twostorage units of 3 drawer unit and 1 unit of two drawers.It should be made from square tubularinfrastructure with a large top surface.The product should have standard warranty with registered trademark	40			
3	Duty Table for Nurses	Ambulatory table comes with 3 drawers which fits in hospital outpatient department Ambulatory Table is manufactured with no Sharp corners and is steel painted with epoxy powder coating.This table is robust construction,impact-resistant, scratch-resistant.It is easy to clean, washable and disinfectable.The overall dimension is 150 x 60 x 80 cm (L X W X H)	20			
4	Table for Sterilisation use (medium)		20			
5	Long Benches (6 1/2" X 1 1/2")	Stainless steel long bench seat	50			
6	Stool Wooden		50			
7	Stools Revoloving	Frame is made of Round TubeThe body section is mounted on 5 legs fitted with 5cms castorsThe height of the stool is adjustable with Pneumatic Gas SpringThe Stool has Cushioned Seat Top	20			
8	Steel Cup-board		40			
9	Wooden Cup Board		20			



S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
10	Racks Steel	90L x 37.5W x 195H Frame work made of Mild Steel Angle and Plate which are Pre Treated & Epoxy Powder Coated Open Rack is also known as Slotted Angle Rack It is used for Storage Purpose in Hospitals It comprises of Six Shelves	15			
11	Patients Waiting Chairs Fixed Steel	3 seater, Steel Size: 1900x630x900mm colour-blue Resistance against water Flat edges Highly very spacious (Airport three seater chair) colour -blue	50			
12	Attendants Cots	Size is 1800mm in length x 600mm in width x 475mm in height with mattress Pretreated and epoxy coated material of construction Aluminium Composite Panel (ACP) sheet top Mounted on rubber shoes	20			
13	Office Chairs	Colour: Black Seat Size: 21" W X 19" D Back Size: 19" W X 23" H Overall Dimensions: 24" W X 19" D X 34" - 36" H Material: Fabric Pneumatic Seat Height Adjustment. Medium Height Back Rest. Lumbar Adjustment on Back Small Cushion Pillow Support on Back Nylon Netted Mesh Back Adjustable Up-Down Arm Rest. Virgin Quality PP Stand/Base Gas lift Height Adjustment. 90 Degree Tilt Lock. Symcro Push Back Design Machanism. Imported Castor Wheels with Good Grip. 360 Degree Revolving.	15			
14	Office Table	Table Top made of 25mm thick particleboard with melamine finish All other parts made of 18 mm thick particleboard with PU finish Two tone colour combination as in image Lock on top drawer Holes for wire management on the top Product Dimensions & Weight Dimensions: mm (inch) 1500 (59) W x 750 (29.5) D x 750 (29.5) H PRODUCT DETAILS COLOR - Cherry/Black brand-Nilkamal	15			
15	Foot Stools	Frame made of Round Tube The body section is mounted on Rubber Shoes Foot Step is Double Step The top is fixed with Laminated non skid board Product Size: 45L x 45W x 45H cms	40			
16	Filing Cabinets (For Records)	Filing cabinet is made of MS Sheet It has 4 Drawers It is fitted with Lock Key	12			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
17	M.R.D. Requirements (Record Room Use)		1			
18	Paediatric Cots with railings		10			
19	Cradle	Frame Made of CRCA steel tube Cradle made of wire On PVC shoes Dimension: 900 L x 375 W x 975 H mm approx Pre-treated and Epoxy Powder Coated	7			
20	Fowler's Cot	Specification: Overall size: 2100mm (L)*1050mm (W)*Ht Adj.590mm to 750mm (H) Features:CRCA tubular frame work Four section perforated CRCA sheet top Height adjustment , Backrest , Kneerest , Trendlengburg & reverse trendlengburg operated by screw and lever mechanism with attached S.S folding handles Stainless steel bows with coloured metal panel New design collapsible railings S. Telescopic saline rod with four locations Four heavy duty swivel castors of 125mm Dia.(two with break) Pretreated and epoxy powder coated	3			
21	Ortho Faature Table		1			
22	Hospital Caots (ISI Model)	emi Fowler Bed Two section top. Removable high quality ABS head and foot penal. Backrest adjustable by smooth crank mechanism. Overall size : 2140 x 940 x 530mm Bed mounted on protective stumps. Collapsible safety stainless steel railing. Provision for I.V. Rod on all for location. Pretreated and Epoxy Coated Finish.	100			
23	Hospital Cots Paediatric (ISI Model)	Complete with full-length dropside safety railings. Head and leg bows of equal height. Mounted on four 10cms. dia. castors (2 with brakes). Pre-treated and powder coated. Size : 137 x 76 x 60cm.	40			
24	Wooden Blocks (Set)		7			
25	Back rest	Frame is made of Round Tube Back support is made of Canvas The Recline Angle is adjustable upto 4 positions with Ratchet The Back rest is foldable Product Size : 50L x 40H cms	10			


S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
26	Dressing Trolley (SS)	Frame Work of Dressing trolley is made of Round tubelt has stainless steel shelves with railing The body section is mounted on 7.5 cm castorsThe Dressing Trolley has push handle on one sidelt comes with stainless steel bowl size 32cm and Bottle RackThe Dressing Trolley is fitted with Drawer & Dust BinProduct Size:- 90 x 60 x 80cm	10			
27	Medicine Almirah	Instrument Cabinet is made of MS SheetIt has 4 Glass ShelvesThe cabinet has 2 partitionsThe top partition has 2 Glass Door with Mild Steel frame The bottom partition has 2 doors made of Mild SteelIt is fitted with Lock Key and Handle	5			
28	Bin Racks (Wooden or Steel)		15			
29	ICCu Cots	Electric ICU Bed- Four section perforated two way longitudinal tilt hi-low facility5 function electrically operated backrest, knee rest, hi-low, Trendlenburgand reverse Trendlenburg with battery backupOverall Size: 2140 x 940 x 500/760mmRemovable high quality ABS head and foot panel with roller bumpersCollapsible safety stainless steel side railings125mm Central locking castors two with brakesProvision for IV Rod on all four locationPre-treated and Epoxy coated	8			
30	Bed Side Screen (SS-Godrej Model)	Frame Work of Bedside Screen is made round tubesIt has 4 frames of equal sizelt is mounted on 6 castors of dia 5cmlt comes with curtains and spring wireProduct Size: 240L x 165H cmKnock Down Construction to save freight	12			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
31	Medicine Trolley (SS)	Medicine Trolley Cassette type is made of ABS Plastic with arc handleIt has Double sides trays ,within 50 units medication cassette bins It comes with one side plate cassetteMedicine Trolley is easy to dischargeIt comes with noiseless castors , two with brakes and has centralized lockingMulti-bin container is available at rear side for storageIt has ergonomics designed push-handle for smooth movementMedicine trolley is equipped with total lock key systemProduct Size :78L x 49D x 92H cms	10			
32	Case Sheet Holders With Clips (SS)	Case Sheet Holder is made of Aluminium It is used to maintain the records of the patient	150			
33	Bed Side Lockers (SS)	made of ABS PlasticIt comes with one towel railThe body section is mounted on 5cm castorsIt comes with one drawer for storageProduct Size : 45L x 45W x 75H cms	100			
34	Examination Couch (SS)	Frame made of CRCA steel Cushioned Two section top Head section adjustable on Pneumatic pump Measuring 450 mm L x 510 mm W approx Body section admeasure 1380 L x 51 W mm approx Three drawers underneath the top section Three storage units under the draws Pull-out foot-step Foldable/adjustable B.P. Apparatus tray Dimension: 1870 L x 510 W x 810 H mm approx Pre-treated and Epoxy Powder Coated	7			
35	Instrument Trolley (SS)	Trolley is made of Mild Steel SheetIt has one drawer & 4 shelvesIt comes with oxygen cylinder cage & adjustable I.V. RodThe Monitor Trolley is mounted on 12.5cm castorsIt has a switch & socket panel for medical equipmentProduct Size :80L x 60D x 140H cms	15			
36	Instrument Trolley Mayos (SS)	Frame Work of Instrument trolley is made of heavy angleThe body section is mounted on 7.5 cms castors.It comes with Three Stainless Steel Shelves with upstands on four sidesIt comes with Push Handle on one sideKnock Down Construction to save freight	8			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
37	Surgical Bin Assorted		50			
38	Wheel Chair (SS)	Ultra-lightweight T6 Aluminum S-Style Ergonomic Seat Frame Padded Seat and Back UpholsteryFixed Armrest with Padded ArmrestQuick Release Axles and ForksHigh strength, light weightSwingaway Footrests	15			
39	Stretcher/Patience Trolley (SS)	Frame work made of Tubular MS PipeIt has Safety Side RailingIt comes with adjustable I. V. Rod, Utility Tray, Cylinder CageThe top is fitted with mattressThe body section is mounted on 15 cms castors , two with brakesSize: 180L x 55W x 80H cms	15			
40	Instrument Tray (SS) Assorted (10 Big Size)		75			
41	Kidney Tray (SS) - Assorted		75			
42	Basin Assorted (SS)		75			
43	(2 Basin Type)		15			
44	(1 Basin Type)		20			
45	O2 Cylinder Trolley (SS)	M.S. tubular pipe construction with two castors of 10cm.Pre-treated and powder coated.	15			
46	Nitrous Cylinder Trolley (SS)					
47	Saline Stand (SS)	Stainless Steel I.V. stand with two locations & three wing base.Pretreated Epoxy powder coated I.V. stand with two or four locations.With Castors.Variable Height Adjustable.	60			
48	Waste Bucket (SS)		100			
49	Dispensing Table Wooden		2			
50	Bed Pan (SS)		50			
51	Urinal Female		50			
52	Name Board for Cubicals		1			
53	Waste Disposal - Bin/Drums	Constructed from S.S. Removable inner container of plastic material.Capacity 11 lt.Size : 28 x 36cm.	20			
54	Waste Disposal - Trolley (SS)		3			
55	Linen Almirah		5			
56	Stores Almirah		5			
57	Arm Board Adult		20			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
58	Arm Board Child					
59	SS Bucket With Lid		20			
60	Bucket Plastic		15			
61	Ambu bags adult with Mask Set		20			
62	O2 Cylinder with spanner and flowmeter ward type		10			
63	Diet Trooley - stainless steel		50			
64	Needle cutter and melter	stainless steel food warmer hospital food trolleys	2			
65	Thermometer clinical	Digital	25			
66	Thermometer Rectal	Rectal Thermometer Digital, Prismatic Pear shaped bulb Range - 35-42°C & 95-108°F	40			
67	Torch Light	LED Type: 3 W White LED Product Size: 153*33*28mm Product Weight: 125g without battery and Battery weight will be 46 G And total package will be 450g Battery: 1x18650 Li-ion Battery Bulb Details: One 3W high power led in 120 lumens, white light. Three mode: High power, Low power, flashing. 16 steps of clear Zooming. Recharge Details: One 18650 Li-ion battery, 3.7V, 2200 mAh capacity Can be charged by AC charger or car charger (12V Optional) Charging time for AC charger: 6 hours	5			
68	Cheatles Forceps assorted					
69	Stomach wash equipment		15			
70	Emergency Resuscitation Kit-Adult		6			
71	Laryngoacope adult and child set		2			
72	Magill Forceps		8			
73	Airways 0-5 sets		4			
74	Refreigerator 165		48			
75	ILR	LG 5 STAR WITH STABLIZER(2 YEAR WARENTY)	6			
			2			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
76	Deep Freezer	Equipped with CFC free refrigerator and air cooled compressor for providing efficient cooling as well as air flow in cabinetHigh capacity air cooled condensers that feature aerodynamically shaped fansFeaturing washable concessive filter that provides for dust free usageSystem coming with thick polyurethane insulation of 50 - 80 mm for effective cooling supportSystem require minimum power consumptionSystem featuring presence of Digital electronic temperature controller cum indicator that provides for easy readability possibilities System construction featuring durable stainless steel interior that provides for maintaining temperature as well as allows easy cleaningPresence of double gasket seals between lid and cabinet that provides for increased efficiency of systemSpecifications:Working Range Available Upto - 20oC • Up to - 40oC • Up to - 60oCElectrical Requirement 220 – 240V/50Hz	2			
77	Generator 125 KV	Fuel Type: DieselCylinders: 4Phase: Three PhasePower Rating Range: 125Fuel Tank Capacity Range: 200 LitresWeight Range: 2000Speed: 1500 rpmBattery Capacity: 115 AhStyle: Standby GeneratorsLxWxH(Weight): 3500x1200x1700Rating (kVA): 125Rated kW: 100BHP: 152	2			



Meternal Health Equipment for 100 Bed MCH Wings

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
1	Labor table with foot steps	CRCA steel tube frame SS three section top Leg section slides completely under the trunk section Trendelenburgs position by Pneumatic pump Adjustable back section on ratchet SS side railing, Hand grips on either side Padded Lithotomic crutches Mattress Dimension: 1830 L x 680 W x 760 H mm approx Pre-treated and Epoxy Powder Coated	10			
2	Examination table with foot steps	Frame made of CRCA steel Cushioned Two section top Head section adjustable on Pneumatic pump Measuring 450 mm L x 510 mm W approx Body section admeasure 1380 L x 51 W mm approx Three drawers underneath the top section Three storage units under the draws Pull-out foot-step Foldable/adjustable B.P. Apparatus tray Dimension: 1870 L x 510 W x 810 H mm approx Pre-treated and Epoxy Powder Coated	2			
3	Pulscoxymeter adult	Low power consumption, battery-low indicator Adjustable brightness, Automatically power off Suitable for pediatric and adult Dual color LED displays SPO2, PR, Pulse bar and waveform Low power consumption	4			
4	Oxygen cylinder		6			
5	Suction machine adult - electrical	Noiseless oil immersed pump Developed with ¼ Hp electric motor Easy mobility with smooth castors Self-sealing rubber caps on jars	4			
6	Foot operated suction machine	Energy saving compressor Noiseless operation Sturdy stainless steel cabinet Mounted on heavy duty castors Specifications: Weight: 17kg. (Approx.) Dimensions: W xD xH = 12" x 9" x 36" (with Handle) Power Supply: 230V AC, 50 Hz.	3			



S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
7	Adult resucitation ambu bag with mask	Silicone Adult 1600 ml Resuscitator Set2 with 60CM H O Pop-off Valve • Silicone Mask Size: 4 No. • 2600 ml Oxygen Reservoir Bag • Disposable Oxygen Tubing 2 Mtr. • Reusable Latex Free	3			
8	Newbrom resucitation ambubag with mask 0, 1 for NBCC		2			
9	Adult Weighing machine	Accurate reading Battery operated Easy usage	3			
10	Digital newborn weighing machine	Power supply: AC 230V + 10%, -20%, 50 Hz, +-2% Overall dimensions: 555x385x240 mm with bowl Feather touch membrane keyboard	2			
11	BP aparatus	LCD display in any slanting position as per convenience Mark the blood pressure value when it is diagnosed by you with the help of stethoscope Automatic Deflation Valve No need to memorise your blood pressure reading LCD bar emulates the mercury column electronically Mercury free Accuracy similiar to Diamond mercurial instruments Memory for Systolic and Diastolic marking Pressure display on LCD column plus digital with background light Pulse rate readout Sturdy, durable, light weight, moulded cabinet Battery saving feature for LCD Superb control valve for perfect pressure drop Special cuff, bladder and bulb, more durable Brand-Dimond LCD Bar BP Apparatus : BPDG 031, BPDG 234 LCD Super Delux	5			
12	Room warmer	Thermostat control for variable temperature settings Power(Watts): 1000W/2000W Voltage: 230V~50Hz Brand-Bajaj Majesty RX 10 Fan Room Heater ,Usha Hc 812 T Thermo Fan Room Heater	4			
13	Foetal doppler		5			
14	Stethoscope	UltraScope Single StethoscopeWeight (oz) 5.80 Height 0.88 Length 30.00	5			
15	Glucometer	Digital Automaticest Strips , Hospital Glucose Meter BRAND-Accu-Check	3			
16	Wall Clock	Digital battery and electrical	4			
17	Foreceps delivery kit		2			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
18	Silastic vaccume extractor	Silicone Cup : 40, 50, 60, 70 mm with/without release valve Stainless steel cup : 40, 50, 60, 70mm Traction handle, stainless steel / brass chrome plated Rubber / silicone tube, autoclavable Net powder / PVC coated to hold bottle Bottle glass moulded Rubber bung with 3 holdes. Stainless steel / brass chrome plated valve Stainless steel / brass chrome plated valve with pressure release valve Pressure guage Hand pump vacuum stainless steel / brass chrome plated with plastic / ms handle	2			
19	Emergency call bell	wifi wireless bell	1			
20	Dilivery Tray containing scissor 1, Artery forceps 2, Sponge holding forceps 2, Sims Speculum 1, Bowl for antiseptic lotion 1, Kidney my 1	Containing Scissor 1 , Artery Forceps 2, Sponge holding forceps 2, Sims Speculum 1, Bowl for antiseptic lotion 1, Kidney Tray 1	22			
21	Epidioyomu tray containing Episiotomy scissor1, Artery forceps 2, Allis forceps 2, Sponge holding forceps 1, Toothed Forceps 1, Thumb forceps 1, Kidney tray 1, Needle holder 1, Needle (Round body 1 and cutting 1)	Episiotomy Scissor 1 , Artery Forceps 2, Allis Forceps 2, Sponge holding forceps 1, Toothed Forceps 1, Thumb forceps 1, Kidney Tray 1 , needle holder 1, needle (round body 1 and cutting 1)	8			



S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compy)
22	LSCS Set	Instrument Tray with cover – Stainless steel 300x 200 x 65 -1 Towel Clips (Backhaus) 13cm- 6 Sponge Holding Forceps (Forester; Straight; serrated) 25cm -2 Artery Forceps Straight – CRILE (Small) 14 cm- 6 Halstead Mosquito Forceps 12.5 cm -6 Tissue Forceps 18 - 20 cm- 4 Needle Holder (Mayo-Hegar) Straight 18 cm -2 Surgical Knife Handle (one each of No. 3 and 4 to be used with surgical blades sizes 20,21,22,23 and No 4 to be used with blade sizes 10,11,12 and 15-2 sets Abdominal Retractor size 3 -1 set Abdominal Retractor Double Ended (Richardson-Eastman) set of two stainless steel blades – Large - 49mm wide x 63mm deep & 38mm wide x 49mm deep, total length – 28cm Small – 20mm wide x 28mm deep & 28mm wide x 36mm deep, total length – 26 cm-1 Abdominal Retractor Double Ended (Richardson-Eastman) 1set of two stainless steel blades – Large - 49mm wide x 63mm deep & 38mm wide x 49mm deep, total length –28cm Small – 20mm wide x 28mm deep & 28mm wide x 36mm deep, total length – 26cm Bladder Retractor "KOCHER" 80x65mm wide. 25cm length -1	20			
23	T.T. Set		10			
24	D&C Set		5			
25	MVA Syringe		5			
26	Kocker Forceps small		4			
27	Kocker Forceps large		4			
28	Sims Speculam- Midium	Brass & Stainless (1 inch 2 inch 3 inch)	20			
29	vaginal wall Retractor	Sizes 10" Material:Stainless Steel • Double Ended, Serrated • Rust free • Sturdy construction • Accurate dimensions	20			

S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
30	Uterine Sound	Stainless Steel Length 12-1/2" Tip Configuration Blunt Instrument Type Uterine Sound Curvature Flex Working Surface Style Smooth Handle Thumb Grip Material Silver Plated Disposable or Reusable Reusable Sterile or Non-Sterile Non-Sterile	05			
31	PPIUCD Kit		02			
32	Cervical Biopsy Set	INSTRUMENTS BOX STAINLESS STEEL 32X15X6cm / 12½x6x2¼" MUSEUX TENACULUM FORCEPS 24.0cm / 9 ½", 8mm FAURE CERVICAL BIOPSY AND SPECIMEN FORCEPS 21.0cm / 8 ¼" SCHUBERT CERVICAL BIOPSY AND SPECIMEN FORCEPS 29.0cm / 11 ½" RECAIMER-SIMS-BUMM UTERINE CURETTE 31.0cm / 12 ½", MALLEABLE, FIG. 00-16 COLLIN VAGINAL SPECULA, 110 x 40mm FOERSTER SWAB FORCEPS 25.0cm / 10", STR, SERRATED SIMS UTERINE SOUND 32.0cm / 12 ½", MALLEABLE	01			
33	Formaline Dispenser		04			
34	Air Purifier for LR OT SNCU	Dual UV sterilization air purifierDual UV sterilization air purifier Purification process: 6- stage purification process, electric static / hepa filter / UV, photo catalyst / activated Carbon / ions Negative ions: Produces 8,000,000 ions/cm3 Noise levels: 45 db Voltage supply: 220 V, 50 Hz Area covered: 500 Sq. ft. approx or 250 sq. ft Disk surface: 1.7 sq. yd.Air throughput: up to 2 cu. yd/min.Speeds: 2Sound level: 37/42 dBA Dimensions: 9.5 x 10.5 x 11.8 in Weight: approx. 7 lb Motor ouput: approx. 32 watts Tank capacity: 1.2 gallons Request Callback	03			



S.No.	Name of The Equipment	Size /Specification	Quantity Required For each 100 Bedded MCH Wing	Cost Per unit (Tendor Rate)	Tax (CGST, SGST)	Remark (Make, Model, Compny)
35	Suturing set	Forceps, Artery, Curved, 150mm Forceps, artery , Straight, 150mm Forceps, Dissecting, Straight, Plain, 130mm Forceps, dissecting, Straight, 1/2 Teeth, 130mm Forceps, Sponge Holding, 240mm Needle Holder, mayo, 150mm Scissors, mayo, Straight, 150mm Scissors, ligature, Spencer, 115mm Instrument Container, s/s with cover	03			
36	LP Tray set		04			
37	Endo Tracheal tubes sets	Advanced Micro-Thin Polyurethane Cuff Material Designed to Reduce Micro-Aspiration Endotracheal tube - cuffed: Size: 4, 4. 5, 5, 5. 5, 6, 6. 5, 7, 7. 5, 8, 8. 5,9, 9. 5,10(mm) Endotracheal tube - plain: Size: 2, 2. 5, 3, 3. 5, 4, 4. 5, 5, 5. 5(mm)	03			
38	tongue depressors	6 inch long ,wood	06			

