



कार्यालय मुख्य कार्यपालन अधिकारी, जनपद पंचायत गीदम(छ0ग0)

कार्यालय 07856/244435 फ़ैक्स 244435 ई-मेल पता :- jp-gidam.cg@nic.in



//मैनुअल पद्धति निविदा आमंत्रण सूचना//

--:00 प्रथम आमंत्रण 00:--

क्रमांक 577/ज.पं./MG NREGA/स्था./2019-20

गीदम, दिनांक 21/10/2019

महात्मा गांधी राष्ट्रीय ग्रामीण रोजगार गारंटी योजना के संचालन हेतु मास्टर सर्कुलर वर्ष 2019-20 के कंडिका क्रमांक 7.1.7 पृष्ठ क्रमांक 29-30 एवं आयुक्त, मनरेगा का पत्र क्र. 3134/1050/वि-7/मनरेगा/तक./2019, नवा रायपुर, अटल नगर, दिनांक 31.08.2019 में दिये गये Procurement of Materials under Mahatma Gandhi NREGA के परिपालन में स्वीकृत निर्माण कार्यों के लिये निम्नानुसार सामग्री प्रदाय एवं सप्लाई हेतु पंजीयन फर्म से निविदायें छ.ग. कार्य विभाग मेन्युअम के अपेडिक्स 2.15 के अनुसार प्रपत्र "सी" में निविदा आमंत्रित की जाती है। यह निविदा स्पीड पोस्ट अथवा पंजीकृत डाक द्वारा दो लिफाफा पद्धति के आधार पर दिनांक 11/11/2019 को अपरान्ह 5.00 बजे तक प्राप्त किया जा सकेगा। इसके पश्चात् प्राप्त निविदा को स्वीकार नहीं किया जावेगा।

निविदा की सामान्य शर्तें, विस्तृत निविदा विज्ञप्ति (परिशिष्ट - 2.15 एवं निविदा दस्तावेज) यथा संशोधित व अन्य जानकारी वेबसाईट www.dantewada.gov.in में अथवा कार्यालयीन अवधि में कार्यालय में उपस्थित होकर दिनांक 22/10/2019 से देखी जा सकती है।

मुख्य कार्यपालन अधिकारी
जनपद पंचायत गीदम



कार्यालय मुख्य कार्यपालन अधिकारी, जनपद पंचायत गीदम (छ0ग0)

कार्यालय 07856/244435 फ़ैक्स 244435 ई-मेल पता :- jp-gidam.cg@nic.in



//मैनुअल पद्धति निविदा आमंत्रण सूचना//

--:00 प्रथम आमंत्रण 00:--

क्रमांक 578/जि.पं./MG NREGA/स्था./2019-20

गीदम, दिनांक 21/10/2019

महात्मा गांधी राष्ट्रीय ग्रामीण रोजगार गारंटी योजना के संचालन हेतु मास्टर सर्कुलर वर्ष 2019-20 के कंडिका क्रमांक 7.1.7 पृष्ठ क्रमांक 29-30 एवं आयुक्त, मनरेगा का पत्र क्र. 3134/1050/वि-7/मनरेगा/तक./2019, नवा रायपुर, अटल नगर, दिनांक 31.08.2019 में दिये गये Procurement of Materials under Mahatma Gandhi NREGA के परिपालन में स्वीकृत निर्माण कार्यों के लिये निम्नानुसार सामग्री प्रदाय एवं सप्लाई हेतु पंजीयन फर्म से निविदायें छ.ग. कार्य विभाग मेन्युअम के अपेडिक्स 2.15 के अनुसार प्रपत्र "सी" में निविदा आमंत्रित की जाती है। यह निविदा स्पीड पोस्ट अथवा पंजीकृत डाक द्वारा दो लिफाफा पद्धति के आधार पर दिनांक 11/11/2019 को अपरान्ह 5.00 बजे तक प्राप्त किया जा सकेगा। इसके पश्चात् प्राप्त निविदा को स्वीकार नहीं किया जावेगा। प्राप्त निविदाओं को गठित जनपद स्तरीय समिति के द्वारा दिनांक 13/11/2019 को दोपहार 3.00 बजे जनपद पंचायत सभाकक्ष में उपस्थित निविदाकारों या उनके अधिकृत प्रतिनिधियों के समक्ष खोली जावेगी। तदपश्चात अनुशंसा किये जाने हेतु जिला स्तरीय समिति को प्रस्तुत किया जावेगा।

इच्छुक निविदाकार दिनांक 22/10/2019 को प्रातः 11.00 बजे से दिनांक 11/11/2019 शाम 5.00 बजे तक निविदा फार्म, जनपद पंचायत गीदम से आवेदन पत्र प्राप्त कर सकते हैं।

- संलग्न :-
1. सामग्रियों की सूची प्रपत्र क्रमांक - 01।
 2. दर निर्धारण हेतु सामग्री सूची प्रपत्र क्रमांक - 02।
 3. फार्म - C, अनु. F & J प्रपत्र क्रमांक - 03।

नियम एवं शर्तें

1. निविदा की सामान्य शर्तें, विस्तृत निविदा विज्ञापित (परिशिष्ट 2.15 एवं निविदा दस्तावेज) यथा संशोधित व अन्य जानकारी वेबसाईट www.dantewada.gov.in से अथवा कार्यालयीन अवधि में कार्यालय में उपस्थित होकर दिनांक 22/10/2019 से देखी जा सकती है।

2. निविदा की अन्य शर्तें निम्नानुसार हैं :-

- (i) सामग्री कार्यस्थल से 50 मीटर के परिधी के अन्दर पहुँचाकर संबंधित उत्तराधिकारी को सौंपा जावेगा।
- (ii) निविदा प्रपत्र दिनांक 22/10/2019 से वेबसाईट www.dantewada.gov.in से ही डाउनलोड किया जाना है, अलग से विक्रय नहीं किया जावेगा। निविदा प्रपत्र का निर्धारित मूल्य डिमांड ड्राफ्ट के रूप में मुख्य कार्यपालन अधिकारी, जनपद पंचायत गीदम के नाम से निविदा जमा करना अनिवार्य है।
- (iii) अग्रिम भुगतान की शर्तें को किसी भी परिस्थिति में स्वीकार नहीं किया जावेगा।
- (iv) अमानत राशि रु. 40,000/- (अक्षरीय चालीस हजार रुपये मात्र) संलग्न सूची अनुसार सभी सामग्रियों हेतु केवल एक एफ.डी.आर./टी.डी.आर. जो राष्ट्रीयकृत बैंक का हो प्रपत्र के मूल्य (अप्रत्यापनीय) राशि रु. 1000.00 (अक्षरीय एक हजार रुपये मात्र) का डी.डी. के रूप में मुख्य कार्यपालन अधिकारी, जनपद पंचायत गीदम के पक्ष में देय हो, ली जावेगी।

(v) जनपद स्तरीय निर्माण सामग्री क्रय समिति के पास कोई भी कारण समानुदर्शित किए बिना कोई भी या समस्त निविदाओं को अस्वीकार अथवा निरस्त करने का अधिकार सुरक्षित है।

(vi) यदि अनुबंधकर्ता सामग्री का प्रदाय नियत समय में करने में विफल होगा तो उसका अनुबंध निरस्त कर उसके जोखिम पर पुनः निविदा बुलाई जावेगी तथा पुनः निविदा बुलाने में हुए व्यय की पूर्ति प्रदायकर्ता की प्रतिभूति राशि से समायोजन किये जाने के पश्चात् यदि कोई शेष होगा तो वह भू-राजस्व से वसूली योग्य होगी।

(vii) सफल निविदाकारों की अमानत राशि तथा प्रतिभूति राशि यथा समय अनुबंध अनुसार सामग्री प्रदाय करने के उपरांत वित्तीय वर्ष के अन्तिम माह में वापसी योग्य होगी।

(ix) सामग्री प्राप्त होने पर उसकर अमुचित रूप से यथास्थिति जांच की जावेगी तथा गणना, माप या तौल किया जावेगा। सामग्री नमूने के अनुसार सही मानक, निर्धारित मापदण्डों तथा गुणवत्ता की होने पर ही स्वीकार की जावेगी।

(x) देयक से वाणिज्यकर एवं आयकर, रायल्टी की राशि निर्धारित दरों से स्रोत कर कटौती की जावेगी।

(xi) यदि संबंधित अनुबंधकर्ता नियत तिथि के भीतर निर्धारित दर पर सामग्री प्रदाय नहीं करता है तो संबंधित अन्य सूचीबद्ध प्रदायकर्ता को क्रय/आपूर्ति आदेश जारी किया जा सकेगा। यदि सामग्री प्रदायकर्ता निर्धारित अवधि में सामग्री प्रदाय करने में विफल रहेगा तो ऐसे सामग्री प्रदायकर्ता द्वारा जमा की गई राशि राजसात कर ली जावेगी तथा उनको भविष्य में सामग्री प्रदाय से प्रतिबंधित किया जा सकेगा।

(xii) सुरक्षा निधि 08 प्रतिशत की दर से काटी जाएगी, जो वित्तीय वर्ष के अंतिम माह में वापसी योग्य होगी।

(xiii) सामग्री की मात्रा आवश्यकतानुसार कम या अधिक हो सकती है। देयक में सामग्री का मूल्य एवं GST टैक्स को पृथक-पृथक दर्शाया जावेगा।

(xiv) निविदा की सामान्य शर्तें व अन्य जानकारी अधोहस्ताक्षरकर्ता के कार्यालय में कार्यालयीन समय पर देखी जा सकती है।

(xv) सामग्री प्रदाय करने के पहले सामग्री का नमूना अनुमोदन हेतु प्रस्तुत करना होगा तथा अनुमोदित सामग्री ही प्रदाय करना होगा।

3. पजवा विधि से पकाई हुई ओपन भट्टा ईंट, कांक्रीट ब्लाक ईंट एवं रेण्डम रबल जुड़ाई पत्थर में से आवश्यकता एवं उपलब्धता के आधार पर कोई एक सामग्री क्रय किये जाने का अधिकार अधोहस्ताक्षरकर्ता के पास सुरक्षित है। निविदाकर्ता को संलग्न सूची अनुसार सभी सामग्रियों का पृथक-पृथक दर भरना होगा।

4. सशर्त एवं ओवर राईटिंग निविदाओं पर विचार नहीं किया जावेगा। दर निर्धारण हेतु सामग्री सूची के सभी पृष्ठों पर दर निर्धारित करते हुए आवेदक का हस्ताक्षर एवं संबंधित फर्म का मुहर लगाना अनिवार्य होगा।

5. वित्तीय प्रस्ताव के साथ सत्यनिष्ठ संधि को निविदाकर द्वारा रु 50.00 के गैर न्यायिक स्टॉम्प पेपर पर तैयार कर प्रस्तुत की जावेगी तथा इसका उल्लेख शपथ पत्र में किया जावेगा। उसकी हस्ताक्षरित हार्ड कॉपी को वित्तीय प्रस्ताव खोलने हेतु निर्धारित तिथि के पूर्व अमानत राशि के लिफाफे में रखकर प्रस्तुत किया जाना अनिवार्य है।

6. सत्यनिष्ठा संधि शपथ पत्र प्रस्तुत नहीं किये जाने पर बगैर वित्तीय प्रस्ताव खोले जमा अमानत राशि राज्य शासन के पक्ष में राजसात की जावेगी।

7. जिस सामग्री प्रदायकर्ता द्वारा सत्यनिष्ठ संधि (Per-integrity Pact) प्रपत्र -3 में हस्ताक्षर नहीं किया जावेगा, उसके वित्तीय प्रस्ताव नहीं खोले जायेंगे तथा प्रस्तुत अमानत राशि राज्य शासन के पक्ष में राजसात कर ली जावेगी।

8. निविदा दस्तावेज की सत्यता के संबंध में रु 50.00 का गैर न्यायिक स्टॉम्प पेपर में शपथ पत्र प्रस्तुत करना होगा। (प्रमाण पत्र का प्रारूप संलग्न)

9. निविदा में संलग्न सूची अनुसार यदि कोई सामग्री का नाम छूट गया होगा तो तात्कालिन बाजार भाव पर क्रय किया सकेगा।

10. क्रय/आपूर्ति मांग पत्र जारी करने के पश्चात् 15 दिवस के भीतर सामग्री उपलब्ध करना अनिवार्य होगा।

11. निविदा सामग्री प्रदाय हेतु स्वीकृत की जाने वाली दरें वित्तीय वर्ष 2020-21 के लिए वैध (लागू) होगी।

12. निविदा दर प्राप्त होने के पश्चात् किसी सामग्री का दर वर्तमान प्रचलित बाजार भाव/उच्च व निम्न दर से ज्यादा होने पर Negotiation किया जा सकेगा।
13. निविदा दर में सामग्रियों के कम्पनी अनुसार अनिवार्य रूप से अंकित किया जावेगा।
14. निविदाकर्ता फर्म का एक वित्तीय वर्ष में न्यूनतम राशि - 100.00 लाख (अक्षरीय एक करोड़ मात्र) का टर्न ओवर होना अनिवार्य हैं।
15. निविदाकर्ता फर्म का जीवित GSTIN का नंबर होना अनिवार्य हैं। अन्यथा आवेदन पत्र अमान्य कर दिया जावेगा।
16. निविदाकर्ता फर्म को जनपद पंचायत गीदम अन्तर्गत कुल- 41 ग्राम पंचायतों में सामग्री क्रय/आपूर्ति आदेश के आधार पर उपलब्ध कराना अनिवार्य होगा।
17. निविदाकर्ता फर्म का एक रिटेल शाप जिला दन्तेवाड़ा क्षेत्रान्तर्गत होना अनिवार्य हैं।
18. उपरोक्त निविदा को जनपद स्तरीय निर्माण सामग्री क्रय समिति के समक्ष खोला जावेगा। जनपद स्तर पर प्राप्त निविदाओं का परीक्षण कर तुलनात्मक चार्ट तैयार किया जावेगा। उपरोक्त निविदा प्रक्रिया के परीक्षण एवं तुलनात्मक चार्ट के अनुमोदन हेतु जिला स्तरीय समिति के समक्ष प्रस्तुत किया जावेगा। जिला स्तरीय समिति से अनुमोदन पश्चात् ही इस कार्यालय द्वारा दर अनुमोदन सूची का कार्य आदेश जारी किया जावेगा।
19. निविदा आमंत्रण सूचना में दर्शाए अनुसार प्रत्येक सामग्री के विवरण के समक्ष अंकित ईकाई अनुसार निविदा के तहत पृथक-पृथक सामग्रियों हेतु निविदाकारों द्वारा प्रस्तुत दरों का पृथक-पृथक विश्लेषण किया जावेगा। किसी भी निविदा के तहत अलग-अलग सामग्रियों के प्रदाय हेतु सफल निविदाकारों को अनुबंध पश्चात् कार्यदेश जारी किय जा सकेगा।
20. दिनांक 13/11/2019 को कार्यालय जनपद पंचायत गीदम में दोपहर 3:00 बजे प्राप्त निविदाओं को खोला जावेगा। जिसमें निर्माण सामग्री प्रदायकर्ता/फर्म अथवा उनके प्रतिनिधि उपस्थित हो सकते हैं।
21. उपरोक्त सामान्य शर्त निविदा अनुबंध का भाग है।
22. विगत 03 वित्तीय वर्ष का इंकम टैक्स रिटर्न दस्तावेज की सत्यापित प्रति।
23. विगत 03 वर्षों का संबंधित फर्म का टर्न ओवर की सत्यापित प्रति।

मुख्य कार्यपालन अधिकारी

जनपद पंचायत गीदम

पृ. क्र. 278-A/ज.पं./MG NREGA/ स्था./2019-20

दन्तेवाड़ा, दिनांक 21/10/2019

प्रतिलिपि:-

1. कलेक्टर एवं जिला कार्यक्रम समन्वयक, जिला- दक्षिण बस्तर दन्तेवाड़ा को सादर सूचनार्थ।
2. मुख्य कार्यपालन अधिकारी, जिला पंचायत दन्तेवाड़ा को सादर सूचनार्थ प्रेषित।

मुख्य कार्यपालन अधिकारी

जनपद पंचायत गीदम

दर निर्धारण हेतु सामग्री सूची

| List of Materials for Rates | | | |
|------------------------------------|--|----------|------|
| Sr. No. | Material Name | Unit | Rate |
| 1 | Bricks Class 20 Kumhar Pujwa Burnt (Rate at Bhatta) | Thousand | |
| 2 | Bricks Class 25 Open Bhutta or Pajwa Burnt (IInd class) (Rate at Bhatta) | Thousand | |
| 3 | Bricks Class 35 Chimney Kiln Burnt Brick (Rate at Bhatta) | Thousand | |
| 4 | Bricks Sun Dried (Rate at Moulding place) | Thousand | |
| 5 | Brick Aggregate 25mm Nominal Size | cum | |
| 6 | Brick Aggregate 20mm Nominal Size | cum | |
| 7 | Stone Aggregate (Metal) 80mm Nominal Size (Rate at Quarry/Crusher) | cum | |
| 8 | Stone Aggregate (Metal) 60mm Nominal Size (Rate at Quarry/Crusher) | cum | |
| 9 | *Stone Aggregate (other than BT) (Metal) 40mm Nominal Size (1805) (Rate at Quarry) | cum | |
| 10 | Stone Aggregate (Metal) 20mm Nominal Size (other than BT Metal) (Rate at Quarry/Crusher) | cum | |
| 11 | Stone Aggregate (Metal) 12mm Nominal Size (Rate at Quarry/Crusher) | cum | |
| 12 | Stone Aggregate (Metal) 10mm Nominal Size (Rate at Quarry/Crusher) | cum | |
| 13 | Lime Unslacked / Hydrated | qntl. | |
| 14 | Surkhi | cum | |
| 15 | *Moorum Hard (1803) (Rate at Quarry) | cum | |
| 16 | Block board decorative type 25mm thick with decorative veneered skin for Door shutter | sqm. | |
| 17 | Cement (Grey) (PPC) | MT | |
| 18 | Block board decorative type 30mm thick with decorative veneered skin for Door shutter | sqm. | |
| 19 | *Sand Fine (1823) (Rate at Quarry) | cum | |
| 20 | Brick Aggregate 50mm Nominal Size | cum | |
| 21 | *Sand Coarse (1823) (Rate at Quarry) | cum | |
| 22 | Stone Dust (Rate at Quarry/Crusher) | cum | |
| 23 | Marble Dust | cum | |

| | | | |
|----|--|-------|--|
| 24 | Cement (White) | MT | |
| 25 | Blasting Powder (for blasting) | kg. | |
| 26 | Blasting Fuse (for blasting) | nos. | |
| 27 | Steam Coal | qntl. | |
| 28 | WOOD - Ballies Sal - 125mm dia (3.6m long) | RM | |
| 29 | Clay | cum | |
| 30 | Shingles, Graval, Pabbles, Plums 40mm nominal size (Rate at Quarry) | cum | |
| 31 | Shingles, Graval, Pabbles, Plums 20mm nominal size (Rate at Quarry) | cum | |
| 32 | Mesh - (expanded metal 20mm X 6mm and 1.6mm thick) | sqm. | |
| 33 | Block board decorative type 40mm thick with decorative veneered skin for Door shutter | sqm. | |
| 34 | Binding wire | kg. | |
| 35 | Block board Non-decorative type 25mm thick (paintable) with unveneered skin for Door shutter | sqm. | |
| 36 | Iron - M.S. Angle, Channels, Tee | qntl. | |
| 37 | Bitumen blown type | qntl. | |
| 38 | Kerosene oil | ltr. | |
| 39 | WOOD - Bija | cum | |
| 40 | *Stone for masonry work (1810A) (Rate at Quarry) | cum | |
| 41 | WOOD - Ballies Sal - 100mm dia (3.6m long) | RM | |
| 42 | WOOD - Indian Teak wood 2nd class | cum | |
| 43 | WOOD - Other structural wood (seasond & chemicaly treated wood) | cum | |
| 44 | WOOD - Kail wood 2nd class | cum | |
| 45 | WOOD - Sal wood | cum | |
| 46 | Glass - 4mm thick | sqm. | |
| 47 | Screws 40mm | nos. | |
| 48 | Water proofing compound/ materials | kg. | |
| 49 | Shingles, Graval, Pabbles, Plums 150mm nominal size (Rate at Quarry) | cum | |
| 50 | Bitumen (Maxphalt 80/ 100) | MT | |
| 51 | Chopped straw | kg. | |
| 52 | Block board Non-decorative type 30mm thick (paintable) with unveneered skin for Door shutter | sqm. | |

| | | | |
|----|--|-------|--|
| 53 | Bitumen cut back | kg. | |
| 54 | Lime putty solution | kg. | |
| 55 | Block board Non-decorative type 40mm thick (paintable) with unveneered skin for Door shutter | sqm. | |
| 56 | Linseed oil double boiled | ltr. | |
| 57 | Distemper Dry | kg. | |
| 58 | Bitumen 85/ 25 | kg. | |
| 59 | G.I. pipe 20mm dia (medium grade) | RM | |
| 60 | Block board Non-decorative commercial 25mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |
| 61 | Whiting | kg. | |
| 62 | Lime (Katni) | qntl. | |
| 63 | Block board Non-decorative commercial 30mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |
| 64 | Distemper primer | ltr. | |
| 65 | Block board Non-decorative commercial 40mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |
| 66 | Particle board decorative type 25mm thick with decorative veneered skin for Door shutter | sqm. | |
| 67 | Caustic soda | kg. | |
| 68 | Particle board decorative type 30mm thick with decorative veneered skin for Door shutter | sqm. | |
| 69 | Particle board decorative type 40mm thick with decorative veneered skin for Door shutter | sqm. | |
| 70 | Paint | ltr. | |
| 71 | Paint - Ready mixed red lead | ltr. | |
| 72 | Paint - Enamel paint | ltr. | |
| 73 | Coal tar | ltr. | |
| 74 | G.I. pipe 25mm dia (medium grade) | RM | |
| 75 | Particle board Non-decorative type 25mm thick (paintable) with unveneered skin for Door shutter | sqm. | |
| 76 | Particle board Non-decorative type 30mm thick (paintable) with unveneered skin for Door shutter | sqm. | |
| 77 | Particle board Non-decorative type 40mm thick (paintable) with unveneered skin for Door shutter | sqm. | |
| 78 | Particle board Non-decorative commercial 25mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |
| 79 | Particle board Non-decorative commercial 30mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |
| 80 | Particle board Non-decorative commercial 40mm thick (paintable) veneered with commercial veneers skin for Door shutter | sqm. | |

| | | | |
|-----|--|------|--|
| 81 | Distemper | kg. | |
| 82 | Varnish - Under coat flatting varnish | ltr. | |
| 83 | Varnish | ltr. | |
| 84 | *Hard metal (other then BT) Grading - 1 (size ranging from 90mm to 45mm) (1804A) (Rate at Quarry) | cum | |
| 85 | Spirit | ltr. | |
| 86 | *Hard metal (other then BT) Grading - 2 (size ranging from 63mm to 45mm) (1804B) (Rate at Quarry) | cum | |
| 87 | Shellac | kg. | |
| 88 | *Hard metal (other then BT) Grading - 3 (size ranging from 53mm to 22.4mm) (1804C) (Rate at Quarry) | cum | |
| 89 | Stone Aggrigate (Metal) 40mm Nominal Size(BT Metal) (Rate at Quarry/Crusher) | cum | |
| 90 | G.I. pipe 32mm dia (medium grade) | RM | |
| 91 | G.I. pipe 40mm dia (medium grade) | RM | |
| 92 | Stone - Red sand stone slab 40mm thick | sqm. | |
| 93 | Stone - Red sand stone slab 50mm thick | sqm. | |
| 94 | Stone - Red sand stone slab 30mm thick | sqm. | |
| 95 | *Boulder - picked up (1807) | cum | |
| 96 | Glass - 5mm thick | sqm. | |
| 97 | WOOD - Ballies Sal - 150mm dia (3.6m long) | RM | |
| 98 | Stone - Stone slab 40mm thick for chhaja | sqm. | |
| 99 | Stone - Flag stone 40 to 50mm thick | sqm. | |
| 100 | Hessian cloth | sqm. | |
| 101 | A.C. sheet 5mm thick B class plain asbestos sheet | sqm. | |
| 102 | Screws 10mm for ceiling | nos. | |
| 103 | WOOD - Ballies Sal - 80mm dia (2.5m to 3.0m long) | RM | |
| 104 | Bitumen felt type 3 grade 2 | sqm. | |
| 105 | Bitumen solution primer | ltr. | |
| 106 | Bitumen | kg. | |
| 107 | Stone - Red sand (for flooring) 25mm thick | sqm. | |
| 108 | Stone - Red sand (for flooring, roofing) 40mm thick | sqm. | |
| 109 | G.I. pipe 50mm dia (medium grade) | RM | |

| | | | |
|-----|--|-------|--|
| 110 | Stone chips 4.75mm nominal size (Rate at Quarry/Crusher) | cum | |
| 111 | Stone Aggrigate (Metal) 12.5mm Nominal Size (Rate at Quarry/Crusher) | cum | |
| 112 | PCC tiles light shade 20mm thick | sqm. | |
| 113 | PCC tiles medium shade 20mm thick | sqm. | |
| 114 | Pigment - light shade | kg. | |
| 115 | PCC tiles dark shade 20mm thick | sqm. | |
| 116 | Pigment - dark shade | kg. | |
| 117 | G.I. pipe 15mm dia (medium grade) | RM | |
| 118 | Linoleum sheet 3.2mm thick | sqm. | |
| 119 | Adhesive | kg. | |
| 120 | Marble chips | qntl. | |
| 121 | Marble Powder | cum | |
| 122 | Aluminium sheets 1.5mm thick | kg. | |
| 123 | Glass strips 4mm thick 40mm wide | RM | |
| 124 | PCC tiles (Terrozzo tiles) light shade | sqm. | |
| 125 | Pigment - medium shade | kg. | |
| 126 | PCC tiles (Terrozzo tiles) medium shade | sqm. | |
| 127 | PCC tiles (Terrozzo tiles) dark shade | sqm. | |
| 128 | Glazed tiles 6mm thick 15 X 15cm | sqm. | |
| 129 | Marble slab white 25mm thick | sqm. | |
| 130 | Marble slab white 30mm thick | sqm. | |
| 131 | Marble tiles white 25mm thick | sqm. | |
| 132 | *Stone for pitching work (1814A) (Rate at Quarry) | cum | |
| 133 | *Stone chips (BT) (1809B) (Rate at Quarry) | cum | |
| 134 | Stone - Kota 25mm thick for flooring | sqm. | |
| 135 | Stone - Kota 30mm thick for flooring | sqm. | |
| 136 | Stone - Kota 40mm thick for flooring | sqm. | |
| 137 | Hinges (Iron) 100 X 58 X 1.4mm (medium) | nos. | |
| 138 | Hinges (Iron) 50 X 37 X 1.5mm (medium) | nos. | |

| | | | |
|-----|--|----------|--|
| 139 | Iron - Rolling shutters 80 X 1.25mm M.S. laths | sqm. | |
| 140 | Iron - M.S. bars (6mm dia) | qntl. | |
| 141 | Iron - Pully 38mm | nos. | |
| 142 | Iron - Wire spring 27.5cm long grade no.2 | nos. | |
| 143 | Iron - ball bearing 62 X 11 with ring | nos. | |
| 144 | Iron - hood cover for rolling shutter 1.25mm thick | RM | |
| 145 | G.I. Sheet corrugated | qntl. | |
| 146 | G.I. plain washer (thick) | nos. | |
| 147 | G.I. J or L hooks | nos. | |
| 148 | G.I. seam bolts & hooks | nos. | |
| 149 | Limpet washer | nos. | |
| 150 | Bitumen washer | nos. | |
| 151 | G.I. Sheet plain | qntl. | |
| 152 | G.I. plain washer (thin) | nos. | |
| 153 | A.C. corrugated sheet 6mm thick | sqm. | |
| 154 | A.C. ridge piece 1.10m long | Pair | |
| 155 | A.C. hip piece 1.22m long | Pair | |
| 156 | Mangalore tiles | Thousand | |
| 157 | WOOD - Wood Reepers (batte) sal, bija, haldu or saj wood 50mm X 25mm | RM | |
| 158 | Iron - Nails | kg. | |
| 159 | Iron - Turn buckles for fencing | nos. | |
| 160 | Bolts - straining bolts | nos. | |
| 161 | G.I. barbed wire 9.38 kg / 100metres | qntl. | |
| 162 | Glass - Broken glass | kg. | |
| 163 | N.P.-3 pipes 1200mm dia | RM | |
| 164 | G.I. Mild steel tee 25 X 40mm | nos. | |
| 165 | G.I. Mild steel tee 50 X 80mm | nos. | |
| 166 | G.I. Mild steel 5mm nut | nos. | |
| 167 | Polythylene pipes 20mm dia (6 kgf/sqm) | RM | |

| | | | |
|-----|---|----------|--|
| 168 | Polythylene pipes 25mm dia (6 kgf/sqm) | RM | |
| 169 | Polythylene pipes 32mm dia (6 kgf/sqm) | RM | |
| 170 | Polythylene pipes 40mm dia (6 kgf/sqm) | RM | |
| 171 | Polythylene pipes 50mm dia (6 kgf/sqm) | RM | |
| 172 | P.V.C. Pipes unplasticised 32mm dia (10 kgf/sqm)20 | RM | |
| 173 | P.V.C. Pipes unplasticised 40mm dia (10 kgf/sqm)25 | RM | |
| 174 | P.V.C. Pipes unplasticised 50mm dia (10 kgf/sqm)32 | RM | |
| 175 | A.C. pipes 50m dia (Each of 3mt Long) | Each | |
| 176 | A.C. pipes 80m dia (Each of 3mt Long) | Each | |
| 177 | A.C. pipes 100m dia (Each of 3mt Long) | Each | |
| 178 | N.P.-3 pipes 900mm dia | RM | |
| 179 | Taps - Bib tap - 15mm brass screw down | Each | |
| 180 | Taps - Bib tap - 20mm brass screw down | Each | |
| 181 | Taps - Bib tap - 25mm brass screw down | Each | |
| 182 | Taps - Bib tap - 15mm capstan head | Each | |
| 183 | Taps - Bib tap - 20mm capstan head | Each | |
| 184 | Taps - Bib tap - 25mm capstan head | Each | |
| 185 | Taps - Bib tap - 15mm chromium plated | Each | |
| 186 | Taps - Pillar tap - 15mm capstan head (Hot or Cold) long screw down | Each | |
| 187 | Taps - Stop tap - 15mm brass screw down | Each | |
| 188 | Taps - Stop tap - 20mm brass screw down | Each | |
| 189 | Crushed stone chipping 6.7mm size | cum | |
| 190 | Crushed stone chipping 13.2mm nominal size | cum | |
| 191 | Crushed stone chipping 11.2mm nominal size | cum | |
| 192 | Allahabad ridge/ hip tiles | nos. | |
| 193 | Mangalore ridges/ hip tiles | nos. | |
| 194 | Wheel tiling | Thousand | |
| 195 | Taps - Stop tap - 25mm brass screw down | Each | |
| 196 | Taps - Stop tap - 32mm brass screw down | Each | |

| | | | |
|-----|--|------|--|
| 197 | Taps - Stop tap - 40mm brass screw down | Each | |
| 198 | Taps - Stop tap - 50mm brass screw down | Each | |
| 199 | G.I. Elbow 32mm dia | Each | |
| 200 | Valve - Full way valve brass 15mm dia | Each | |
| 201 | Valve - Full way valve brass 20mm dia | Each | |
| 202 | Valve - Full way valve brass 25mm dia | Each | |
| 203 | Valve - Full way valve brass 32mm dia | Each | |
| 204 | Valve - Full way valve brass 40mm dia | Each | |
| 205 | Valve - Full way valve brass 50mm dia | Each | |
| 206 | Valve - Full way valve brass 65mm dia | Each | |
| 207 | Valve - Full way valve brass 80mm dia | Each | |
| 208 | Valve - check or non return valve gun metal 25mm dia (class I) | Each | |
| 209 | Valve - check or non return valve gun metal 32mm dia (class I) | Each | |
| 210 | Valve - check or non return valve gun metal 40mm dia (class I) | Each | |
| 211 | Valve - check or non return valve gun metal 50mm dia (class I) | Each | |
| 212 | Valve - check or non return valve gun metal 65mm dia (class I) | Each | |
| 213 | Valve - check or non return valve gun metal 80mm dia (class I) | Each | |
| 214 | Ferrule 15mm dia & C.I. Mouth cover | Each | |
| 215 | Ferrule 20mm dia & C.I. Mouth cover | Each | |
| 216 | Ferrule 25mm dia & C.I. Mouth cover | Each | |
| 217 | G.I. Elbow 15mm dia | Each | |
| 218 | G.I. Elbow 20mm dia | Each | |
| 219 | G.I. Elbow 25mm dia | Each | |
| 220 | C.P. brass waste 32mm dia | Each | |
| 221 | C.P. brass waste 40mm dia | Each | |
| 222 | W.C. pan Indian type, vitreous china, long patern, white colour | Each | |
| 223 | W.C. pan Indian type, vitreous china, orissa patern, white colour | Each | |
| 224 | W.C. pan European type, glazed earthen ware, patern 3 | Each | |
| 225 | W.C. pan Indian type, vitreous china, orissa patern, standard colour | Each | |

| | | | |
|-----|---|----------|--|
| 226 | W.C. pan Indian type, glazed earthen ware, long patern, white colour | Each | |
| 227 | W.C. pan Indian type, glazed earthenware, orissa patern, white colour | Each | |
| 228 | W.C. pan European type, vitreous china, patern 1, white colour | Each | |
| 229 | W.C. pan European type, vitreous china, patern 1, standard colour | Each | |
| 230 | P or S trap vitreous china 100mm dia | Each | |
| 231 | G.I. Elbow 40mm dia | Each | |
| 232 | G.I. Elbow 50mm dia | Each | |
| 233 | P or S trap glazed earthen ware 100mm dia | Each | |
| 234 | Foot rest vitreous china white colour | Pair | |
| 235 | A.C. plain bend 50mm | Each | |
| 236 | A.C. plain bend 80mm | Each | |
| 237 | A.C. plain bend 100mm | Each | |
| 238 | A.C. cowl Cone cap 50mm | Each | |
| 239 | A.C. cowl Cone cap 80mm | Each | |
| 240 | A.C. cowl Cone cap 100mm | Each | |
| 241 | P. or S. trap sand C.I. 100mm | Each | |
| 242 | G.I. pipe 65mm dia (medium grade) | RM | |
| 243 | G.I. pipe 80mm dia (medium grade) | RM | |
| 244 | G.I. pipe 100mm dia (medium grade) | RM | |
| 245 | *Moorum soft (1802) (Rate at Quarry) | cum | |
| 246 | Fibber board sheet 6mm thick (medium grade) | sqm. | |
| 247 | Fibber board sheet 6mm thick (normal grade) | sqm. | |
| 248 | Fibbre board sheet 5mm thick (normal grade) | sqm. | |
| 249 | Veneered particle board 12mm thick type 3 solid core | sqm. | |
| 250 | Mesh - Rabbit wire mesh | sqm. | |
| 251 | Plaster of Paris | kg. | |
| 252 | Country tiles | Thousand | |
| 253 | Bamboo 25mm dia | RM | |
| 254 | Roap (Ban), (Sun roap) | kg. | |

| | | | |
|-----|--|----------|--|
| 255 | Allahabad tiles | Thousand | |
| 256 | PCC tiles (Chequered tiles) dark shade 22mm thick | sqm. | |
| 257 | PCC tiles (Chequered tiles) medium shade 22mm thick | sqm. | |
| 258 | PCC tiles (Chequered tiles) light shade 22mm thick | sqm. | |
| 259 | Snowcem or durocem | MT | |
| 260 | Aluminium L shape of size 38mm X 12mm X 3mm (thick) | RM | |
| 261 | Aluminium L shape of size 57mm X 12mm X 3mm (thick) | RM | |
| 262 | Emulsion with Aldrin, Heptachlor, or Chlordane | ltr. | |
| 263 | Emulsion Dieldrin | ltr. | |
| 264 | Steel doors of standard rolled steel sections | sqm. | |
| 265 | Steel Windows fixed of standard rolled steel sections | sqm. | |
| 266 | Iron - Pressed steel door frames Profile A (single rabate 80mm X 50mm size) | RM | |
| 267 | Iron - Pressed steel door frames Profile B (single rabate 100mm X 50mm size) | RM | |
| 268 | Iron - Pressed steel door frames Profile C (double rabate 115mm X 50mm size) | RM | |
| 269 | M.S. tubes, electric resistant or induction butt welded | kg. | |
| 270 | Iron - hood cover for rolling shutter 1.20mm thick | RM | |
| 271 | Iron - hood cover for rolling shutter 0.90mm thick | RM | |
| 272 | Iron - Rolling shutters 80 X 1.20mm M.S. laths | sqm. | |
| 273 | Iron - Rolling shutters 80 X 0.90mm M.S. laths | sqm. | |
| 274 | **Gelatine (80%) | kg. | |
| 275 | **Drilling of holes 25mm dia 0.75m deep | nos. | |
| 276 | **Electric detonator | nos. | |
| 277 | **Fuse coil (10m long) | nos. | |
| 278 | C.P. brass waste 100mm dia brass shower rose | Each | |
| 279 | C.P. brass waste 150mm dia brass shower rose | Each | |
| 280 | Polyethylene Tanks Sintax (single coated) | ltr. | |
| 281 | Mirror - bevelled edge mirror 600mm X 450mm | nos. | |
| 282 | Plywood sheet 600mm X 450mm, 6mm thick | sqm. | |
| 283 | WOOD - Wooden plugs | nos. | |

| | | | |
|-----|---|------|--|
| 284 | Screws and Washers 25mm C.P. brass | nos. | |
| 285 | Wax polish | kg. | |
| 286 | C.P. brass with a guard rail 600mm X 120mm glass shelf and C.P.brass bracke | Each | |
| 287 | Liquid soap container of glass with C.P. brass lid and brackets | nos. | |
| 288 | Chromium plated brass soapdish with C.P. brass brackets | Each | |
| 289 | Towel rail C.P. Brass 750 X 20mm with brackets | Each | |
| 290 | Towel rail C.P. Brass 600 X 20mm with brackets | Each | |
| 291 | C.P. brass tube 15mm bore | RM | |
| 292 | Squatting plate urinal size 600mm X 350mmvitreous china | nos. | |
| 293 | Flushing cistern C.I. automatic with fittings 5 litres | nos. | |
| 294 | C.P. brass waste 32mm dia, flynut, washer, brass chain, stud and plug etc. | Each | |
| 295 | Flushing cistern C.I. automatic with fittings 15 litres | nos. | |
| 296 | C.P. brass tube 20mm bore | RM | |
| 297 | C.P. brass tube 25mm bore | RM | |
| 298 | C.P. brass tube 32mm bore | RM | |
| 299 | C.I. or M.S. brackets | Pair | |
| 300 | Sink kitchen white glazed fire clay 600 X 450mm X 150mm | Each | |
| 301 | Sink kitchen white glazed fire clay 600 X 450mm X 250mm | Each | |
| 302 | Sink kitchen white glazed fire clay 750 X 450mm X 250mm | Each | |
| 303 | W.C. pan European type, vitreous china, patern 2, white colour | Each | |
| 304 | W.C. pan European type, vitreous china, patern 2, standard colour | Each | |
| 305 | W.C. pan European type, glazed earthen ware, patern 1 | Each | |
| 306 | W.C. pan European type, glazed earthen ware, patern 2 | Each | |
| 307 | Flushing cistern vitreous china 12.5 litres with fittings high level | nos. | |
| 308 | Urinal viterous China angle back type 340mm X 430mm X 265mm size white colour | Each | |
| 309 | Urinal viterous China flat back 430mm X 260mm X 350mm size white colour | Each | |
| 310 | Flushing cistern vitreous china 12.5 litres with fittings low level | Each | |
| 311 | Flushing cistern White glazed earthenware of capacity 5 litre with fitting | Each | |
| 312 | Flushing cistern White glazed earthenware of capacity 10 litre with fitting | Each | |

| | | | |
|-----|---|------|--|
| 313 | Flushing cistern White glazed earthenware of capacity 15 litre with fitting | Each | |
| 314 | Wash basin Flat back 630 X 450mm size vitreous china white colour | Each | |
| 315 | Wash basin Flat back 550 X 400mm size vitreous china white colour | Each | |
| 316 | Wash basin angle back 600 X 480mm size vitreous china white colour | Each | |
| 317 | Wash basin angle back 400 X 400mm size vitreous china white colour | Each | |
| 318 | Sink laboratory white vitreous china 450mm X 300mm X 150mm size | Each | |
| 319 | Sink laboratory white vitreous china 600mm X 400mm X 200mm size | Each | |
| 320 | M.I. Fisher union 32mm dia | Each | |
| 321 | M.I. Fisher union 40mm dia | Each | |
| 322 | Sink kitchen terrazzo finsh 600 X 450mm X 250mm | Each | |
| 323 | Sink kitchen terrazzo finsh 600 X 450mm X 150mm | Each | |
| 324 | Sink kitchen vitreous China 600 X 450mm X 150mm | Each | |
| 325 | Sink kitchen terrazzo finsh 750 X 450mm X 250mm | Each | |
| 326 | Sink kitchen vitreous China 750 X 450mm X 250mm | Each | |
| 327 | Sink kitchen vitreous China 600 X 450mm X 250mm | Each | |
| 328 | Sink laboratory white glazed earthenware 450mm X 300mm X 150mm size | Each | |
| 329 | Sink laboratory white glazed earthenware 600mm X 400mm X 200mm size | Each | |
| 330 | *Boulder - Quarried Other than Black trap, basalt or granite (1808B) (Rate at Quarry) | cum | |
| 331 | *Boulder - Quarried Black trap, basalt or granite (1808B+10%) | cum | |
| 332 | Wash basin Flat back 630 X 450mm size vitreous china standerd colour | Each | |
| 333 | Wash basin Flat back 550 X 400mm size vitreous china standerd colour | Each | |
| 334 | Wash basin Flat back 630 X 450mm size glazed earthenware white colour | Each | |
| 335 | Wash basin Flat back 550 X 400mm size glazed earthenware white colour | Each | |
| 336 | Wash basin angle back 600 X 400mm size glazed earthenware white colour | Each | |
| 337 | Wash basin angle back 400 X 400mm size glazed earthenware white colour | Each | |
| 338 | M.I. Trap 32mm dia | Each | |
| 339 | M.I. Trap 40mm dia | Each | |
| 340 | Plastic seat and cover white with cp brass hinges and rubber buffers | Each | |
| 341 | Plastic seat and cover black with cp brass hinges and rubber buffers | Each | |

| | | | |
|-----|---|------|--|
| 342 | C.P. brass waste 40mm dia, flynut, washer, brass chain, stud and plug etc. | Each | |
| 343 | C.P. brass waste 50mm dia, flynut, washer, brass chain, stud and plug etc. | Each | |
| 344 | A.C. cowl Slotted vend 50mm dia | Each | |
| 345 | A.C. cowl Slotted vend 80mm dia | Each | |
| 346 | A.C. cowl Slotted vend 100mm dia | Each | |
| 347 | G.I. Tee 15mm dia | Each | |
| 348 | G.I. Tee 20mm dia | Each | |
| 349 | G.I. Tee 25mm dia | Each | |
| 350 | G.I. Tee 32mm dia | Each | |
| 351 | G.I. Tee 40mm dia | Each | |
| 352 | G.I. Tee 50mm dia | Each | |
| 353 | G.I. Bend 15mm dia | Each | |
| 354 | G.I. Bend 20mm dia | Each | |
| 355 | G.I. Bend 25mm dia | Each | |
| 356 | G.I. Bend 32mm dia | Each | |
| 357 | G.I. Bend 40mm dia | Each | |
| 358 | G.I. Bend 50mm dia | Each | |
| 359 | G.I. Union 15mm dia | Each | |
| 360 | G.I. Union 20mm dia | Each | |
| 361 | G.I. Union 25mm dia | Each | |
| 362 | G.I. Union 32mm dia | Each | |
| 363 | G.I. Union 40mm dia | Each | |
| 364 | G.I. Union 50mm dia | Each | |
| 365 | Flush pipe galvanised steel tube | RM | |
| 366 | Urinal vitreous China flat back 430mm X 260mm X 350mm size standardcolour | Each | |
| 367 | Urinal vitreous China angle back type 340mm X 430mm X 265mm size standardcolour | Each | |
| 368 | Urinal glazed earthenware flat back 430mm X 260mm X 350mm size | Each | |
| 369 | Urinal glazed earthenware angle back type 340mm X 430mm X 265mm size | Each | |
| 370 | Squatting plate urinal size 600mm X 350mm glazed earthenware | nos. | |

| | | | |
|-----|---|------|--|
| 371 | Flushing cistern C.I. automatic with fittings 10 litres | Each | |
| 372 | Mesh - Hard drawn steel wire fabric of any size of 1.5 to 3mm dia | kg. | |
| 373 | Stone - Cut Stone | cum | |
| 374 | Glazing clips | nos. | |
| 375 | RCC Fencing Post of CC M20, 2.00mt. long (150mm x 150mm bottom & 100mm x 100mm top) 125mm bottom & 85mm x 85mm Top) | nos. | |
| 376 | Single panel shutter type-A (Made of 1.00mm C.R. sheet) | sqm. | |
| 377 | Single panel shutter type-B (Made of 0.8mm C.R. sheet) | sqm. | |
| 378 | Double panel shutter type-A (Made of 1 mm C.R. sheet) | sqm. | |
| 379 | Double panel shutter type-A (Made of 0.8mm C.R. sheet) | sqm. | |
| 380 | Mobil oil | ltr. | |
| 381 | Glass strips 6mm thick 40mm wide. | RM | |
| 382 | Polyethylene Tanks Rotovan (double coated) | ltr. | |
| 383 | Polyethylene Tanks Gangotry (double coated) | ltr. | |
| 384 | Polyethylene Tanks Appolo (triple coated) | ltr. | |
| 385 | Polyethylene Tanks Rotoplus (double coated) | ltr. | |
| 386 | Polyethylene Tanks Polycon (double coated) | ltr. | |
| 387 | Iron - U Nut & Bolts | nos. | |
| 388 | Guna tiles | nos. | |
| 389 | Mesh - Chicken | sqm. | |
| 390 | Ceramic tiles (Broken) | kg. | |
| 391 | Steel angle plate 60mm X 6mm (for arch shuttering) | Each | |
| 392 | N.P.-2 pipes 300mm dia | RM | |
| 393 | N.P.-2 pipes 450mm dia | RM | |
| 394 | N.P.-2 pipes 600mm dia | RM | |
| 395 | N.P.-2 pipes 700mm dia | RM | |
| 396 | N.P.-2 pipes 900mm dia | RM | |
| 397 | N.P.-2 pipes 1200mm dia | RM | |
| 398 | N.P.-2 pipes 800mm dia | RM | |
| 399 | N.P.-2 pipes 300mm dia collar | nos. | |

| | | | |
|-----|---|----------|--|
| 400 | N.P.-2 pipes 450mm dia collar | nos. | |
| 401 | N.P.-2 pipes 600mm dia collar | nos. | |
| 402 | N.P.-2 pipes 700mm dia collar | nos. | |
| 403 | N.P.-2 pipes 800mm dia collar | nos. | |
| 404 | N.P.-2 pipes 900mm dia collar | nos. | |
| 405 | N.P.-2 pipes 1200mm dia collar | nos. | |
| 406 | N.P.-3 pipes 900mm dia collar | nos. | |
| 407 | N.P.-3 pipes 1200mm dia collar | nos. | |
| 408 | Screws 20mm | nos. | |
| 409 | Hinges (Iron) 75 X 47 X 1.7mm | nos. | |
| 410 | Screws 30mm | nos. | |
| 411 | Hinges (Iron) 100 X 58 X 1.9mm | nos. | |
| 412 | Hinges (Iron) T hinge 100 X 250 X 2.24mm | nos. | |
| 413 | Mesh - (Wire gauze 0.56mm I.S. gauze designation 85 G.) | sqm. | |
| 414 | Bamboo 40mm dia | RM | |
| 415 | Mesh - (expanded metal 20mm X 60mm mesh 3.25mm wide) | sqm. | |
| 416 | Diesel | ltr. | |
| 417 | Iron - M.S. bars (8, 10, 12, 14, 16....) | kg. | |
| 418 | Glass - Putty for glass panes | kg. | |
| 419 | Hinges (M.S.piano hinges Nickel plated) | RM | |
| 420 | Screws (Nickel plated) 25mm | nos. | |
| 421 | Hinges (M.S.piano hinges Brass plated) | RM | |
| 422 | Screws (Brass plated) 25mm | nos. | |
| 423 | Mesh - (hard brown steel wire fabric 75mm X 25mm) | sqm. | |
| 424 | Iron - R.S. joist | qntl. | |
| 425 | Iron - M.S. flats | qntl. | |
| 426 | Welding charge | cm | |
| 427 | Bricks Fly ash (Rate at Bhatta) | Thousand | |
| 428 | Solid concrete block | nos. | |

| | | | |
|-----|---|--------|--|
| 429 | Precast R.C.C. lintle M15 0.2x0.075m | RM | |
| 430 | Precast R.C.C. beam M15 300x150x150mm | RM | |
| 431 | Funicular shell roof 900x900x25mm | nos. | |
| 432 | Precast R.C.C. plank 1500x300x60mm | nos. | |
| 433 | Water | kl. | |
| 434 | Plastic paint | ltr. | |
| 435 | Iron - M.S. bars Cold twisted/Hot rolled deformed/Thermo mechanically treated, bars | kg. | |
| 436 | Well graded granular sub base material as per table 400.1 | cum | |
| 437 | N.P.-3 pipes 1000mm dia | RM | |
| 438 | Polythelene Sheet 125 micron thick | sqm. | |
| 439 | Joint filler board 20mm thick as per IS:1838 | sqm. | |
| 440 | Bitumen primer | ltr. | |
| 441 | Bitumenous sealant | ltr. | |
| 442 | N.P.-3 pipes 1000mm dia collar | Per M. | |
| 443 | RCC Fencing Post of CC M20, 1.85mt. long (125mm x 125mm bottom & 85mm x 85mm top) 125mm bottom & 85mm x 85mm Top) | nos. | |
| 444 | Providing inter-locking blocks of approved shape, thickness and size. | sqm. | |
| 445 | Edge blocks 60 mx2 | RM | |
| 446 | Providing inter-locking blocks 60mm. thick | sqm. | |
| 447 | Edge blocks 60 mm. thick | RM | |
| 448 | Vitirfide tiles 600x-600mm | sqm. | |
| 449 | Precoated galvanized profile sheet | sqm. | |
| 450 | Aluminum door and window | sqm. | |
| 451 | Aluminum with glazed door and window | sqm. | |
| 452 | SS Door Handal 2.5mm thick 150mm long | Each | |
| 453 | SS Window Handal 2.5mm thick 100mm long | Each | |
| 454 | SS Door stopper | Each | |
| 455 | SS window stopper | Each | |
| 456 | Tower bolt 150x10mm. | Each | |
| 457 | Tower bolt 100x10mm. | Each | |

| | | | |
|-----|---------------------------|------|--|
| 458 | Door leach SS 300x20x6mm. | Each | |
| 459 | Door Locking Arrangement | Each | |
| 460 | PVC Tee 15mm dia | Each | |
| 461 | PVC Tee 20mm dia | Each | |
| 462 | PVC. Tee 25mm dia | Each | |
| 463 | PVC Tee 32mm dia | Each | |
| 464 | PVC Tee 40mm dia | Each | |
| 465 | PVC. Tee 50mm dia | Each | |
| 466 | PVC Bend 15mm dia | Each | |
| 467 | PVC Bend 20mm dia | Each | |
| 468 | PVC Bend 25mm dia | Each | |
| 469 | PVC Bend 32mm dia | Each | |
| 470 | PVC Bend 40mm dia | Each | |
| 471 | PVC Bend 50mm dia | Each | |
| 472 | PVC Union 15mm dia | Each | |
| 473 | PVC. Union 20mm dia | Each | |
| 474 | PVC Union 25mm dia | Each | |
| 475 | PVC Union 32mm dia | Each | |
| 476 | PVC Union 40mm dia | Each | |
| 477 | PVC Union 50mm dia | Each | |
| 478 | CPVC Pipe 15mm dia | RM | |
| 479 | CPVC Pipe 20mm dia | RM | |
| 480 | CPVC Pipe 32mm dia | RM | |
| 481 | CPVC Pipe 50mm dia | RM | |
| 482 | PVC Pipe 110mm dia | RM | |
| 483 | PVC Pipe 150mm dia | RM | |
| 484 | Carpet Grass | sqm. | |

List of Machinery Items

| Sr.No. | Material Name | Unit | Rate |
|--------|--|---------|------|
| 1 | Hire Charges of Truck with Driver and without POL | Day | |
| 2 | Hire Charges of Power Roller with Driver 8 to 12 tonne | Day | |
| 3 | Hire Charges of spraying machine including electric charges | Day | |
| 4 | Hire Charges of tar sprayer unit | Day | |
| 5 | Hire Charges for Boiler | Day | |
| 6 | Hire Charges of vibrator including Fuel | Day | |
| 7 | Hire and running charge of Mechanical mixer with Fuel and Operator | Day | |
| 8 | Hire Charges of Mixer for Bitumen with Fuel and Operator | Day | |
| 9 | Hire and running charges of mechanical Mortar Mill | Day | |
| 8 | Pump (3636.8 liters/ hour capacity) | Day | |
| 9 | Pump (3.5 kilo litres/ hour capacity) for less then 4 Hrs. | Per hrs | |
| 10 | ROLLER (Three wheel 80-100 KN static with capacity 10 cum/hrs) | Per hrs | |
| 11 | Water Tanker 6 KL capacity | hrs | |
| 12 | Concrete mixer 0.4/0.28 cum capacity | hrs | |
| 13 | Roller(Vibratory roller) | hrs | |
| 14 | Needle Vibrator | hrs | |
| 15 | Vibrator Plate/Skid | hrs | |

Electrification Material List

| S.No | Material Name | Rate |
|------|--|------|
| 1 | 2 mm thick pvc condute | |
| 2 | GI wire 4mm | |
| 3 | GI coduls 1-5" | |
| 4 | Modular swith box | |
| 5 | Modular swith | |
| 6 | Copper wire | |
| | 1.5 sqmm | |
| | 2.5 sqmm | |
| | 4.0 sqmm | |
| 7 | मेन स्वीच 32 Amp. 250 V | |
| 8 | फ्यूज युनिट 32 Amp. | |
| 9 | MCB 40 Amp 240 V | |
| 10 | डिस्ट्रीन्युशन बोर्ड 2+4 वे | |
| 11 | CFL बल्ब 25 वाट | |
| | 30 वाट | |
| | 65 वाट | |
| 12 | LED बल्ब 12 वाट | |
| | 16 वाट | |
| 13 | LED ट्युबलाईट T-5 | |
| 14 | सिलिंग पंखा 1200 mm रेगुलेटर के साथ | |
| 15 | कॉपर प्लेट आर्थिंग | |
| 16 | सर्विस केबल 2x10 sqmm | |
| 17 | एक्सास्ट पंखा 300mm | |
| 18 | स्ट्रीट लाईट 100 वाट LED | |
| 19 | Stablizer 1.5 T | |

महात्मा गांधी राष्ट्रीय ग्रामीण रोजगार गारंटी योजनान्तर्गत प्रपत्र एवं पंजी

| क्रमांक | विवरण | यूनिट | दर |
|---------|--|-------|----|
| 1 | रोजगार गारंटी पंजी | | |
| 2 | परिवार कार्ड पंजी | | |
| 3 | परिसम्पत्ति रजिस्टर | | |
| 4 | प्रपत्र ब 9 (1) फुल साईज पंजी | | |
| 5 | रोजगार गारंटी आवेदन पंजी | | |
| 6 | मजदूरी भुगतान पंजी | | |
| 7 | सामाजिक अंकेक्षण पंजी | | |
| 8 | कार्यस्थल पर निरीक्षण पुस्तिका | | |
| 9 | बेरोजगारी भत्ता पंजी | | |
| 10 | शिकायत पुस्तिका | | |
| 11 | मुनादी पंजी | | |
| 12 | उपस्थिति पंजी | | |
| 13 | आवेदन पंजी | | |
| 14 | कार्यवाही पंजी | | |
| 15 | आगन्तुक पंजी | | |
| 16 | केश बुक | | |
| 17 | व्हाऊचर | | |
| 18 | डेविड लेजर | | |
| 19 | क्रेडिट लेजर | | |
| 20 | चेक रजिस्टर | | |
| 21 | बैंक रिकांशलेशन रजिस्टर | | |
| 22 | आय-व्यय पत्रक | | |
| 23 | रोजगार गारंटी संबंधी फ्लेक्सी बोर्ड | | |
| 24 | मस्टररोल सत्यापन हेतु मार्ग दर्शिका पुस्तिका | | |
| 25 | समूह मूलक फाईल कव्हर | | |
| 26 | फाईल कव्हर व्यक्तिगत | | |

परिषिष्ट- 2.15

Form- C

महात्मा गांधी राष्ट्रीय ग्रामीण रोजगार गारंटी योजना
मैनुअल पद्धति निविदा आमंत्रण हेतु सामग्री प्रदाय फार्म

प्रति,

मुख्य कार्यपालन अधिकारी
जनपद पंचायत गीदम
जिला- द.ब. दन्तेवाड़ा (छ.ग.)

- | | | |
|---------------------------|----|--------------------------------|
| 1. आवेदन का विषय | :— | मनरेगा अंतर्गत सामग्री प्रदाय। |
| 2. फर्म का नाम | :— | |
| 3. आवेदक का नाम | :— | |
| 4. आधार नम्बर | :— | |
| 5. पैन नम्बर | :— | |
| 6. डिमांड ड्रॉफ्ट | :— | राशि- 1000.00 रु. |
| 7. जी.एस.टी. नम्बर | :— | |
| 8. खाता नम्बर/बैंक का नाम | :— | |
| आई.एफ.एस.सी. कोड | :— | |
| 9. स्थाई पता | :— | |
| | | |
| | | |
| 10. पत्र व्यवहार का पता | :— | |
| | | |
| | | |

आवेदक के हस्ताक्षर

नाम

पता

—:: घोषणा पत्र ::—

मैं घोषणा करता/करती हूँ कि, मेरे द्वारा मैनुअल पद्धति निविदा आमंत्रण हेतु नियम एवं शर्तें कांडिका को भली भंती अवलोकन किया गया है एवं आवेदन पत्र में प्रस्तुत सम्पूर्ण जानकारी पूर्णतः सत्य है। मेरे द्वारा आवेदन में प्रस्तुत जानकारी असत्य पाये जाने पर आवेदन पत्र निरस्त किया जा सकेगा तथा मेरे विरुद्ध कानूनी कार्यवाही की जा सकेगी। इन परिस्थियों में सक्षम प्राधिकारी को आवेदन निरस्त करने का अधिकार होगा एवं उनका निर्णय मुझे पूर्णतः मान्य होगा।

संलग्न :- समस्त दस्तावेजों का सत्यापित छायाप्रति।

आवेदक के हस्ताक्षर

नाम

पता

ANNEXURE - F

(Revised from Bank Guarantee Bond)

(GUARANTEE BOND)

(In lieu of performance Security Deposit)

(To be used by approved Scheduled bank)

1. In consideration of the Governor of chhattisgarh (here in after called the government having agreed to exempt (Herein after called the contractor (s) from the demand under the terms and conditions of an agreement dated made between for the work (Name of work) (here in after called the said Agreement) of security deposit for the due fulfillment by the said contractor (s) of the terms and conditions contained in the said agreements on production of a bank Guarantee for Rs. Rupees Only we (.) (hereinafter referred to as " the bank (at the request of the said contractor (s) do here by undertake to pay the Govt., an amount not exceeding Rs. against any loss or damage caused to or would be caused to or suffered by the Government, by reasons of any breach by the said contractor (s) of the terms or conditions contained in the said agreement.
2. We (.) do here by undertake to pay the amount due and payable under this guarantee without any demur merely on demand from the Government stating the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Government by reason of breach by the said contractor (s) of any of the terms or conditions contained in the said agreements or by reasons of the contractor (s) failure to perform the said agreement, Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee, Howere our liability under this Guarantee. shall be restricted to an amount not exceeding
3. We undertake to pay to the Government any money so demanded not with standing any dispute or disputes raised by the contractor (s) in any suit or proceedings pending before any court or tribunal relating thereto, our liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor (s) shall have no claim against us for making such payments.

4. We (.) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of said agreement and that it shall continue to be enforce able till all the dues o the Government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till the Executive Engineer R.E.S. certified that the terms and conditions of the said agreement have been fully and property carried out by the said contractor (s) and terms and conditions of the said agreement have been fully and property

carried out by the said contractor (s) and accordingly discharged this guarantee, unless a demand to claim under this Guarantee is made on us in writing on or before the (here indicate a date which falls 9 months beyond the due date of completion of the work) we shall be discharged from all liability under the guarantee.

5. We (.) further agree with the government that the Govt., shall have the fullest liberty without our consent and without affecting in any manner our obligation here under to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor (s) from time to time or to postpone for any time or for time to time any of the powers exercisable by the Gove. against the said contractor (s) and to for bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reasons of any such variations. or extension being granted to the said contractor (s) or for barnacle, act or commission on the part of the Gove. or any indulgence by the Govt. to the said contractor (s) or by any such matter or thing what so ever which under the lay relating to sureties would but for this provision have effect of so relieving us.
6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor (s).
7. We (.) lastly under take not to revoke this guarantee during its currency except with the previous consent of the Government in writing :-

Dated the day of for ()
.....(>) indicate the Name of the Bank
.....

ANNEXURE - "J"

PRE-CONTRACT INTEGRITY PACT

1. GENERAL

- 1.1. This pre-bid contract Agreement (herein after called the integrity pact) is made on..... day of the month20....., between, the Government of Chhattisgarh acting through Shri (Designation of the officer, Department) government of Chhattisgarh (hereinafter called the "BUYER", which expression shall mean and include, unless the context otherwise requires, his successors in the office and assigns) and the First party, proposes to procure (name of the stores/Equipment/Work/Service) and M/s represented by Shri Chief Executive Officer (here in after called the "BIDDER/Seller", which expression shall mean and include, unless the context otherwise requires, his successors an permitted assigns) and the second party, is willing to offer/has offered.
- 1.2. WHEREAS the BIDDER is a Private Company/Public Company/Government/undertaking /partnership/Registered Export Agency, Constituted in accordance with the relevant law in the matter and the BUYER is a Ministry/Department of the Government, performing its function on behalf of the Government of Chhattisgarh.

2. OBJECTIVES

NOW, THEREFORE, the BUYER and the BIDDER agree to enter into this pre-contract agreement, hereinafter referred to as integrity Pact, to avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the Contract to be entered into with a view to :-

- 2.1. Enabling the BUYER to obtain the desired Store/Equipment/Work/Service at a competitive price in conformity with the define specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and
- 2.2. Enabling the BIDDERS to Abstain from bribing of indulging in any corrupt practices in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing any corrupt practices and the BUYER will commit to prevent corruption, in any form, by its official by following transparent procedures.

3. COMMITMENTS OF THE BUYER

The BUYER commits itself to the following:-

- 3.1. The BUYER undertakes that no official of the BUYER, connected directly or indirectly with the contract, will demand, take promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an

advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.

- 3.2. The BUYER will, during the pre-contract stage, treat BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to the other BIDDERS.
- 3.3. All the officials of the BUYER will report the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion to the other breach.

In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the BUYER with the full and verifiable facts and the same prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER the proceedings under the contract would not be stalled.

4. COMMITMENTS OF THE BUYER

The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-

- 4.1. The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 4.2. The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage, or inducement to any official of the BUYER or otherwise in procuring the contract or forbearing. To do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Government for showing or forbearing to show favour or disfavor to any person in relation to the contract or any other contract with the Government.
- 4.3. The BIDDER further confirms and declares to the BUYER that the BIDDER in the original Manufacture/Integrator/Authorized government sponsored export entity of the stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such

individual, firm or company in respect of any such intercession, facilitation or recommendation.

- 4.4. The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payment he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 4.5. The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 4.6. The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 4.7. The BIDDER shall not use improperly, for purpose of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposal and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 4.8. The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 4.9. The BIDDER shall not instigate or cause to instigate any third person to commit any of the acts mentioned above.

5. PREVIOUS TRANSGRESSION

- 5.1. The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of the Integrity Pact with any other company in any country in respect of any corrupt practices envisaged hereunder or with any public sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.
- 5.2. If the BIDDER makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

6. EARNEST MONEY (SECURITY DEPOSIT)

- 6.1. Every BIDDER while submitting commercial bid, shall deposit an amount as specified in RFP as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:
 - (i) Bank Draft or a Pay Order in favour of
 - (ii) A confirmed guarantee by an Indian Nationalised Bank, promising payment of the guaranteed sum to the(BUYER) On demand within three working days without any demur whatsoever and without

seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment.

- (iii) Any other mode or through any other instrument (to be specified in the REP).
- 6.2. The Earnest Money/Security Deposit shall be valid upto a period of five years or the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and BUYER, including warranty period, whichever is later.
- 6.3. In the case of successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bind in the Purchase Contract that the provisions of Sanctions for violation shall be applicable for forfeiture if Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 6.4. No interest shall be payable by the BUYER to the BIDDER on Earnest Money/ Security Deposit for the period of its currency.

7. SANCTIONS FOR VIOLATIONS

- 7.1. Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-
 - (i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceeding with the other BIDDER(s) would continue.
 - (ii) To forfeit fully or partially the Earnest Money Deposit (in pre-contract stage) and/or security Deposit/Performance Bond (after the contract is signed), as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.
 - (iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
 - (iv) To recover all sums already paid by the BUYER, and in case of the Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate While in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract such outstanding payment could also be utilized to recover the aforesaid sum and interest.
 - (v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments already made by the BUYER, along with interest.
 - (vi) To cancel all or any other contracts with the BIDDER and the BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/ rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.

- (vii) To debar the BIDDER from participating in future bidding processes of the Government of Chhattisgarh for a minimum period of five years, which may be further extended at the discretion of the BUYER.
- (viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middlemen or agent or broken with a view to securing the contract.
- (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.
- (x) If the BIDDER or any employee the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is closely related to any of the officers of the BUYER, or alternatively, if any close relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filling of tender. Any failure to disclose the interest involved shall entitle the BUYER to rescind the contract without payment of any compensation to the BIDDER.

The term close relative for this purpose would mean spouse whether residing with the Government servant or not, but include a spouse separated from the Government servant by a decree or order of a competent court; son or daughter or step son or step daughter and wholly dependent upon Government servant, but does not include a child or step child who is no longer any in any way dependent upon the Government servant or of whose custody the Government servant has been deprived of by or under any law; any other person related, whether by blood or marriage, to the Government servant or to the Government servant's wife or husband and wholly dependent upon Government servant.

- (xi) The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER, and if he does so, the BUYER shall be entitled forthwith to rescind the contract and all other contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such rescission and the BUYER shall be entitled to deduct the amount so payable from the money (s) due to the BIDDER.

- 7.2 The decision of the BUYER to the effect that a breach of the provisions of this pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Monitor(s) appointed for the purpose of this Pact.

8 FALL CLAUSE

- 8.1 The BIDDER undertakes that if has not supplied/is not supplying similar product/systems or subsystems at a price lower than that offered in the present bid in respect of any other Department of the Government of Chhattisgarh or PSU and if it is found at any stage that similar product/systems or sub systems was supplied by the BIDDER to any other Department of the Government of Chhattisgarh or a PSU at a lower price, than that very price, with due allowance for elapsed time, will be

applicable to the present case and the difference in the cost would be refunded by the BIDDER to the BUYER , if the contract has already been concluded.

9. INDEPENDENT MONITORS

- 9.1 The BUYER will appoint Independent Monitors (hereinafter referred to as Monitors) for this Pact.
- 9.2 The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 9.3 The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 9.4 Both the parties accept that the Monitors have the right to access all the documents relating to the project/procurement, including minutes of meetings. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/ Subcontractor(s) with confidentiality.
- 9.5 As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.
- 9.6 The Monitor will submit a written report to the designated Authority of BUYER/Secretary in the Department/within 8 to 10 weeks from the date of reference or intimation to him by the BUYER/BIDDER and, should the occasion arise, submit proposals for correction problematic situations.

10. FACILITATION OF INVESTIGATION

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information of the relevant documents and shall extend all possible help for the purpose of such examination.

11. LAW AND PLACE OF JURISDICTION

This Pact is subject to Indian Law, the place of performance and jurisdiction shall be the seat of the BUYER.

12. OTHER LEGAL ACTIONS

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the any other law in force relating to any civil or criminal proceedings.

13. VALIDITY

- 13.1 The validity of this Integrity Pact shall be from the date of its signing and extend up to 5 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/Seller whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.
- 13.2 If one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In such case the parties will strive to come to an agreement to their original intentions.
- 14. The parties hereby sign this integrity Pact at on

BUYER

BIDDER

Name of the Officer

Designation

CHIEF EXECUTIVE OFFICER

Department/PSU

JANPAD PANCHAYAT GEEDAM

Witness

witness

1)

1)

.....

.....

2)

2)