

DISTRICT PROFILE - SIDHI

Janpad

Sidhi

Sihawal

*Rampur
Naikin*

Majhauri

Kusmi

Tehsil

Gopad

Banas


Churhat

*Rampur
Naikin*

Majhauri

Kusmi

Sihawal



Compiled By :-
Suvendu Singha
District Facilitator, Rewa Division
MP State Planning Commission – UNICEF MP
Date of compilation : 19 /07/2012

This has been compiled from various data sources. In case of any query with this compiled data, kindly refer the main data sources.

Basic Indicators

| S. No | Indicator | | Year | Latest Available data | Source | |
|-------|---|--------|---------|-----------------------|----------------------|-----------------|
| 1 | Population | Total | Total | 2011 | 1126515 | Census of India |
| | | | Male | 2011 | 577091 | Census of India |
| | | | Female | 2011 | 549424 | Census of India |
| | | Rural | Total | 2011 | 1033407 | Census of India |
| | | | Male | 2011 | 528431 | Census of India |
| | | | Female | 2011 | 504976 | Census of India |
| | | Urban | Total | 2011 | 93108 | Census of India |
| | | | Male | 2011 | 48660 | Census of India |
| | | | Female | 2011 | 44448 | Census of India |
| 2 | Sex Ratio (no. of females against 1000 Males) | Total | 2011 | 952 | Census of India | |
| | | Rural | 2011 | 956 | Census of India | |
| | | Urban | 2011 | 913 | Census of India | |
| 2 | Child Population (0-6 years) | Total | Total | 2011 | 188733 | Census of India |
| | | | Male | 2011 | 98810 | Census of India |
| | | | Female | 2011 | 89923 | Census of India |
| | | Rural | Total | 2011 | 175947 | Census of India |
| | | | Male | 2011 | 92026 | Census of India |
| | | | Female | 2011 | 83921 | Census of India |
| | | Urban | Total | 2011 | 12786 | Census of India |
| | | | Male | 2011 | 6784 | Census of India |
| | | | Female | 2011 | 6002 | Census of India |
| 3 | Proportion of Child Population (% to total) | Rural | Total | 2011 | 17.03 | Census of India |
| | | | Male | 2011 | 17.41 | Census of India |
| | | | Female | 2011 | 16.62 | Census of India |
| | | Urban | Total | 2011 | 13.73 | Census of India |
| | | | Male | 2011 | 13.94 | Census of India |
| | | | Female | 2011 | 13.50 | Census of India |
| 4 | Child Sex Ratio (no. of girls against 1000 boys) | Total | 2011 | 910 | Census of India | |
| | | Rural | 2011 | 912 | Census of India | |
| | | Urban | 2011 | 885 | Census of India | |
| 5 | Literacy Rate (%) | Total | 2011 | 66.09 | Census of India | |
| | | Male | 2011 | 76.52 | Census of India | |
| | | Female | 2011 | 55.23 | Census of India | |
| | Sex Ratio at Birth (no. of girls against 1000 boys) | Total | 2010-11 | 918 | Annual Health Survey | |
| | | Rural | 2010-11 | 926 | Annual Health Survey | |
| | | Urban | 2010-11 | 865 | Annual Health Survey | |
| | Crude Birth Rate, (Number of live births in reference period/ Midyear population) X 1000 | Total | 2010-11 | 26.1 | Annual Health Survey | |
| | | Rural | 2010-11 | 26.9 | Annual Health Survey | |
| | | Urban | 2010-11 | 21.4 | Annual Health Survey | |
| | Crude Death Rate, (Number of deaths in reference period/ Midyear population) X 1000 | Total | 2010-11 | 7.8 | Annual Health Survey | |
| | | Rural | 2010-11 | 8.4 | Annual Health Survey | |
| | | Urban | 2010-11 | 4.3 | Annual Health Survey | |
| | % of Households with low standard of living index | Total | 2007-08 | 88.6 | DLHS - 3 | |
| | | Rural | | 89.7 | | |

Child Health and Nutrition Indicators

| S. No | Indicator | Year | Source | | | |
|-------|---|--------|---------|---------|----------------------|----------------------|
| 1 | Infant mortality rate (No. of infant deaths less than 1 year of age/no. of live births during reference period) X 1000 | Total | 2010-11 | 72 | Annual Health Survey | |
| | | Male | 2010-11 | 56 | Annual Health Survey | |
| | | Female | 2010-11 | 89 | Annual Health Survey | |
| | | Rural | Total | 2010-11 | 74 | Annual Health Survey |
| | | Male | 2010-11 | 61 | Annual Health Survey | |
| | | Female | 2010-11 | 88 | Annual Health Survey | |
| | | Urban | Total | 2010-11 | NA | Annual Health Survey |
| | | Male | 2010-11 | NA | Annual Health Survey | |
| | | Female | 2010-11 | NA | Annual Health Survey | |
| 2 | Under 5 mortality Rate (Children death before attaining 5 years age out of 1000 live births) | Total | 2010-11 | 118 | Annual Health Survey | |
| | | Male | 2010-11 | 106 | Annual Health Survey | |
| | | Female | 2010-11 | 131 | Annual Health Survey | |
| | | Rural | Total | 2010-11 | 127 | Annual Health Survey |
| | | Male | 2010-11 | 117 | Annual Health Survey | |
| | | Female | 2010-11 | 137 | Annual Health Survey | |
| | | Urban | Total | 2010-11 | NA | Annual Health Survey |
| | | Male | 2010-11 | NA | Annual Health Survey | |
| | | Female | 2010-11 | NA | Annual Health Survey | |
| 3 | Neo-Natal Mortality Rate (Infant deaths before age of 29 days) | Total | 2010-11 | 54 | Annual Health Survey | |
| | | Rural | 2010-11 | 57 | Annual Health Survey | |
| | | Urban | 2010-11 | NA | Annual Health Survey | |
| 4 | Post Neo-Natal Mortality Rate (Infant dying during 29 days to <1 year. | Total | 2010-11 | 18 | Annual Health Survey | |
| | | Rural | 2010-11 | 18 | Annual Health Survey | |
| | | Urban | 2010-11 | NA | Annual Health Survey | |
| 5 | % of Children (age < 3 years) received colostrums | Total | 2007-08 | 33.1 | DLHS - 3 | |
| | | Rural | | 31.7 | | |
| 6 | % of Children (age 6 months & above) exclusively breastfed | Total | 2007-08 | 38.7 | DLHS - 3 | |
| | | Rural | | 38.5 | | |
| 7 | % of Children (6-24 months) who received solid or semisolid food & still being breastfed | Total | 2007-08 | 94.0 | DLHS - 3 | |
| | | Rural | | 94.3 | | |
| 8 | % of Children (12- 23 months) received BCG | Total | 2007-08 | 72.0 | DLHS - 3 | |
| | | Rural | | 67.4 | | |
| 9 | % of Children (12- 23 months) received DPT 3 vaccine | Total | 2007-08 | 28.0 | DLHS - 3 | |
| | | Rural | | 30.9 | | |
| 10 | % of Children (12- 23 months) received Polio3 | Total | 2007-08 | 36.4 | DLHS - 3 | |
| | | Rural | | 40.3 | | |
| 11 | % of Children (12- 23 months) received measles vaccine | Total | 2007-08 | 42.0 | DLHS - 3 | |
| | | Rural | | 44.5 | | |
| 12 | % of Children (12- 23 months) received full immunization | Total | 2007-08 | 20.2 | DLHS - 3 | |
| | | Rural | | 26.1 | | |
| 13 | % of Children (9-35 months) who received at least one dose of Vitamin A | Total | 2007-08 | 27.7 | DLHS - 3 | |
| | | Rural | | 29.0 | | |
| 14 | % of Children with Diarrhoea in the last two weeks who received ORS | Total | 2007-08 | 4.3 | DLHS - 3 | |
| | | Rural | | 4.5 | | |
| 15 | % of Children age 0-59 months underweight (moderate and severe) | 2011 | | 54.50 | NIN | |

Maternal Health Indicators

| S. No | Indicator | | Year | | Source |
|-------|--|-------|---------|------|---------|
| 1 | % of Mother who had at least 3 ANC during the last pregnancy | Total | 2007-08 | 13.7 | DLHS- 3 |
| | | Rural | | 14.2 | |
| 2 | % of Mothers who received at least one TT injection when they were pregnant with their last live/still birth | Total | 2007-08 | 32.1 | DLHS- 3 |
| | | Rural | | 32.5 | |
| 3 | % of Institutional deliveries | Total | 2007-08 | 23.5 | DLHS- 3 |
| | | Rural | | 25.3 | |
| 4 | % of Home deliveries attended by health professionals | Total | 2007-08 | 1.9 | DLHS- 3 |
| | | Rural | | 2.1 | |
| 5 | % of Mothers receiving post-natal care visits within 48 hrs of delivery of child | Total | 2007-08 | 19.4 | DLHS- 3 |
| | | Rural | | 20.6 | |
| 6 | % of girls married before completing 18 years | Total | 2007-08 | 33.4 | DLHS- 3 |
| | | Rural | | 32.0 | |

Education

| S. No | Indicator | | Year | | Source |
|-------|---|--------|---------|------|-------------|
| 1 | Literacy rate (7 + years) (%) | Total | 2007-08 | 59.2 | DLHS-3 |
| | | Male | | 70.1 | |
| | | Female | | 69.0 | |
| 2 | % of Boys age 6-11 years attending school | Total | 2007-08 | 97.6 | DLHS- 3 |
| | | Rural | | 97.1 | |
| 3 | % of Girls age 6-11 years attending school | Total | 2007-08 | 97.5 | DLHS- 3 |
| | | Rural | | 98.1 | |
| 4 | % of Children age 36- 48 months attending pre-school | | 2009 | 76.2 | ASER Report |
| 5 | Children (Std 3-5) who can read Level 1 (Std1) text or more (%) | | 2011 | 57.3 | ASER Report |
| 6 | Children (Std 3-5) who can do subtraction or more (%) | | 2011 | 24.6 | ASER Report |
| 7 | % of children (Age 6-14) out of school | | 2011 | 2.0 | ASER Report |
| 8 | % of mother (Age 17-55) who can read | | 2009 | 29.1 | ASER Report |
| 9 | % of children (Std III-V) who can read sentences in English | | 2009 | 37.1 | ASER Report |

Water, Sanitation & Hygiene

| S.No | Indicators | | Year | | Source |
|------|--|-------|---------|-----|----------|
| 1 | % of Households using improved drinking water source | Total | 2007-08 | 0.8 | DLHS - 3 |
| | | Rural | | 0.4 | |
| 2 | % of Households using toilet facilities | Total | 2007-08 | 3.1 | DLHS - 3 |
| | | Rural | | 2.3 | |

HIV/AIDS

| S.No | Indicators | | Year | | Source |
|------|--|-------|---------|------|----------|
| 1 | % of Women (15-49) who have heard of HIV/AIDS | Total | 2007-08 | 13.1 | DLHS - 3 |
| | | Rural | | 13.0 | |
| 2 | % of Women who knew that consistent condom use can reduce the chances of getting HIV/ AIDS | Total | 2007-08 | 67.0 | DLHS - 3 |
| | | Rural | | 68.4 | |
| 3 | % of Women underwent test for detecting HIV/ AIDS | Total | 2007-08 | 0.4 | DLHS - 3 |
| | | Rural | | 0.5 | |
| 4 | % of Women heard of RTI/ STI | Total | 2007-08 | 30.1 | DLHS - 3 |
| | | Rural | | 28.9 | |