

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Dr Pradip Ku Khuntia
	(ii) Name of HCF or CBMWTF	District Head Quarters Hospital, Bhadrak
	(iii) Address for Correspondence	At:- Kanta Kabi Nagar, Po Dist:- Bhadrak, Pin:- 756100
	(iv) Address of Facility	At:- Nuabazar, Po/Dist - Bhadrak, Pin:- 756100
	(v) Tel. No, Fax. No	
	(vi) E-mail ID	hdtbhadrak@gmail.com
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization:- Applied No - NA was valid up to 31 03 2018
	(xi). Status of Consents under Water Act and Air Act	Valid up to:- Applied
2	Type of Health Care Facility	
	(i) Bedded Hospital	Yes
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
	(iii) License number and its date of expiry	
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF:	_____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :- 8593 Kg per annum Red Category :- 4140 Kg per annum White:-1501.2 Kg per annum Blue Category :- 4715 Kg per annum General Solid waste:- 180000 Kg per annum			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size :- 450 Sq ft Capacity :- 180 Sq ft Provision of on-site storage (cold storage or any other provision):- No			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators	0	0	0
			Plasma Pyrolysis	0	0	0
			Autoclaves	1	23	8593
			Microwave	0	0	0
			Hydroclave	0	0	0
			Shredder	1	11	4140
			Needle tip cutter or destroyer	20	4	1501
			Sharps encapsulation or concrete pit	2		800
			Deep burial pits:	2		1000
			Chemical disinfection:	0	0	0
			Any other treatment equipment:			NA
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Blue Category (like plastic, glass etc.) 4715 Kg per annum			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1			
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum	Incineration:-0 Ash:-0 ETP Sludge:-0
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Don't have any.
	(vii) List of member HCF not handed over bio-medical waste.	0
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	4
	(ii) number of personnel trained	177
	(iii) number of personnel trained at the time of induction	177
	(iv) number of personnel not undergone any training so far	0
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	No
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	0
	(ii) Number of the persons affected	0
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	No incinerator
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a Year?	Yes
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator):- No

Certified that the above report is for the period from:-

Annual report for the year 2017(Period January 2017 to December 2017)

Name and Signature of the Head of the Institution

(Signature)
24/6/18
DR. Pradyip Ku. Khantia
DMO(MS) cum Medical
Superintendent
D.H.H. Bhadrak
D.H.H. Bhadrak

Date: 22/06/2018

Place: Bhadrak