

जिल्हा परिषद सिंचन विभाग यवतमाळ

दालन क्र.२०७, दुसरा माळा, जिल्हा परिषद प्रशासकिय इमारत आर्णी रोड, यवतमाळ ४४५००९
दूरध्वनी क्र.०७२३२-२४५२५८ फॅक्स क्र.०७२३२-२४४३९७ ई-मेल eezpirytl@gmail.com

क्रमांक/यजिप/सिंचन/भुस/वशि/२२५७/२०१६

दिनांक :- ११/११/२०१६

प्रति,

उपजिल्हाधिकारी (भुसंपादन)
रस्ते प्रकल्प यवतमाळ

विषय :- अनुसुचितील विहीर व इतर बांधकामाचे मुल्यांकन अहवाल सादर करण्याबाबत.

संदर्भ :- १. आपले पत्र क्र. विभुअ/ला.क्षे/कावि/७५५/दि.५.८.२०१६

उपरोक्त संदर्भाकित विषयाचे अनुषंगाने अनुसुचितील विहीर व इतर बांधकामाचे मुल्यांकन अहवाल खालील प्रमाणे

अ.क्र	भसुपादन प्रकरण क्र.	गावाचे नाव	गट क्र जुना/ नवीन	शेतमालकाचे नाव	संबंधिताचे शेतीतील बाब
१.	१८/४७/२००९-१०	कळंब खंड-२	६६९/६४	शै .रफिक शे. आंमद	१ विहीर
२.	१८/४७/२००९-१०	कळंब खंड-२	६८४/१०८	शै .रफिक शे. मुनाफ	१ विहीर
३.	१८/४७/२००९-१०	कळंब खंड-२	१०४/१	वासुदेव सुरेशराव निमकर	१ विहीर
४.	७/४७/२०१५-१६	घोटी	७८ ✓	दशरथ राघु सोयाम	१ विहीर
५.	७/४७/२०१५-१६	घोटी	७९ ✓	अजाबराव सखाराम कुंभरे	१ विहीर

वरील लाभार्थ्यांचे विहीरीचे मुल्यांकन १ प्रतीत सादर करण्यात येत आहे.
सहपत्र:- विहीरीचे मुल्यांकन १ प्रतीत

दिनांक १६/११/०१६
२०१६
वि.मु.ब.र.प्र.बी.प।

कार्यकारी अभियंता
जि.प.सिंचन विभाग यवतमाळ

NAME OF WORK - VALUTATION OF IRRIGATION WELL AT GHOTI
 NAME OF OWNER - SHRI DASHRATH RAGHO SOYAM SURVEY NO 78

TQ - KALAMB

DIST - YAVATMAL

Year of Construction - 2002-03

Sr No		Qty	Rate	Per	Total
1	Excavation in SOFT STRATA of soil/lime/sand Hard Murum / Soft Rock including conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge MJP CSR 2015-16 Item NO 10 / Page NO 39 WELL EXCAVATION In Soft Strata				
	LIFT - 0 to 1.50 M	42.39	269.00	Cum	11403.00
	LIFT - 1.5 to 3.00 M	42.39	291.00	Cum	12335.00
	LIFT - 3.00 to 4.50 M	14.13	313.00	Cum	4423.00
	LIFT - 3.00 to 4.50 M	15.20	313.00	Cum	4758.00
2	Excavation in HARD STRATA Of Hard Rock conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge Irr CSR Item no 4 P no 8) MJP CSR 2015-16 Item NO 11 / Page No 39 WELL EXCAVATION In Hard Strata				
	LIFT - 4.50 to 6.00 M	15.20	633.00	Cum	9622.00
3	Providing & laying situ following grades of cc of trap/granite/quartzite/gneiss metal for foundation and bedding including dewatering form work ,compacting and curing,finishing, MJP CSR 2015-16 Item NO 2a P.No.45 RCC 1:2:4 For Bed Concrete				
		1.96	4968.00	Cum	9737.00
4	Providing and Constructing UCR Masonary in CM 1.6 MJP CSR 2015-16 Item NO 2 P.No.20 For WELL Staining				
		25.47	1800.00	Cum	45846.00
5	Providing and laying M.S.reinforcement including cutting,bending,hooking,binding wires or tuck welding including cost of binding wires & labour including fixing in position etc complete MJP CSR 2015-16 Item NO 8a P.No.48				
		1.18	4978.30	Qt	5874.00
6	Providing backfilling behind head wall from approved material obtained from excavated material including dressing watering consolidation etc complete with all leads and lifts MJP CSR 2015-16 Item NO 16 P.No.41				
		11.66	61.00	Cum	711.00
	TOTAL				104709.00

Deduction Depreciation Cost

13 Years @ 5 %

NET VALUTATION

68061

Assistant Engineer (Grade-I) 36648.00

M.I. Sub-Division

Z.P. Yavatmal

Executive Engineer

(Irrigation Division)

NAME OF WORK - VALUTATION OF IRRIGATION WELL AT GHOTI
NAME OF OWNER - SHRI DASHRATH RAGHO SOYAM SURVEY NO 78

TQ - KALAMB

DIST - YAVATMAL

Year of Construction - 2002-03

Sr No		No	L	B	D	Quantity
1	Excavation in SOFT STRATA of soil/lime/sand Hard Murum / Soft Rock including conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge MJP CSR 2015-16 Item NO 10 / Page NO 39 WELL EXCAVATION					
	LIFT - 0 to 1.50 M	0.785	6.00	6.00	1.50	42.39
	LIFT - 1.5 to 3.00 M	0.785	6.00	6.00	1.50	42.39
	LIFT - 3.00 to 4.50 M	0.785	6.00	6.00	0.50	14.13
	LIFT - 3.00 to 4.50 M	0.785	4.40	4.40	1.00	15.20
2	Excavation in HARD STRATA Of Hard Rock conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge Irr CSR Item no 4 P no 8) MJP CSR 2015-16 Item NO 11 / Page No 39 WELL EXCAVATION					
	LIFT - 4.50 to 6.00 M	0.785	4.40	4.40	1.00	15.20
3	Providing & laying situ following grades of cc of trap/granite/quartzite/gneiss metal for foundation and bedding including dewatering form work ,compacting and curing,finishing, MJP CSR 2015-16 Item NO 2a P.No.45 RCC 1:2:4 For Bed Concrete	0.785	6.00	4.40	0.15	1.96
4	Providing and Constructing UCR Masonary in CM 1.6 MJP CSR 2015-16 Item NO 2 P.No.20 For WELL Staining	0.785	5.60	4.70	3.50	25.47
5	Providing and laying M.S.reinforcement including cutting,bending,hooking,binding wires or tuck welding including cost of binding wires & labour including fixing in position etc complete MJP CSR 2015-16 Item NO 8a P.No.48	60 Kg / Cum of concrete 1.96 x 0.60			QT	1.18
6	Providing backfilling behind head wall from approved material obtained from excavated material including dressing watering consolidation etc complete with all leads and lifts MJP CSR 2015-16 Item NO 16 P.No.41	0.785	6.00	5.60	3.20	11.66

Executive Engineer
(Irrigation Division)
Zilla Parishad Yavatmal

Assistant Engineer (Grade-I)
M.I. Sub-Division
Z.P. Yavatmal
Executive Engineer
(Irrigation Division)

NAME OF WORK - VALUTATION OF IRRIGATION WELL AT GHOTI
NAME OF OWNER - SHRI AJABRAO SAKHARAM KUMBHRE SURVEY NO 79

TQ - KALAMB

DIST - YAVATMAL

Year of Construction - 2002-03


Sr No		Qty	Rate	Per	Total
1	Excavation in SOFT STRATA of soil/lime/sand Hard Murum / Soft Rock including conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge MJP CSR 2015-16 Item NO 10 / Page NO 39 WELL EXCAVATION In Soft Strata				
	LIFT - 0 to 1.50 M	42.39	269.00	Cum	11403.00
	LIFT - 1.5 to 3.00 M	42.39	291.00	Cum	12335.00
	LIFT - 3.00 to 4.50 M	14.13	313.00	Cum	4423.00
	LIFT - 3.00 to 4.50 M	15.20	313.00	Cum	4758.00
2	Excavation in HARD STRATA Of Hard Rock conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge Irr CSR Item no 4 P no 8) MJP CSR 2015-16 Item NO 11 / Page No 39 WELL EXCAVATION In Hard Strata				
	LIFT - 4.50 to 6.00 M	7.60	633.00	Cum	4811.00
3	Providing & laying situ following grades of cc of trap/granite/quartzite/gneiss metal for foundation and bedding including dewatering form work ,compacting and curing,finishing, MJP CSR 2015-16 Item NO 2a P.No.45 RCC 1:2:4 For Bed Concrete	1.96	4968.00	Cum	9737.00
4	Providing and Constructing UCR Masonary in CM 1.6 MJP CSR 2015-16 Item NO 2 P.No.20 For WELL Staining	25.47	1800.00	Cum	45846.00
5	Providing and laying M.S.reinforcement including cutting,bending,hooking,binding wires or tuck welding including cost of binding wires & labour including fixing in position etc complete MJP CSR 2015-16 Item NO 8a P.No.48	1.18	4978.30	Qt	5874.00
6	Providing backfilling behind head wall from approved material obtained from excavated material including dressing watering consolidation etc complete with all leads and lifts MJP CSR 2015-16 Item NO 16 P.No.41	11.66	61.00	Cum	711.00
	TOTAL				99898.00

Deduction Depreciation Cost

13 Years @ 5 %

NET VALUTATION

64934


 Assistant Engineer (Grade-I) 34964.00
 M.I. Sub-Division Executive Engineer
 Z.P. Yavatmal (Irrigation Division)
 Zilla Parishad Yavatmal


 M.I. Sub-Division


NAME OF WORK - VALUTATION OF IRRIGATION WELL AT GHOTI
NAME OF OWNER - SHRI AJABRAO SAKHARAM KUMBHRE SURVEY NO 79

TQ - KALAMB

DIST - YAVATMAL

Year of Construction - 2002-03

Sr No		No	L	B	D	Quantity
1	Excavation in SOFT STRATA of soil/lime/sand Hard Murum / Soft Rock including conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge MJP CSR 2015-16 Item NO 10 / Page NO 39 WELL EXCAVATION					
	LIFT - 0 to 1.50 M	0.785	6.00	6.00	1.50	42.39
	LIFT - 1.5 to 3.00 M	0.785	6.00	6.00	1.50	42.39
	LIFT - 3.00 to 4.50 M	0.785	6.00	6.00	0.50	14.13
	LIFT - 3.00 to 4.50 M	0.785	4.40	4.40	1.00	15.20
2	Excavation in HARD STRATA Of Hard Rock conveying excavated material with 10m lead & 1.5 m lift etc complete as directed by Engineer in charge Irr CSR Item no 4 P no 8) MJP CSR 2015-16 Item NO 11 / Page No 39 WELL EXCAVATION					
	LIFT - 4.50 to 6.00 M	0.785	4.40	4.40	0.50	7.60
3	Providing & laying situ following grades of cc of trap/granite/quartzite/gneiss metal for foundation and bedding including dewatering form work ,compacting and curing,finishing, MJP CSR 2015-16 Item NO 2a P.No.45 RCC 1:2:4 For Bed Concrete	0.785	6.00	4.40	0.15	1.96
4	Providing and Constructing UCR Masonary in CM 1.6 MJP CSR 2015-16 Item NO 2 P.No.20 For WELL Staining	0.785	5.60	4.70	3.50	25.47
5	Providing and laying M.S.reinforcement including cutting,bending,hooking,binding wires or tuck welding including cost of binding wires & labour including fixing in position etc complete MJP CSR 2015-16 Item NO 8a P.No.48	60 Kg / Cum of concrete 1.96 x 0.60			QT	1.18
6	Providing backfilling behind head wall from approved material obtained from excavated material including dressing watering consolidation etc complete with all leads and lifts MJP CSR 2015-16 Item NO 16 P.No.41	0.785	6.00	5.60	3.20	11.66


 Assistant Engineer (Grade-I)
 M.I. Sub-Division -
 Executive Engineer
 (Irrigation Division) P. Yavatmal
 Zilla Parishad Yavatmal