

**Sample Report Gharaunda Block**

Test Started on		15.03.2018	Test completed on		17.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
1	17.03.2018	RSPM (PM-10)	ug/m3	88	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

Test Started on		29.03.2018	Test completed on		30.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
2	31.03.2018	RSPM (PM-10)	ug/m3	73.4	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)

Test Started on		06.04.2018	Test completed on		09.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
3	09.04.2018	RSPM (PM-10)	ug/m3	69	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

Test Started on		20.04.2018	Test completed on		24.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
4	24.04.2018	RSPM (PM-10)	ug/m3	73	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)

Test Started on		04.05.2018	Test completed on		08.05.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
5	08.05.2018	RSPM (PM-10)	ug/m3	74	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)

Test Started on		06.06.2018	Test completed on		09.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
6	09.06.2018	RSPM (PM-10)	ug/m3	79	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	33	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	44	80 (For 24 Hrs)

Test Started on		26.06.2018	Test completed on		29.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
7	04.07.2018	RSPM (PM-10)	ug/m3	70	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	20	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)

Test Started on		03.08.2018	Test completed on		09.08.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)

8	09.08.2018	RSPM (PM-10)	ug/m3	81	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	22	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)
<b>Test Started on</b>		10.09.2018		<b>Test completed on</b>	11.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
9	17.09.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

<b>Test Started on</b>		11.10.2018		<b>Test completed on</b>	15.10.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
10	15.10.18	RSPM (PM-10)	ug/m3	89	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	44	80 (For 24 Hrs)

Sample Report Assandh Block					
<b>Test Started on</b>		15.03.2018		<b>Test completed on</b>	17.03.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
1	17.03.2018	RSPM (PM-10)	ug/m3	79	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

<b>Test Started on</b>		29.03.2018		<b>Test completed on</b>	30.03.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
2	31.03.2018	RSPM (PM-10)	ug/m3	82.7	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	13	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)
<b>Test Started on</b>		06.04.2018		<b>Test completed on</b>	09.04.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
3	09.04.2018	RSPM (PM-10)	ug/m3	76	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	44	80 (For 24 Hrs)

<b>Test Started on</b>		18.04.2018		<b>Test completed on</b>	23.04.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
4	23.04.2018	RSPM (PM-10)	ug/m3	81	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

<b>Test Started on</b>		03.05.2018		<b>Test completed on</b>	05.05.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
5	05.05.2018	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

<b>Test Started on</b>		05.06.2018		<b>Test completed on</b>	08.06.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>

6	08.06.2018	RSPM (PM-10)	ug/m3	83	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	26	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	45	80 (For 24 Hrs)

<b>Test Started on</b>		25.06.2018		<b>Test completed on</b>	26.06.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
7	04.07.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

<b>Test Started on</b>		06.08.2018		<b>Test completed on</b>	09.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
8	09.08.2018	RSPM (PM-10)	ug/m3	80	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)

<b>Test Started on</b>		06.09.2018		<b>Test completed on</b>	07.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
9	12.09.18	RSPM (PM-10)	ug/m3	84	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	22	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)

<b>Test Started on</b>		08.10.18		<b>Test completed on</b>	12.10.18
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
10	12.10.18	RSPM (PM-10)	ug/m3	89	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	43	80 (For 24 Hrs)

#### Sample Report Karnal Block

<b>Test Started on</b>		04.01.2018		<b>Test completed on</b>	08.01.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
1	08.01.2018	RSPM (PM-10)	ug/m3	67	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

<b>Test Started on</b>		13.01.2018		<b>Test completed on</b>	18.01.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
2	18.01.2018	RSPM (PM-10)	ug/m3	79	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	22	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	44	80 (For 24 Hrs)

<b>Test Started on</b>		16.01.2018		<b>Test completed on</b>	24.01.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
3	24.01.2018	RSPM (PM-10)	ug/m3	76	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	43	80 (For 24 Hrs)

<b>Test Started on</b>		29.01.2018		<b>Test completed on</b>	31.01.2018
------------------------	--	------------	--	--------------------------	------------

Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
4	31.01.2018	RSPM (PM-10)	ug/m3	85	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

Test Started on		03.02.2018	Test completed on		06.02.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
5	06.02.2018	RSPM (PM-10)	ug/m3	60	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	17	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

Test Started on		10.02.2018	Test completed on		14.02.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
6	14.02.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

Test Started on		17.02.2018	Test completed on		21.02.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
7	17.02.2018	RSPM (PM-10)	ug/m3	74	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	38	80 (For 24 Hrs)

Test Started on		24.02.2018	Test completed on		28.02.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
8	28.02.2018	RSPM (PM-10)	ug/m3	69	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	34	80 (For 24 Hrs)

Test Started on		09.04.2018	Test completed on		12.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
9	12.04.2018	RSPM (PM-10)	ug/m3	84	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	20	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)

Test Started on		23.04.2018	Test completed on		25.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
10	25.04.2018	RSPM (PM-10)	ug/m3	81	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	17	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

Test Started on		06.05.2018	Test completed on		10.05.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)

11	10.05.2018	RSPM (PM-10)	ug/m3	81	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)

<b>Test Started on</b>		07.06.2018		<b>Test completed on</b>		11.06.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
11	11.06.2018	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	25	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)	

<b>Test Started on</b>		30.06.2018		<b>Test completed on</b>		04.07.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
12	04.07.2018	RSPM (PM-10)	ug/m3	76	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	45	80 (For 24 Hrs)	

<b>Test Started on</b>		05.07.2018		<b>Test completed on</b>		09.07.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
13	09.07.2018	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)	

<b>Test Started on</b>		13.07.2018		<b>Test completed on</b>		16.07.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
14	16.07.2018	RSPM (PM-10)	ug/m3	90	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	14	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)	

<b>Test Started on</b>		19.07.2018		<b>Test completed on</b>		23.07.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
15	23.07.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	23	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)	

<b>Test Started on</b>		26.07.2018		<b>Test completed on</b>		30.07.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
16	30.07.2018	RSPM (PM-10)	ug/m3	76	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	35	80 (For 24 Hrs)	

<b>Test Started on</b>		03.08.2018		<b>Test completed on</b>		06.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
17	06.08.2018	RSPM (PM-10)	ug/m3	89	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	13	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	35	80 (For 24 Hrs)	

<b>Test Started on</b>		06.08.2018		<b>Test completed on</b>		09.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
18	09.08.2018	RSPM (PM-10)	ug/m3	84	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)	

<b>Test Started on</b>		10.08.2018		<b>Test completed on</b>		13.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
19	13.08.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	13	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	38	80 (For 24 Hrs)	

<b>Test Started on</b>		17.08.2018		<b>Test completed on</b>		20.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
20	20.08.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	38	80 (For 24 Hrs)	

<b>Test Started on</b>		24.08.2018		<b>Test completed on</b>		27.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
21	27.08.2018	RSPM (PM-10)	ug/m3	74	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	34	80 (For 24 Hrs)	

<b>Test Started on</b>		07.09.2018		<b>Test completed on</b>		11.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
22	11.09.18	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	20	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	36	80 (For 24 Hrs)	

<b>Test Started on</b>		06.09.2018		<b>Test completed on</b>		08.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
23	08.09.18	RSPM (PM-10)	ug/m3	90	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	15	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)	

<b>Test Started on</b>		12.09.2018		<b>Test completed on</b>		15.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>	
24	15.09.18	RSPM (PM-10)	ug/m3	88	100 (For 24 Hrs)	
		Sulphur Dioxide (SO2)	ug/m3	15	80 (For 24 Hrs)	
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)	

<b>Test Started on</b>		19.09.2018		<b>Test completed on</b>		22.09.2018
------------------------	--	------------	--	--------------------------	--	------------

Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
25	22.09.18	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	35	80 (For 24 Hrs)

Test Started on		28.09.2018	Test completed on		29.09.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
26	29.09.18	RSPM (PM-10)	ug/m3	76	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	15	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)

Test Started on		06.10.18	Test completed on		12.10.18
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
27	12.10.18	RSPM (PM-10)	ug/m3	80	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	37	80 (For 24 Hrs)

Sample Report Nilokheri Block					
Test Started on		10.03.2018	Test completed on		12.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
1	12.03.2018	RSPM (PM-10)	ug/m3	78	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	14	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	38	80 (For 24 Hrs)

Test Started on		14.03.2018	Test completed on		17.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
2	17.03.2018	RSPM (PM-10)	ug/m3	69	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	36	80 (For 24 Hrs)

Test Started on		26.03.2018	Test completed on		30.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
3	30.03.2018	RSPM (PM-10)	ug/m3	64.7	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	14	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)

Test Started on		03.04.2018	Test completed on		09.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
4	09.04.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)

Test Started on		17.04.2018	Test completed on		23.04.2018
-----------------	--	------------	-------------------	--	------------

Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
5	23.04.2018	RSPM (PM-10)	ug/m3	75	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

Test Started on		02.05.2018	Test completed on		04.05.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
6	04.05.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	22	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)

Test Started on		02.06.2018	Test completed on		06.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
7	06.06.2018	RSPM (PM-10)	ug/m3	85	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	21	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	44	80 (For 24 Hrs)

Test Started on		08.06.2018	Test completed on		09.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
8	14.06.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	23	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

Test Started on		16.06.2018	Test completed on		22.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
9	22.06.2018	RSPM (PM-10)	ug/m3	82	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

Test Started on		23.06.2018	Test completed on		27.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
10	27.06.2018	RSPM (PM-10)	ug/m3	89	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	25	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	48	80 (For 24 Hrs)

Test Started on		10.09.18	Test completed on		13.09.18
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
11	13.09.18	RSPM (PM-10)	ug/m3	83	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	15	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	38	80 (For 24 Hrs)

Test Started on		10.10.18	Test completed on		13.10.18
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)



12	13.10.18	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	17	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

**Sample Report Indri Block**

Test Started on		15.03.2018	Test completed on		17.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
1	17.03.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	24	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	46	80 (For 24 Hrs)

Test Started on		26.03.2018	Test completed on		30.03.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
2	30.03.2018	RSPM (PM-10)	ug/m3	73.4	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	15	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	36	80 (For 24 Hrs)

Test Started on		06.04.2018	Test completed on		09.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
3	09.04.2018	RSPM (PM-10)	ug/m3	77	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	17	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)

Test Started on		20.04.2018	Test completed on		24.04.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
4	24.04.2018	RSPM (PM-10)	ug/m3	79	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	19	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	42	80 (For 24 Hrs)

Test Started on		05.05.2018	Test completed on		09.05.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
5	09.05.2018	RSPM (PM-10)	ug/m3	86	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	23	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

Test Started on		07.06.2018	Test completed on		11.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
6	11.06.2018	RSPM (PM-10)	ug/m3	89	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	25	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)

Test Started on		27.06.2018	Test completed on		28.06.2018
Sr. No.	A/R Date	Parameter	Unit	Results	Specification/ Requirement (As per CPCB)
7	04.07.2018	RSPM (PM-10)	ug/m3	80	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	23	80 (For 24 Hrs)

		Nitrogen Dioxiden (NO2)	ug/m3	41	80 (For 24 Hrs)
--	--	-------------------------	-------	----	-----------------

<b>Test Started on</b>		04.08.2018	<b>Test completed on</b>		09.08.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
8	09.08.2018	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	23	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	40	80 (For 24 Hrs)

<b>Test Started on</b>		04.09.2018	<b>Test completed on</b>		11.09.2018
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
9	11.09.2018	RSPM (PM-10)	ug/m3	80	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	18	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	36	80 (For 24 Hrs)

<b>Test Started on</b>		05.10.18	<b>Test completed on</b>		11.10.18
<b>Sr. No.</b>	<b>A/R Date</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>	<b>Specification/ Requirement (As per CPCB)</b>
10	11.10.2018	RSPM (PM-10)	ug/m3	87	100 (For 24 Hrs)
		Sulphur Dioxide (SO2)	ug/m3	16	80 (For 24 Hrs)
		Nitrogen Dioxiden (NO2)	ug/m3	39	80 (For 24 Hrs)