

### **(1) शव वाहन किराये पर देने हेतु नियम शर्तें**

1. भारतीय रेडक्रास सोसायटी जिला शाखा बिलासपुर द्वारा संचालित शव वाहन क्रमांक CG10FA8210 को किराये पर दरें संचालित किया जाना हैं।
2. वाहन सिम्स चिकित्सालय के वाहन स्टैंड में खड़ा है वाहन जिस स्थिति में हैं उसी स्थिति में किराये पर दिया जाना है।
3. वाहन को प्रतिमाह अधिकतम किराया देने वाले व्यक्ति को वाहन किराये पर दिया जावेगा।
4. वाहन से संबंधित इंशोरेंस को नियमित रखने की जवाबदारी निविदाकर्ता की होगी।
5. वाहन का मेंटेनेंस (सभी कार्य) करने पूर्ण जवाबदारी निविदाकर्ता की होगी।
6. वाहन को अधिकतम 01 वर्ष हेतु किराये पर दिया जावेगा।
7. चयनित निविदाकर्ता को तय राशि का 03 माह का अग्रिम अमानत राशि के रूप में जमा करना होगा।
8. निविदाकर्ता को प्रत्येक माह की 05 तारीख तक किराया जमा करना अनिवार्य होगा।
9. ड्राइवर (इत्यादि की) व्यवस्था निविदाकर्ता को स्वयं करना होगा।
10. निविदाकर्ता को सचिव, भारतीय रेडक्रास सोसायटी द्वारा समय-समय पर प्रदाय नियमों का पालन करना अनिवार्य होगा।
11. किसी भी विवाद की स्थिति में कलेक्टर एवं अध्यक्ष महोदय का निर्णय सर्वमान्य होगा।

### **(2) ATM संचालन हेतु बैंक को किराये पर दुकान देने हेतु नियम व शर्तें**

1. दुकान का साइज 10\*12 है।
2. दुकान सिम्स परिसर सदर बाजार मुख्य मार्ग पर स्थित है।
3. उक्त दुकान के पास लगी दो दुकाने हैं जिसमें दुकान क्र.01 में SBI का ATM संचालित है तथा दुकान क्रमांक 02 में PNB का ATM संचालित हैं तथा दुकान क्रमांक 03 स्थित है जिसे किराये पर देना है।
4. दुकान सिर्फ ATM संचालन हेतु किराये पर दिया जाना है।
5. दुकान का न्यूनतम किराया रू.10,000 (रूपये दस हजार मात्र) प्रतिमाह निर्धारित किया गया है, सार्वधिक किराया देने वाले बैंक को दुकान ATM संचालन हेतु प्रदाय की जावेगी।
6. दुकान में पानी/बिजली आदि की व्यवस्था किरायेदार को करनी होगी।
7. शेष शर्तें अन्य बैंको के साथ अनुबंध के आधार पर होगी।
8. किसी भी विवाद की स्थिति में कलेक्टर एवं अध्यक्ष महोदय का निर्णय सर्वमान्य होगा।

### **(3) 10 नग आई-3 /आई-5 डेस्कटाप कम्प्यूटर क्रय करने हेतु नियम व शर्तें**

1. निविदाकर्ता को क्रय से कम से कम 05 से 10 वर्ष का आई.टी.फील्ड का शासकीय /अर्द्धशासकीय विभागों में कार्य का अनुभव अनिवार्य है।

2. निविदाकर्ता ने शासकीय / अर्द्धशासकीय विभागों में डेस्क टाप (Desk Top)लैपटाप(Laptop)आल इन वन (All In One)का कम से कम 02 क्रय आदेश जिसका मूल्य कम से कम रुपये 05.00 लाख प्रति आदेश हो संलग्न किया जाना अनिवार्य होगा।
3. निविदाकर्ता का कार्यालय /सर्विस सेंटर छत्तीसगढ़ में होना अनिवार्य है बिलासपुर को प्रथमिकता दी जावेगी )
4. निविदाकर्ता का संबंधित मशीनों (कम्प्यूटर्स) का ISO सर्टिफिकेट अनिवार्य हैं।
5. कम्प्यूटर्स निर्माता कम्पनी का अधिकृत सर्विस सेंटर बिलासपुर में होना अनिवार्य है,उससे संबंधित आवश्यक दस्तावेज संलग्न करना अनिवार्य होगा।
6. निविदाकर्ता का कम्प्यूटर निर्माता कंपनी का इस निविदा हेतु अधिकार पत्र निविदा के साथ संलग्न करना अनिवार्य होगा।
7. मशीनों को बताये गये स्थान पर Install करने की जिम्मेदारी संस्था की होगी।
8. Installation उपरांत समिति के सदस्यों के भैतिक सत्यापन एवं तकनीकी सत्यापन उपरांत ही भुगतान की कार्यवाही की जावेगी।
9. निविदाकर्ता I-3 एवं I-5 की पृथक-पृथक दरें देगे।
10. किसी भी विवाद की स्थिति में कलेक्टर एवं अध्यक्ष महोदय का निर्णय सर्वमान्य होगा।
11. आई-3 एवं आई-5 हेतु कम्प्यूटर का तकनीकी विवरण(स्पेसिफिकेशन) निम्नानुसार होगा।

S.No.	Feature	Specification For i3	Specification For i5
1	Processor	Intel 8 <sup>th</sup> Gen Core i3 8100 equivalent or latest	Intel 8 <sup>th</sup> Gen Core i5 8500 equivalent or latest
2	Chipset	Intel H370 Chipset or Better	Intel H370 Chipset or Better
3	Motherboard	OEM Motherboard With logo Embossed(no sticker) or Better	OEM Motherboard With logo Embossed(no sticker) or Better
4	Memory	8 GB DDR 8 RAM expandable to 32GB; Two DIMM slots; Non-ECC dual-channel upto 2666 MHZ	8 GB DDR 8 RAM expandable to 32GB; Two DIMM slots; Non-ECC dual-channel upto 2666 MHZ
5	Harddisk Drive	1 TB HDD,7200 RPM or Better	1 TGB HDD,7200 RPM or Better
6	Optical Drive	8x DVD Writer or Better	8x DVD Writer or Better
7	Graphics	Integrated UHD Graphics or Better	Integrated UHD Graphics or Better
8	Audio	High definition Integrated Audio or Better	High definition Integrated Audio or Better
9	Ethernet	Integrated Gigabit(10/100/1000 NIC) LAN & Inbuilt wifi 802.11a/b/g/nac or Better	Integrated Gigabit(10/100/1000 NIC) LAN & Inbuilt wifi 802.11a/b/g/nac or Better
10	Slots	1 x PClex 16,2xPCI,1xPCI,m.2 or more	1 x PClex 16,2xPCI,1xPCI,m.2 or more
11	Bays	(1) 3.5' Internal drive bays 1 ODD bay or more	(2) 3.5' Internal drive bays 2 ODD bay or more
12	Ports	Minimum 8 USB Ports(4 USB 3.1GEN1,4 USB 2.0) out of which 4 USB Ports Should Be In front for easy access or more 1 VGA video port; 1 HDMI Port or more 1 RJ-45 network connector or more 1 RS-232 Serial port or more	Minimum 8 USB Ports(4 USB 3.1GEN1,4 USB 2.0) out of which 4 USB Ports Should Be In front for easy access or more 1 VGA video port; 1 HDMI Port or more 1 RJ-45 network connector or more 1 RS-232 Serial port or more

		1 universal audio jack for headphone & MIC or more 1 audio line in, 1 audio line out or more	1 universal audio jack for headphone & MIC or more 1 audio line in, 1 audio line out or more
13	<b>Form Factor</b>	Tower/Small form factor or Better	Tower/Small form factor or Better
14	<b>Power Supply</b>	180 W or Higher Power Supply with 90% efficiency or Better	180 W or Higher Power Supply with 90% efficiency or Better
15	<b>Keyboard/Mouse</b>	USB 104 Keys Keyboard(Same Make as PC) or Better USB 2 Button Scroll Mouse(Same make as PC) or Better	USB 104 Keys Keyboard(Same Make as PC) or Better USB 2 Button Scroll Mouse(Same make as PC) or Better
16	<b>Operating System</b>	Genuine Microsoft Windows 10 pro 64-bit With one Button recovery or more	Genuine Microsoft Windows 10 pro 64-bit With one Button recovery or more
17	<b>Dignostic tool</b>	BIOS Diagnostics or more	BIOS Diagnostics or more
18	<b>Security</b>	TPM 2.0 equivalent or more SATA port disablement( via BIOS) Serial USB enable/disable(via BIOS) or Better Removable Media Write/boot control or Better Power-on password (via BIOS) Administrator password(via BIOS) Setup password (via BIOS) Support For chassis padlocks and cable lock devices or Better	TPM 2.0 equivalent or more SATA port disablement( via BIOS) Serial USB enable/disable(via BIOS) or Better Removable Media Write/boot control or Better Power-on password (via BIOSs) Administrator password(via BIOS) Setup password (via BIOS) Support For chassis padlocks and cable lock devices or Better
19	<b>Compliance And Certification</b>	Energy Star ver. 6.1 for the given from factor of desktop & monitor EPEAT certified in India for the given form factor of desktop & monitor FCC,CE, RoHS certificate for Quoted desktop & Monitor UL Certificate or Better Windows Certificate ISO 9001:14001,20001,27001 for OEM or Better	Energy Star ver. 6.1 for the given from factor of desktop & monitor EPEAT certified in India for the given form factor of desktop & monitor FCC,CE, RoHS certificate for Quoted desktop & Monitor UL Certificate or Better Windows Certificate ISO 9001:14001,20001,27001 for OEM or Better
20	<b>System Weight /Volume</b>	Weight Should be less than 5 kg and volume less than 11 L equivalent or Better	Weight Should be less than 5 kg and volume less than 11 L equivalent or Better
21	<b>Information Accessibility</b>	Product Details]specification and brochure to be available in public domain equivalent or better	Product Details]specification and brochure to be available in public domain equivalent or better
22	<b>Support</b>	Driver Should be available for download from OEM Site For at least 3 years from the date of purchase order equivalent or better	Driver Should be available for download from OEM Site For at least 3 years from the date of purchase order equivalent of better
23	<b>Market credibility</b>	The OEM vendor Should be of positive net worth for the last three years or more	The OEM vendor Should be of positive net worth for the last three years or more
24	<b>Moniter</b>	19.5" Full HD Monitor With resolution of 1600x 900 or higher with VGA & HDMI ports TCO 8.0 certified or more	19.5" Full HD Monitor With resolution of 1600x 900 or higher with VGA & HDMI ports TCO 8.0 certified or more
25	<b>Other</b>	The detailed Technical	The detailed Technical Specification

	Specification of the Monitor with images should be available to public on OEM's official website for verification or batter	of the Monitor with images should be available to public on OEM's official website for verification or better
--	---	---

#### (4)कैरी बैग (कपड़े की थैली) हेतु बनाने हेतु नियम व शर्तें

1. कैरी बैग निम्नानुसार साइजो में बनाकर उपलब्ध कराना होगा।

क्र	सइज	संख्या
1.	चौ. 8*10 लं.	3,00,000(तीन लाख)
2.	12*16	3,00,000(तीन लाख)
3.	14*19	3,00,000(तीन लाख)

2. कैरी बैग के दोनो ओर प्रिंट कराकर देना होगा,प्रिंटिंग का मेटर संस्था द्वारा उपलब्ध कराया जावेगा।
3. चयनित निविदाकर्ता को **D-Cut** थैला बनाकर उपलब्ध कराना होगा।
4. कपड़े की **Quality** (क्वालिटी) **60 gram per square meter(GSM)** से कम नहीं होनी चाहिये।
5. चयनित निविदाकर्ता को दरें स्वीकृत होने के उपरांत एक सप्ताह के अंदर रुपये 10.00 लाख (रुपये दस लाख मात्र ) की अमानत राशि एक वर्ष हेतु जमा करना होगा उसके उपरान्त ही कार्यआदेश प्रदाय किया जावेगा। निर्धारित अवधि में अमानत राशि जमा नहीं करने की स्थिति में द्वितीय निविदाकर्ता को मौका दिया जावेगा।
6. 50 प्रतिशत कैरी बैग कार्यआदेश प्रदाय तिथि से 15 दिवस के अंदर उपलब्ध कराना होगा तथा शेष 50 प्रतिशत कैरी बैग प्रथम कार्यआदेश तिथि के 08 माह बाद सप्लाई करना होगा। उसके उपरान्त ही अमानत राशि रिलीज की जावेगी।
7. किसी भी विवाद की स्थिति में कलेक्टर एवं अध्यक्ष महोदय का निर्णय सर्वमान्य होगा।

सचिव  
भारतीय रेडक्रास सोसायटी  
जिला शाखा बिलासपुर (छ.ग.)