

CANACONA TALUKA

annexure a

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
1.	2.	3.	4.	5.	6.	8.	9.	10.	11.
1.	Caitano Barreto, President of Poinguinkarancho Ekvott	Santosh Pagi r/o Gailgibag Poinguinim, Canacona Goa.	173/1 Poinguinim	Temporary seasonal shack with Wooden poles & roof covered with green net, area is 108 sq.mts (as per checklist filed by Talathi)	Structure removed/ demolished before site inspection	NA	NA	NA	Complaint Structure removed/ demolished before site inspection
2.	Caitano Barreto, President of Poinguinkarancho Ekvott	Surya Pagi r/ o GalgibagPoinguinim, Canacona Goa.	173/1 Poinguinim	Temporary seasonal shack with Wooden poles & roof covered with plastic , area is 72 sq.mts	Structure removed/ demolishedbefore site inspection	NA	NA	NA	Complaint Structure removed/ demolished before site inspection
3.	Caitano Barreto, President of Poinguinkarancho Ekvott	Chandra Pagi r/o Galgibag Poinguim, Canacona Goa.	173/1 Poinguinim	Temporary seasonal shack with Wooden poles & roof covered with plastic , area is 63 sq.mts	Structure removed/ demolishedbefore site inspection	NA	NA	NA	Complaint Structure removed/ demolished before site inspection

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
4	Caitano Barreto, President of Poinguinkarancho Ekvott	Parshuram Pagi r/o Galgibag Poinguinim, Canacona Goa.	173/1 Poinguinim	Wall made up of wooden plywood & covered with husk , 06 huts& 01 shack , area is 104 sq.mts	-	NA	NA	NA	Complaint Structure removed/ demolished before site inspection
5	Talathi of panguinim saza	. Conciaio Decosta r/o Ponsulem Canacona Goa.	173/1-Z Poinguinim	Temporary seasonal huts with Wooden poles & roof covered with green net , area is 105 sq.mts	No structure	NA	NA	NA	-
6	Caitano Barreto, President of Poinguinkarancho Ekvott	11. Mevrick Cardoz r/o Galgibag Poinguinim, Canacona Goa.	173/1 Poinguinim	Illegal construction of structure	Temporary structure, plinth area of the structure is 66.00 sq.mts, height is 2.50 mts	No Approval	Illegally erected Temporary structure within 200 mts of HTL,Distanc	No	Illegal structure within 200 mts of HTL

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
7	Caitano Barreto, President of Poinguinkarancho Ekvott	Sachin Pagi r/o Galgibag Poinguinim, Canacona Goa.	176/1 Poinguinim	Temporary seasonal shack with Wooden poles & roof covered with plastic , area is 42 sq.mts	Complaint Structure removed/ demolished	NA	NA	NA	Complaint Structure removed/ demolished before inspection
8	Caitano Barreto, President of Poinguinkarancho Ekvott	Prashur Bhandari r/o Poinguinim, Canacona Goa.	190/1-E Poinguinim	Illegal Construction/ erection of structure	Temporary wooden structure 12 nos, plinth area is 360m2, hight of the structure 2.50mtrs sq	No	Illegal structure.Distance from HTL is 17.40mts	No	-

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
9	Caitano Barreto, President of Poinguinkarancho Ekvott	Tulshidas Komarpant r/o Talpona Poinguinim, Canacona Goa.	190/1 Poinguinim	Illegal construction of temporary structure	Temporary structure plinth area is 15.00 m ² , height is 2.50 mtrs	Not produced by violator	Distance from HTL is 2.25 mts	No	Illegal structure within 200 mts of HTL

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
10	Caitano Barreto, President of Poinguinkarancho Ekvott	Deepak Komarpant r/o Talpona Poinguinim, Canacona Goa.	190/1 Poinguinim	Illegal construction of temporary structure	Temporary structure plinth area is 12 sq mtrs, height is 2.50 mts	No approval produced	Temporary structure within 200 mts of HTL. Distance from HTL is 1.00 mts	No	Illegal construction within 200 mts of HTL

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
11	Caitano Barreto, President of Poinguinkarancho Ekvott	9. Pratap S. Pendnekar r/o Galgibag Poinguinim, Canacona Goa.	190/1 Poinguinim	Illegal construction of structure	Temporary wooden structure 11 nos plinth area is 231.50m ² , height is 2.50 mtrs	No NOC Produced	Temporary structure within 200 mts of HTL- Distance from HTL is 6.50 mts	No	Illegal structures within 200 mts of HTL
12.	Check list filed by Mamlatdar Canacona Taluka.	Chandrakant Metri r/o Talpona Poinguinim, Canacona Goa.	193/1 Poinguinim	Illegal construction of structure	Masonry Structure plinth area is 17.64m ² , height is 2.5mtrs	No approvals produced	Permanent structure constructed within 200 mts of HTL- Distance from HTL is 34.00mts	No	Illegal structure within 200 mts of HTL in sy no.193/1

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
13.	Shri John Nazareth r/o H. No. 326 Mandre Pednem Goa	Sudhakar Dhuru Pagi r/o Talpona Poinguinim Canacona Goa.	192/1 Poinguinim	Construction of illegal structure	Temporary structure plinth area is 41.25m ² , height is 2.50mtrs	No approval	Temporary structure erected - Distance from HTL is NIL	No	Illegal construction on the bank of river

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
14	Nitin Gaonkar r/o H. No.193/3 Agonda Canacona Goa	Shri. Barsat Naik Gaunkar and Badal Naik Gaunkar r/o Karashirmoll Agonda, Canacona Goa.	101/13 Agonda	Illegal construction /erection of concrete poles	No structure, illegally erected concrete pole/ boundary pole at a length of 12 mts. within 200 mts of HTL	No approval produced	Boundary/ concrete poles are vertically erected. Distance from HTL is 90.25 mts	No	Illegal erected /concreted poles/boundary pole at a length of 12 mts. within 200 mts of HTL
15	Devidas K. Velip I/C Range Forest Officer, Pissonem Goa.	Shri. Suraj Prakash Naik dessai r/o Karashirmoll Agonda, Canacona Goa.	151 Agonda	Retaining wall erected but during cyclone same wall washed out	No structure	No approval produced	No structure notice at the time of inspection	No	Presently retaining wall washed out during cyclone

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
16	Priciliano Anastasio Noronha r/o padribhat Agonda, Canacona - Goa.	Silvia Fernandes r/o Padribhat, Agonda	130/20 Agonda	Construction of RCC structure	RCC Structure, plinth area is 34.20 sq mtrs. - height is 3.00mtrs .septic tank height is 9.25 sq.mtr	No. approval Received	Illegal construction within 500 mtrs of HTL- Distance from HTL is 288.00mts	No	Illegal construction repairs and renovation of residential house done by Smt. Silvia Fernandes and belongs to local as well Toddy Tapper community. She is using the structure for residential purpose

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
17	Goa paryavaran savrakshan sangharsh samitee	Cupid heaven beach resort Agonda through its proprier Joney Benecio Goes	120/10 Agonda	Construction of RCC Structure	RCC Structure plinth area is 166.20 sq mtrs height is 3.00 mtrs	No approval Produced. No approved plan produced of GCZMA & Panchayat	Illegal construction within 200 mtrs of HTL violation produced order passed by Hon'ble High Court Bombay in W.P.T No. 865 of 2019 (Copy enclosed)	No	Illegal construction withn 200 mtrs of HTL Traditional Access has been blocked by owner to enter on sea shore and also to carry out fishing activity of local fisherman. Recommended not to block traditional Access and pathway, open the area from the shore not to allow sun bed

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
18	Blossom Messias C/o Villa Messias Vasco - Goa	Savio Messias	134/1 cola	Construction of temporary wooden structure	Temporary wooden structure plinth area is 180.28 sq mtrs, height is 2.50 mtrs	Not produced any NOC	Illegal construction within 200 mtrs & 1 structure within 500 mtrs of HTL. Distance from HTL is 10.50mts	No	Illegal constructions Not to block sea shore area, because Local fisherman as well as traditional fisherman using the shore to park their canoe and other fishing related activity

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
19	Revard Zeritan Pereira r/o H. No. 295, Dhawalkhajan, Agonda, Canacona - Goa	Prashila Chandrashekar Naik Gaonkar r/o Agonda, Canacona - Goa.	123/24 Agonda	Construction of RCC(G+1) structures temporary wooden structures(3)	01 RCC Structure (G+1) permanent-plinth area is 177.84 sq mtrs, height is 3.00 mtrs & 03 Temporary wooden structure- plinth area is 87.17 sq mtrs, height is 2.50 mtrs	No NOC Produced	Illegal Construction within 200 mtrs of HTL	No	Illegal construction within 200 mtrs of HTL Shore area to be kept open and not to block by putting beds & not to block traditional fisherman to carry out their daily and routine fishing related activity.

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
20	Shrymanti Pagi/Kankonkar R/o H. No. 261, Dhavalkhajan, Agonda, Canacona - Goa.	Rajesh Gopi Fal Dessai R/o Agonda, Canacona - Goa.	124/9 Agonda	Construction of temporary wooden structure	Temporary wooden structure plinth area is 237.00 sq mtrs, height is 6.80 mtrs	Not produced any NOC	Illegal construction within 200 mtrs of HTL	No	Illegal structures not to block traditional access of fisherman to carry out their daily and routine fishing activity and other fishing related business

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
21	Antony Souza(NGO) r/o H. No. 231/1, Chaudi, Canacona - Goa.	Ganeshyam Datta Varik & Pravin Ganeshyam Varik R/o Patnem, Colomb, Canacona - Goa.	66/12 Nagarcem-Palolem	Construction of Illegal Structure	Masonry Structure 1 nos plinth area is 18.00 sq mtrs height is 2.50 mtrs	Not Produced any NOC	Illegal Construction. Distance from HTL is 44.30 mts	No	Illegal Construction

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
22	Sanjay Shinde r/o H. No. 814/21 Mandopa Navelim, Salcete Goa.	MollemaOpen Air c/o MarioFernandes r/o Loliem	27/1 Nagarcem-Palolem	Beyond 500 mtrs of HTL	03 Temporary structure with open Hall plinth area is 604.96 sq mtrs height is 3.50 mtrs	Not Produced	Structure constructed beyond 500 mtrs of HTL.Distance from HTL is 819.00 mts	Beyond 500 mtrs of HTL	Talathi of Nagarcem-Palolem directed to file checklist u/s33 of LRC

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
23	George Diniz r/o H. No.157, Palolem, Canacona - Goa.	1) Mr. Anand Ganaba Desai 2) Smt. Manjusha Manjunath Bhaireli 3) Miluind Desai & 4) Mr. Anthony Cajé Cardozo	117/1 Nagarcem-Palolem	Construction of temporary wooden structure	25 Temporary wooden structure plinth area is 625.14 sq mtrs height is 2.50 mtrs	Not Produced	Illegal temporary structure Distance from HTL is within 200 mts	No	25 Illegal temporary structures

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
24	Checklist filed by Talathi of Poinguinim Saza	Sangeeta Dilkush Metri r/o Talpona Poinguim, Canacona - Goa.	188/1 Poinguinim	Construction of Illegal Structure	Laterite Masonry structure plinth area is 87.10 sq mtrs height is 2.50 mtrs	Not Produced Noc	Illegal Structure. Distance from HTL is 181.50 mts	No	Not produced any documents for construction

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
25	Cecilia Tellis r/o H. No. 1500,Loliem-Polem, Canacona Goa.	Catarina Tellis R/o Polem, Canacona -Goa	313/4 Loliem	Illegal construction of structure	1 No. RCC Structure (G+1) plinth area is 81.70 sq mtrs height is 3.00 mtrs	Not Produced	Illegal RCC Structure	No	Illegal RCC Structure to protect Residential house at Respondent are living since long and they are traditional Toddy Tapper as well as they are in fishing related business.
26	Smt Parvati Chiku Pagi r/o H. No 320, Dhawal khajan Agonda Canacona	Vithoba Chandru Pagi	121/13 of Agonda	For carrying out illegal construction in CRZ area	No construction found at the time of inspection	NA	NA	NA	Structure removed so presently no violation noticed

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
27	Premanand Pagui, r/o H.no 280 Paguiwada, palolem Canacona	1)Pedro Francisco Cardozo, 2) Dayanand Ghanesh Pagui, 3) Vijay Gokuldas komarpant & Chetan R Komarpant All resident of Palolem	118/4-B, 118/1-B & 118/27-A Nagarshem	Illegal construction of structure	Temperory structure, plinth area is 344.65mts, height is 2.50mts, RCC frame structure plinth area is 382.56m2, height is 3.00mts & 4.00mts load bearing & masonry structure plinth area is 61.60m2	No	Illegal construction within 200mts from HTL	No	Illegal Construction

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
28	Premanand Pagui, r/o H.no 287 Paguiwada, palolem Canacona	Sandeep Bhikau Pagui	120/10 Nagarcem Palolem	Illegal structure	11 Temporary wooden structure, plinth area is 606.89m ² , height is 2.50mts	No	Illegal construction within 200mts from HTL	No	Not Approval

Sr. No	Name of the Complainant	Name of the Violator	Sy. No/Village	Nature of alleged violation	Nature of the structure	Approval /N OC's issued by any other Depts/ Authorities	Nature of Violations if any, with regards to provision of CRZ notification	Whether the proposed construction meet the CZMP guideline	TLC Conclusion/ Recommendation
29	Premanand Pagui, r/o H.no 287 Paguiwada, palolem Canacona	Chetan vijay Komarpant & Mr Vijay Gokuldas komarpant	118/4, 1-B Nagarcem Palolem	Illegal construction of structure	Temperory structure, plinth area is 338.07m2, height is 2.50sq mt	No	Illegal construction within 200mts from HTL	No	Illegal construction

DLC Decision	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	

DLC Decision	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	
1. Decided to forward to GCZMA with recommendation to demolish the illegal construction of structure, as mentioned in column no. 6.	

DLC Decision	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	
1. Decided to forward to GCZMA with recommendation to demolish the illegal structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal structure, as mentioned in column no. 6. 2. Also directed to SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal temporary structure, as mentioned in column no. 6. 2. Also directed to SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal construction structure, as mentioned in column no. 6 2..Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	
1. Decided to forward to GCZMA with recommendation to demolish the illegal construction structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal construction structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegally erected of concrete poles, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	
1. Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1.Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist 2.Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
<p>1. Decided to forward to GCZMA with recommendation to demolish the illegal construction of RCC structure, as mentioned in column no. 6 , subject to the order of High Court if any</p> <p>2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner</p>	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal Construction of temporary wooden structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the illegal 01 RCC Structure (G+1) permanent and 03 Temporary wooden structure-as mentioned in column no. 6 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1.Decided to forward to GCZMA with recommendation to demolish the illegal construction of temporary wooden structure , as mentioned in column no. 6. 2.Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish the construction of illegal structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1.Since no violation has been noticed by the TLC, Canacona at the time of site inspection, hence recommended to be dropped 2.Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
Decided to forward to GCZMA with recommendation to demolish 25 illegal Temporary wooden structure , as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
Decided to forward to GCZMA with recommendation to demolish Illegal Laterite Masonry structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish Illegal RCC Structure, as mentioned in column no. 6. 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	
Decided to return back to TLC to re-inspect again and report back in 15 days with photo alongwith checklist	

DLC Decision	
<p>1. Decided to forward to GCZMA with recommendation to demolish Illegal construction, as mentioned in column no. 6.</p> <p>2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner</p>	

DLC Decision	
1. Decided to forward to GCZMA with recommendation to demolish illegal temporary wooden structure construction, as mentioned in column no. 6 2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner	

DLC Decision	
<p>1. Decided to forward to GCZMA with recommendation to demolish Illegal temperory wooden structure construction, as mentioned in column no. 6.</p> <p>2. Also directed SDO Canacona to initiate proceeding as per section 33 of LRC 1968 and conclude proceedings in a time bound manner</p>	