

# उपायुक्त-सह-जिला दण्डाधिकारी का कार्यालय रामगढ़

## अति अल्पकालीन निविदा आमंत्रण सूचना 2018-19

DMFT रामगढ़ अन्तर्गत सदर अस्पताल, रामगढ़ में ऑर्थो सर्जरी का कार्य के निमित्त मशीन एवं उपकरण की आवश्यकता है। उक्त मशीन एवं उपकरण के क्रय हेतु अति अल्पकालीन निविदा आमंत्रित की जाती है।

इच्छुक व्यक्ति/संस्था अलग-अलग सीलबन्द लिफाफे में निविदा दिनांक 14.03.2019 को 12:00 बजे मध्याह्न तक जिला योजना कार्यालय, रामगढ़ में जमा कर सकते हैं।

निविदा के साथ GST निबंधन/आयकर रिटर्न/पेन कार्ड की छाया प्रति निविदा के साथ संलग्न करना आवश्यक है। निविदा दिनांक 14.03.2019 को ही अपराह्न 2:00 बजे उप विकास आयुक्त-सह-सचिव DMFT, रामगढ़ के कार्यालय में निविदा समिति समक्ष खोली जाएगी। सामग्री हेतु आवश्यक दिशा-निर्देश निम्नवत् है-

### Orthopaedic General Instruments

Sl. NO.	Name Of Instruments.	Brand	Technical specification	Qty
1	IMAGE INTENSIFIER C -ARM (ARM HF )	ADONIS/AE 60 HF	RATING- 40-100kvp(in step)/mas-0-220mAs/time-micro processor/Power- 2.5kw/3.5kw,40khz/Power supply- 230V ac 50 hz,15ampStandardisation - Bis,aerb,island , DE approved	1
2	Fracture Table	Balaji Surjical	Fully automatic Electronics C-ARM Compitable/Dimension  1930*w 533 mm/Capacity of table -200 kg/Height Adjustment - 710 mm- 1110 mm/Wheel - yes /Floor Mount orthopaedic Attachment - Yes/	1
3	Pneumatic Electronics Tourniquet	Global Meditech	Type- Digital/Light weight , compact/Microprocessor Controlled/Fast cuff inflation and slow down/Leak Proof/Secure Quick coupling with positive locking connector s/Voltage - 230v/Dimension -220 w *160  *75h mm	2
4	Autoclavable Ortho Drill Machine with Saw & Reamer	Asco	Hand Piece - Working Voltage 40.4 v, Output Power > 90w,,Unit Rise in hmp- <20Charge input voltage - 14.4v,,Charging Time - 2HrsRunning time - 45 min	2
5	Autoclavable Drill Machine	Asco	1 Hand piece/Speed - 1000 Rpm/ Operate - With battery	2
6	Suction Machine	Global Meditech	Width - 35 cm/Height -&5 cm/Power -230v -50hz/Weight - 18 kg approx	2

7	Electrocautery Machine	Global Meditech	Weight - 4 kg/Input Voltage Supply - 230 V A/Frequency-50-60 /Dimension - 290*105*260 mm	2
8	O T Lights Double Dome	Balaji Surjical	Lux Intensity(At1mtr) 150000/Focus Diameter-120mm-280mm/Diamg Range -1%-100%/LED Life - 60000hr/Colorado Rendering index-95/No. Of LED -27 ( With Big european lenses)/Color Temp- 3500-6000k	1
9	Boyles Apparatus	Global Meditech	Long oxygen & Nitrus Oxide flow mer Tubes accurately Calliberate/Incorporate one vaporised halothane	1
10	Instrument Table (Small)	Balaji Surjical/ Global Meditech	Trolley attached/Stainless Steel /Height -800mm/Weight approx - 50kg/Size-75L*45w*80H CMS	2
11	Instrument Table (Medium)	Balaji Surjical/Glob al Meditech	Trolley attached/Stainless Steel /Height -800mm/Weight approx - 50kg/Size-95L*55w*80H CMS	2
12	Instrument Drums ( Small)	Balaji Surjical/Glob al Meditech	Corrosion Resistant/Portable /Size 9*9/Stainless Steel /Shape Round	4
13	Instrument Drums (Mediam)	Balaji Surjical/ Global Meditech	Corrosion Resistant/Portable /Size 11*9/Stainless Steel /Shape Round	4
14	Bone Hammer 300gm	Nil	300 gm Stainless Steel/ Corrosion Free	2
15	Bone Hammer 500gm	Nil	500gm Stainless Steel / corrosion Free	2
16	Self Centering bone Holding 150mm	Nil	150 mm Length/ Stainless Steel	2
17	Self Centering bone Holding 190mm	Nil	190 mm Length/ Stainless Steel	2
18	Self Centering Bone Holding 220mm	Nil	220 mm Length/ Stainless Steel	2
19	Reduction Forces 150mm Serrated jaw	Nil	150 mm Length/ Stainless Steel	2
20	Reduction Forces 190mm Serrated jaw	Nil	190 mm Length/ Stainless Steel	2
21	Reduction Forep 220mm Serreted jaw	Nil	220 mm Length/ Stainless Steel	2
22	Bone Nibbler 170mm	Nil	170mm Length/ Stainless Steel/Double action	2
23	Bone Nibbler 190mm	Nil	190 mm Length/ Stainless Steel/Double action	2
24	Bone Nibbler 220mm	Nil	220 mm Length/ Stainless Steel/ Double Action	2
25	Bone lever plain	Nil	Piloshed Steel /1 to 10 mm thickness	4
26	Bone lever serrated jaw	Nil	Polished Steel /1 to 10 mm thikness	4
27	Hohman Retractor Small	Nil	19 mm Length/ Stainless Steel	6
28	Hohman Retractor Medium	Nil	24 mm Length/ Stainless Steel	6
29	Periosteal Elevator Straight	Nil	5.6 inch Length / 0.8 Stainless Steel	2
30	Periosteal Elevator Curved	Nil	5.6 inch Length / 0.8 Stainless Steel	2
31	Bristow Elevator	Nil	Stainless Steel	1
32	Catspaw Elevator	Nil	Autoclavable	6
33	Burn' Bone Holding Forcep small	Nil	6 inch clamp steel	2
34	Patella Holding Forcep-Single Pronge	Nil	Stainless Steel Autoclable / 6 inch length	2

35	Patella Holding Forcep-Double Pronge	Nil	Stainless Steel Autoclable / 6 inch length	2
36	Bone Cutter Medium	Nil	250 mm Length /Stainless Steel	2
37	Bone cutter Large	Nil	300 mm Length /Stainless Steel	2
38	Hay Grooves Bone Holding Forcep	Nil	6 inch clamp steel / Autoclable	2
39	Osteotome 5mm Straight & Curve	Nil	5 mm / Autoclable / Stainless Steel	2
40	Osteotome 10mm Straight & Curve	Nil	10 mm / Autoclable / stainless Steel	2
41	Osteotome 15mm Straight & Curve	Nil	15 mm / Autoclable / stainless Steel	2
42	Bone Goose 5mm	Nil	5 mm / Autoclable / Stainless Steel	2
43	Bone goose 10mm	Nil	10 mm / Autoclable / stainless Steel	2
44	Reduction forcep 190mm Pointed	Nil	190 mm/3.6 inch Length/ Autoclable/Stainless Steel	4
45	Reduction forcep 240mm pointed	Nil	240 mm/9.4inch Length/ Autoclable/Stainless Steel	4
46	Tip Wire Cutter	Nil	Stainless Steel/ Autoclable	2
47	K-wire Bender	Nil	Steel Material / Autoclable / polised	2
48	K-wire Introducer	Nil	Stainless Steel / Smooth Finished / High Strength	2
49	T-Handle with Chuck & Key	Nil	120 gm Stainless Steel/ Crome Finised	2
50	Nose Piller	Nil	Excellent greep / Autoclable	2
51	Gigly Saw Handle	Nil	Stainless Steel/220 mm length / Autoclable	1
52	Plaster Saw heavy Handle	Nil	Stainless Steel / Autoclable / High strength	1
53	Plaster saw eagle	Nil	Stainless Steel / Autoclable / High strength	1
54	Plaster saw Bergman	Nil	Stainless Steel / Autoclable / High strength	1
55	Plaster Saw Scissors	Nil	Stainless Steel / Autoclable / High strength	2
56	Electric plaster cutter	Nil	Steel Material / Autoclable / polised	1
57	Screw Driver 2.7 mm	Nil	2.7 mm Excellent greep / high strength	2
58	Screw Driver 3.5 mm	Nil	3.5 mm Excellent greep / high strength	2
59	Screw Drier 4.5mm	Nil	4.5mm Excellent greep / high strength	2
60	Hollow mill with 4 attachment	Nil	Stainless Steel / Autoclable / High strength	1
61	Bone hook	Nil	Stainless Steel / Autoclable / High strength	2
62	Jumbo Cutter 18	Nil	Stainless Steel	1
63	Universal Nail extractor	Nil	Stainless Steel	2
64	Cann Hand Reamer 8mm to 12mm (1mm each)	Nil	Stainless Steel	4
65	Drill bit 2.0	Nil	High strength / Autovlable	4
66	Drill Bit 2.5	Nil	High strength / Autovlable	4
67	Drill Bit 3.2	Nil	High strength / Autovlable	4
68	Drill Bit 2.8 Long	Nil	High strength / Autovlable	4
69	Drill Bit 3.2 long	Nil	High strength / Autovlable	4
70	Drill Bit 4.0 Long	Nil	High strength / Autovlable	4
71	Drill Bit 4.3 Long	Nil	High strength / Autovlable	4
72	Drill Bit 3.5 Long	Nil	High strength / Autovlable	4
73	Steinmann pin 4.5mm	Nil	Stainless Steel	4
74	Steinmann pin 4.5mm	Nil	Stainless Steel	4
75	Needle Holder	Nil	6 mm/ Stainless Steel	4

76	Tooth Forcep(small)	Nil	5 mm / Stainless Steel	4
77	Tooth Forcep (medium)	Nil	6 mm / Stainless Steel	4
78	Tooth forcep (Large)	Nil	8 mm / Stainless Steel	4
79	Plain forcep (small)	Nil	6 inch L * 10 MM mouth/ Stainless steel	4
80	Plain forcep (medium )	Nil	8 inch L * 10 MM mouth / Stainless steel	4
81	Plain forcep (Large)	Nil	10 inch L * 10 MM mouth / Stainless steel	4
82	Tissue Cutting Scissor Straight & Curve	Nil	Stainless Steel	2 each
83	Suture Cutting Scissor	Nil	Stainless Steel	2
84	Towels clip	Nil	Stainless Steel	10
85	Artery Forecp (small)	Nil	6 inch Stains steel	10
86	Artery Forecp (medum)	Nil	8 inch Stains steel	10
87	Artery Forecp ( Large)	Nil	10 inch Stains steel	10

उपरोक्त क्रमांक 01 से 87 तक सामग्री उपलब्ध कराने हेतु अति अल्पकालिन निविदा हेतु निम्नलिखित शर्तें हैं –

1. निविदाकर्ता द्वारा पूर्व में सरकार के द्वारा दिये कार्य करने का अनुभव रहा हो । ऐसे निविदाकर्ता को प्राथमिकता दी जायेगी ।
2. निविदाकर्ता को 03 वर्षों का आयकर रिटर्न कि छाया प्रति देना होगा ।
3. निविदा में पेन कार्ड कि छाया प्रति देना होगा ।
4. GST and Income Tax Registrstion प्रमाण – पत्र प्रस्तुत करना होगा ।
5. 03 वर्षों का Income Tax Balance sheet प्रमाण – पत्र प्रस्तुत करना होगा, जो प्रतिवर्ष न्यूनतम 30(तीस) लाख रुपये का अनिवार्य रूप से होना चाहिए ।
6. अग्रधन के रूप में 10,000 ( दस हजार रुपये ) का बैंक ड्राफ्ट निविदा के साथ DMFT रामगढ़ के पनदनाम पर देय करना अनिवार्य होगा अन्यथा निविदा अमान्य कर दी जायेगी ।
7. उपरोक्त निविदा को किसी भी क्षण निरस्त/रद्द/संशोधित करने का संपुर्ण अधिकार अद्योहस्ताक्षरी को होगा ।

जिला योजना पदाधिकारी  
रामगढ़ ।

उप विकास आयुक्त  
रामगढ़ ।

उपायुक्त  
रामगढ़ ।